

CA20N
PS31
- V37 c.2



REGISTRATION REPORT

ONTARIO.

1883.

614.1


658
(1883)




Library
of the
Academy of Medicine,
Toronto.

6166







Digitized by the Internet Archive
in 2012 with funding from
University of Guelph, University of Windsor, York University and University of Toronto Libraries

REPORT

RELATING TO THE REGISTRATION OF

BIRTHS, MARRIAGES AND DEATHS

IN THE

PROVINCE OF ONTARIO,

FOR THE YEAR ENDING 31st DECEMBER,

1883.

Printed by Order of the Legislative Assembly.



Toronto :

PRINTED BY "GRIP" PRINTING & PUBLISHING CO., 26 & 28 FRONT ST.

1884.



CONTENTS.

	PAGE.
Summary of Births, Marriages and Deaths in 1883.....	1
Table 1.—Total number of Births, Marriages and Deaths in each County of the Province.	2-3
“ 2.—The same in the Cities, with classified causes of death	4
<i>Births :</i>	
Table 3.—Order of Births by Months in 1882 and 1883	6
“ 4.—“ “ the Cities	7
“ 5.—Quarterly Return of Births in 1882 and 1883	9
“ 6.—Births within specified periods	9
“ 7.—Quarterly Return for nine years	10
“ 8.—Proportion of Male to Female Births	10
“ 9.—Comparative Statement of the Birth rate in the Cities	11
“ 10.—Illegitimate Births, Twins and Triplets	12
Explanatory remarks on the Birth Tables	12-14
<i>Marriages :</i>	
Table 11.—Marriages by Denominations	16
“ 12.—“ Months, in Numerical Order.....	16
“ 13.—“ Quarters in 1882 and 1883	17
“ 14.—“ Ages “ “	17
“ 15.—Marriages exhibiting great disparity in Age	18
Explanatory remarks on the Marriage Tables	19-20
<i>Deaths :</i>	
Table 16.—Deaths at Different Ages	22
“ 17.—List of Centenarians	23
“ 18.—Nationality of Decedents over sixty years	24
“ 19.—Quarterly Return of Deaths	25
“ 20.—Monthly “ “	25
“ 21.—Ten highest causes of Deaths for twelve years	26-27
“ 22.—Percentage and ratio to Population of the Deaths in the ten highest causes of Death	28-29
“ 23.—Percentage and ratio to Population of the Deaths in the ten highest causes of Death in the Cities	30-31
“ 24.—Percentage of the ten highest causes of Death for seven years	32-33
“ 25.—Deaths by Occupations	34
“ 26.—Statistical Classification of the Deaths by Occupations	35
“ 27.—Ten Occupations, giving the highest average age in 1883, as compared with 1882	37
“ 28.—Ten Occupations, giving the lowest average age	37
Explanatory remarks on the Death Tables.....	39-53

APPENDIX.

	PAGE.
TABLE A.—Births by Months	iv.
“ B.—Marriages by Denominations.....	xii.
“ C.— “ Months	xxii.
“ D.— “ Ages	xxiv.
“ E.—Deaths, Causes of, Months and Ages	xxxii.
“ Recapitulation of Table E.....	lxx.
“ F.—Deaths by Counties—Causes of Death.....	lxxiv.
“ G.— “ Cities “	cxlii.
“ H.— “ Occupations, with average and aggregate ages	clxx.
“ I.— “ “ —Causes of Death.....	clxxxiv.

REGISTRAR-GENERAL'S OFFICE, ONTARIO,

TORONTO, December 23rd, 1884.

*To His Honour the Honourable John Beverley Robinson,
Lieutenant-Governor of the Province of Ontario.*

MAY IT PLEASE YOUR HONOUR :

In compliance with the Statute in that behalf, the undersigned respectfully presents to Your Honour the Annual Report of Births, Marriages and Deaths for the year ending 31st December, 1883.

Respectfully submitted,

ARTHUR S. HARDY,
Registrar-General.



REPORT

RELATING TO THE

Registration of Births, Marriages and Deaths

IN THE

PROVINCE OF ONTARIO,

FOR THE YEAR ENDING 31ST DECEMBER, 1883.

PARLIAMENT BUILDINGS,

TORONTO, December 1st, 1884.

To the Honourable A. S. HARDY,

Registrar-General, Province of Ontario.

SIR,—I have the honour to present a Report of the Births, Marriages and Deaths registered in this Province during the year ending 31st December, 1883.

The number of Births registered was 42,981, being 552 more than in 1882. Marriages numbered 14,277, being 828 more than in the previous year, and the Deaths registered were 21,049, a decrease of 751 as compared with the number returned in 1882.

The total registrations, therefore, amount to 78,307, as against 77,678 in 1882, an increase of 629.

The following Tables (marked 1 and 2) are condensed from the General Tables in the Appendix, and contain the number of Births, Marriages and Deaths in each County and City in the Province, shewing the increase or decrease, as the case may be, in the numbers returned, also the ratio per 1,000 of the population.

TABLE I.—TABLE SHEWING THE TOTAL NUMBER OF BIRTHS, MARRIAGES AND DEATHS IN EACH COUNTY OF THE PROVINCE OF ONTARIO IN 1883, WITH THE INCREASE AND DECREASE, ALSO THE RATIOS TO POPULATION.

COUNTIES.	Number of Births, 1883.	Increase over 1882.	Decrease.	Number of Mar- riages, 1883.	Increase over 1882.	Decrease.	Number of Deaths, 1883.	Increase over 1882.	Decrease.	Total number of B. M. and D., 1883.	Total number of B. M. and D., 1882.	Increase.	Decrease.	Births.	MARRIAGES.	DEATHS.
														Ratio to 1,000 Population.	Ratio to 1,000 Population.	Ratio to 1,000 Population.
Algoma	355	23	110	135	1	600	578	22	17.4	5.4	6.7
Brant	761	94	243	13	382	30	1386	1249	137	22.4	7.2	11.3
Bruce	1402	152	395	15	479	46	2276	2489	213	21.6	6.1	7.4
Carlton	1841	36	599	65	1479	34	3919	3852	67	28.7	9.3	23.0
Dufferin	437	62	134	17	174	13	745	837	92	21.2	6.5	8.4
Elgin	757	53	338	26	330	13	1425	1333	92	17.8	7.9	7.7
Essex	1401	27	361	23	587	90	2349	2389	40	30.1	7.7	12.6
Frontenac	1085	243	292	4	674	46	2051	1766	285	25.5	6.8	15.8
Grey	1374	78	382	21	452	136	2208	2443	235	19.4	5.4	6.4
Haldimand	476	26	164	17	188	42	828	879	51	19.0	6.6	7.5
Halton	468	31	133	1	207	50	808	888	80	21.3	6.0	9.4
Hastings	941	450	9	574	13	1965	1969	4	17.0	8.1	10.4
Huron	1584	19	413	2	627	58	2624	2703	79	20.7	5.4	8.2
Kent	1075	67	432	1	502	93	2009	2170	161	19.7	7.9	9.2
Lambton	1199	103	367	53	426	2	1992	1838	154	23.0	7.1	8.1
Lanark	559	53	283	57	255	8	1097	979	118	16.4	8.3	7.5
Leeds and Grenville	895	235	421	16	570	76	1886	2181	295	14.8	6.9	9.4
Lennox and Addington	433	20	235	22	261	2	929	929	16.3	8.8	9.8

Lincoln	668	13	241	50	401	3	1310	1244	66	21.1	7.6	12.7
Middlesex	2062	158	700	49	976	127	3758	3776	18	22.3	7.5	10.4
Muskoka and Parry Sound	838	10	175	4	257	28	1270	1304	34	30.8	6.4	9.4
Norfolk	677	96	244	2	297	48	1218	1360	142	20.2	7.2	8.8
Northumberland and Durham	1309	58	512	8	691	2512	2562	50	16.9	6.6	8.9
Ontario	1221	194	347	20	576	78	2144	1852	292	25.0	7.1	11.8
Oxford	1139	53	386	66	561	40	2086	2007	79	22.7	7.6	11.2
Peel	529	63	192	30	263	71	984	1088	104	20.2	7.3	10.0
Perth	1132	44	408	124	440	71	1980	1971	9	21.1	7.6	8.2
Peterborough	836	35	264	42	409	50	1509	1382	127	24.1	7.6	11.8
Prescott and Russell	1266	88	219	52	391	44	1876	1884	8	33.3	5.7	10.2
Prince Edward	384	15	140	17	250	98	774	904	130	18.2	6.6	11.9
Renfrew	828	83	274	38	321	4	1423	1472	49	20.5	6.8	7.9
Simcoe	1421	19	490	8	610	10	2521	2520	1	18.9	6.5	8.1
Stormont, Dundas and Glengarry	1142	117	491	56	477	63	2110	2000	110	17.3	7.4	7.2
Victoria	738	2	255	10	363	29	1356	1319	37	20.9	7.2	10.3
Waterloo	1268	34	387	11	493	86	2148	2211	63	29.6	9.0	11.5
Welland	703	8	225	42	318	67	1246	1263	17	22.1	7.1	10.0
Wellington	1675	1	475	39	714	6	2764	2730	34	23.8	7.1	10.8
Wentworth	1335	243	616	24	1213	148	3764	3349	415	28.9	9.2	18.1
York	4247	18	1484	168	2726	263	8457	8008	449	27.7	9.7	17.8
Totals	42981	1613	1061	14277	1025	197	21049	668	1419	78307	77678	2494	1865	22.3	7.4	10.9
Increase in Births, 552.													Total increase in B., M. and D., 629.			
Increase in Marriages, 828.													Decrease in Deaths, 751.			
Decrease in Deaths, 751.													Total increase in B., M. and D., 629.			

TABLE 2.

RETURN OF BIRTHS, MARRIAGES AND DEATHS in the Cities of Ontario with their Population, and Ratio per 1000 living, also the Causes of Death by Classes.

CITIES.	Population of 1883 as returned by the Assessors.	BIRTHS.		MARRIAGES.		DEATHS.		DISEASES BY CLASSES.					
		Number returned.	Ratio per 1000 of the population.	Number returned.	Ratio per 1000 of the population.	Number returned.	Ratio per 1000 of the Population.	Class I.—Zymotic Diseases.	Class II.—Constitutional Diseases.	Class III.—Local Diseases.	Class IV.—Developmental Diseases.	Class V.—Violent Deaths.	Cause not stated.
Toronto.....	95450	2790	29.2	1083	11.3	2040	21.3	426	493	799	246	56	20
Hamilton.....	39216	1202	30.6	445	11.3	822	20.9	148	200	314	130	19	11
Ottawa	30700	1015	33.0	427	13.9	1211	39.4	252	417	281	193	30	38
London.....	20976	550	26.2	274	13.6	280	13.3	51	77	97	43	9	3
Kingston.....	15297	501	32.7	180	11.7	384	25.1	34	101	119	49	17	64
Brantford.....	11783	263	22.3	112	9.5	159	13.5	31	41	66	15	4	2
St. Thomas....	10811	262	24.2	156	14.4	91	8.4	19	18	34	13	7
Guelph.....	10190	299	29.3	96	9.4	150	14.7	22	44	49	29	3	3
St. Catharines..	10053	180	17.9	126	12.5	166	16.5	19	50	73	19	1	4
Belleville.....	9742	181	18.5	126	12.9	164	16.8	31	51	54	20	7	1
Total	254218	7243	28.5	3025	11.9	5467	21.5	1033	1492	1886	757	153	146

BIRTHS.

TABLE 3.
ORDER OF BIRTHS BY MONTHS IN 1882 AND 1883.

MONTHS.	1882.			MONTHS.	1883.		
	Male.	Female.	Total.		Male.	Female.	
March	2013	1913	3926	March.....	2031	1982	4013
August.....	1954	1794	3748	September.....	1952	1869	3821
September	1874	1791	3665	April	1919	1804	3723
October.....	1875	1771	3646	August.....	1890	1779	3669
January.....	1859	1775	3634	October.....	1872	1734	3606
February.....	1839	1718	3557	January.....	1860	1698	3558
April	1806	1719	3525	May	1787	1770	3557
July	1755	1707	3462	July	1814	1720	3534
December	1871	1582	3453	February	1821	1622	3443
May	1753	1624	3377	December	1786	1621	3407
November.....	1677	1629	3306	November.....	1718	1639	3357
June.....	1625	1505	3130	June.....	1665	1628	3293
Total.....	21901	20528	42429	Total.....	22115	20866	42981

TABLE 4.

BIRTHS BY MONTHS IN THE CITIES, 1883.

CITIES.	SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Quadruplets.	No. of pairs of twins.	Triplets.	Illegitimate.	Still Born.
Toronto	{ Males	120	119	124	103	119	96	96	136	125	123	110	128	1399	20	66	10
	{ Females	89	101	120	117	112	112	112	132	138	114	114	130	1391	36	55	9
	Total	209	220	244	220	231	208	208	268	263	237	224	258	2790	28 pairs	121	19
Hamilton	{ Males	45	55	54	62	46	44	56	55	57	48	57	47	626	11	1	33	10
	{ Females	35	41	53	50	60	33	54	46	54	51	59	40	576	19	2	22	6
	Total	80	96	107	112	106	77	110	101	111	99	116	87	1202	15 pairs	1 case	55	16
Ottawa	{ Males	48	54	70	53	46	53	55	37	32	35	25	48	556	12	5	170	2
	{ Females	32	32	66	49	37	50	55	34	30	24	24	26	459	10	4	161	1
	Total	80	86	136	102	83	103	110	71	62	59	49	74	1015	11 pairs	3 cases	331	3
London	{ Males	25	28	28	28	23	18	16	26	31	26	22	15	286	2	5	1	19	2
	{ Females	24	25	22	20	27	18	23	26	23	18	17	21	264	2	5	2	17	2
	Total	49	53	50	48	50	36	39	52	54	44	39	36	550	1 case	5 pairs	1 case	36	4
St. Catharines ..	{ Males	13	5	4	7	6	4	6	9	5	6	9	11	85	2
	{ Females	9	3	5	12	9	6	4	10	8	7	13	9	95	2
	Total	22	8	9	19	15	10	10	19	13	13	22	20	180	2 pairs

TABLE 4.—Continued.

CITIES.	SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Quad- ruplets.	No. of pairs twins.	Triplets.	Illegitimate.	Still Born.
Kingston.....	{ Males.....	22	23	18	15	25	35	23	24	16	12	17	12	242	3	2	1
	{ Females.....	18	25	16	28	14	29	28	17	18	20	24	22	259	3	5	2
	Total.....	40	48	34	43	39	64	51	41	34	32	41	34	501	3 pairs	7	3
Belleville.....	{ Males.....	9	8	5	8	14	9	8	7	9	14	12	7	110	2	1	4
	{ Females.....	7	4	9	4	7	4	5	7	3	9	8	4	71	1	1
	Total.....	16	12	14	12	21	13	13	14	12	23	20	11	181	1 pair	2	5
Brantford.....	{ Males.....	13	6	11	9	12	7	13	12	15	13	14	8	133	2	1	3
	{ Females.....	8	3	16	9	15	11	13	9	9	13	14	10	130	2	2	1
	Total.....	21	9	27	18	27	18	26	21	24	26	28	18	263	2 pairs	3	4
Guelph.....	{ Males.....	12	10	17	12	11	8	13	21	12	6	11	16	149	1	4	1
	{ Females.....	18	12	11	13	16	11	13	18	11	12	6	9	150	3	5	1
	Total.....	30	22	28	25	27	19	26	39	23	18	17	25	299	2 pairs	9	2
St. Thomas.....	{ Male.....	9	17	14	6	15	10	9	12	10	10	16	128	5	2
	{ Female.....	14	12	11	11	6	11	12	7	12	12	15	11	134	1
	Total.....	14	21	28	25	12	26	22	16	24	22	25	27	262	3 pairs	2
Grand Total.....	Total Males.....	307	317	348	311	308	289	296	336	314	293	287	308	3714	2	63	7	298	33
	“ Females.....	254	258	329	313	303	285	319	306	306	280	294	282	3529	2	81	8	268	23
	Grand Total.....	561	575	677	624	611	574	615	642	620	573	581	590	7243	1 case	72 pairs	5 cases	566	56

TABLE 5.
Quarterly Return of Births in 1882 and 1883.

QUARTERS.	1882.			1883.		
	Males.	Females	Totals.	Males.	Females	Totals.
Quarter ending March 31st.....	5711	5406	11117	5712	5302	11014
“ “ June 30th.....	5184	4848	10032	5371	5202	10573
“ “ September 30th.....	5583	5292	10875	5656	5368	11024
“ “ December 31st.....	5423	4982	10405	5376	4994	10370
	21901	20528	42429	22115	20866	42981

TABLE 6.

The number of births within the several specified periods was as follows :—

For the year.....	42,981—Males, 22,115 ; Females, 20,866.
“ month.....	3,581 “ 1,843 ; “ 1,738.
“ week.....	826 “ 425 ; “ 401.
“ day.....	118 “ 61 ; “ 57.

The difference between the male and female births reported in each year, for the last ten years, is shewn to have been as follows :—

In 1873 there were 1,037 more male than female births.

“ 1874	“	1,073	“	“
“ 1875	“	1,064	“	“
“ 1876	“	987	“	“
“ 1877	“	1,361	“	“
“ 1878	“	1,780	“	“
“ 1879	“	1,651	“	“
“ 1880	“	1,726	“	“
“ 1881	“	1,580	“	“
“ 1882	“	1,373	“	“
“ 1883	“	1,249	“	“

TABLE 7.

The following Statement shews the total number of Births in each quarter for the last nine years with the percentages.

QUARTERS.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	Total for nine years.	Percentage of the whole nine years.
January to March.....	6998	10012	12580	10652	11333	11050	10845	11117	11014	95601	27.0
April to June.....	6481	9566	9899	9688	10484	10345	9893	10032	10573	86961	24.5
July to September.....	6474	9623	9854	10075	9944	10893	10146	10875	11024	88908	25.1
October to December.....	6015	9257	7624	9821	9274	10024	9830	10405	10370	82620	23.4
Total.....	25968	38458	39957	40236	41035	42312	40714	42429	42981	354090	100.00

TABLE 8.

BIRTHS by Months in the Province, 1883, shewing the proportion of Male to Female Births

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.
Males.....	1860	1821	2031	1919	1787	1665	1814	1890	1952	1872	1718	1786	22115
Female.....	1698	1622	1982	1804	1770	1628	1720	1779	1869	1734	1639	1621	20866
Total.....	3558	3443	4013	3723	3557	3293	3534	3669	3821	3606	3357	3407	42981
Male births to 100 female births.....	109.5	112.2	102.4	106.3	101.0	102.2	105.4	106.2	104.4	107.9	104.8	110.2	105.9

BIRTHS by Months in the ten Cities during 1883, shewing the proportion of Male to Female Births.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Males.....	307	317	348	311	308	289	296	336	314	293	287	308	3714
Females.....	254	258	329	313	303	285	319	306	306	280	294	282	3529
Total.....	561	575	677	624	611	574	615	642	620	573	581	590	7243
Male births to 100 female births.....	120.	122.8	105.7	99.3	101.6	104.0	92.7	109.8	102.5	104.6	97.6	109.2	105.2

TABLE 9.

COMPARATIVE STATEMENT of the Birth Rate in the Cities of Ontario for Eight Years.

CITIES.	1876.			1877.			1878.			1879.			1880.			1881.			1882.			1883.		
	Population as returned by the Assessors.	Number of Births.	Birth rate per 1,000 living.	Population.	Number of Births.	Birth rate per 1,000 living.	Population.	Number of Births.	Birth rate per 1,000 living.	Population.	Number of Births.	Birth rate per 1,000 living.	Population according to Census.	Number of Births.	Birth rate per 1,000 living.	Population according to Census, 1881.	Number of Births.	Birth rate per 1,000 living.	Population according to Census, 1881.	Number of Births.	Birth rate per 1,000 living.	Population of 1883 as returned by Assessors.	Number of Births.	Birth rate per 1,000 living.
Toronto	71073	1984	27	67386	2222	32	70867	2637	37	73813	2638	35	83410	2650	31.7	86445	2545	29.4	86415	2600	30.0	95450	2790	29.2
Hamilton	32641	644	19	32641	940	28	33511	1008	30	34268	994	29	35041	941	26.7	35965	957	26.6	35961	948	26.3	39216	1202	30.6
Ottawa	25000	458	18	24431	339	13	24000	474	19	24015	479	19	26830	667	24.8	27417	495	18.0	27412	1042	38.0	30700	1015	33.0
London	18196	456	25	18898	465	24	19186	521	27	19666	539	27	19370	487	24.6	19763	426	21.5	19746	449	22.7	20976	550	26.2
St. Catharines	12870	137	10	13143	164	12	11079	172	15	10475	186	17	9465	257	27.1	9642	172	17.8	9631	192	20.0	10053	180	17.9
Kingston	12786	416	32	13253	349	26	14072	352	25	14358	889	27	13925	397	28.5	14093	363	25.7	14091	329	23.3	15297	501	32.7
Belleville	9768	284	29	11192	321	28	9612	301	31	9789	330	33	9295	296	31.8	9516	210	22.0	9516	190	20.0	9742	181	18.5
Brantford	9444	237	25	10631	278	26	10792	262	24	10587	254	24	9475	263	27.7	9626	247	25.6	9616	255	26.5	11783	263	22.3
Guelph	9017	311	34	9677	341	35	9918	340	34	10072	298	29	9589	289	30.1	9890	282	28.5	9894	284	28.7	10190	299	29.3
St. Thomas	5527	109	19	5954	123	20	6446	125	19	7217	154	21	7753	182	23.6	8370	204	24.3	8367	177	21.1	10811	262	24.2

TABLE 10.
ILLEGITIMATE BIRTHS, TWINS AND TRIPLETS.

YEAR.	ILLEGITIMATE BIRTHS.			No. of Twins.	No. of Triplets.
	No.	Proportion to the whole Number of Births.	Ratio in every 1,000 Births.		
1872	235	One in every 99 Births.....	10.0	76	0
1873	229	“ “ 129 “ ..	8.3	200	1
1874	196	“ “ 144 “	6.9	255	2
1875	198	“ “ 131 “	4.8	264	1
1876	392	“ “ 98 “	10.1	349	1
1877	529	“ “ 75 “	13.2	411	5
1878	575	“ “ 70 “	14.2	425	9
1879	524	“ “ 78 “	12.7	378	1
1880	671	“ “ 63 “	15.8	407	6
1881	748	“ “ 54 “	18.3	384	3
1882	966	“ “ 43 “	22.7	389	5
1883	989	“ “ 43 “	23.0	377	8
Average for 12 years.....	521	One in every 85 Births.....	326	3.5

BIRTHS.

(See Appendix Page IV., also Table 1.)

There has been a steady increase in the number of Births registered since the Registration Act came into operation on July 1st, 1869. In 1870, the first full year, there were 19,536 Births returned; in 1883 the number was 42,981, an average yearly in of 1,804. The ratio of Births to Population in 1870 was 12 per 1,000; in 1883 it had increased to 22.3 per 1,000.

Each of the counties of Frontenac and Wentworth shew an increase of 243, which is larger than that of any other county, while Leeds and Grenville (United) shew the largest falling off, viz., 235 less than in 1882. The counties of Ontario, Middlesex, Stormont, Dundas and Glengarry (United), and Lambton return increases in the number of Births registered, ranging from 194 in the County of Ontario, to 103 in Lambton; whereas in the counties of Bruce, Norfolk, Renfrew and Kent, there is a falling off in the returns as compared with 1882, of from 152 in Bruce to 67 in Kent. The county of Hastings returns exactly the same number of Births in 1883 as in 1882, viz., 941. If 30 Births per 1,000 of the Population be accepted as the birth rate of Ontario, then only three counties, Prescott and Russell (United), Muskoka and Parry Sound (United) and Essex have reached that standard. When these latter counties which have been comparatively lately settled have reached the standard, there is no justifiable reason why the older settled counties should shew such neglect in this matter, especially as they possess better

facilities for registration. That they do fail to register in many cases is exemplified in Table 1, which shews that the older settled counties of Haldimand, Hastings, Lennox and Addington, Northumberland and Durham (United), Lincoln, Middlesex, Norfolk and Oxford do not in any of them return a higher birth rate than 22 per 1,000, and some of them as low as 16 per 1,000. Prescott and Russell (United) returned the highest birth rate, viz., 33.5 per 1,000, and Leeds and Grenville (United) the lowest, viz., 14.8 per 1,000. The average ratio for the whole Province was 22.3 per 1,000; for the ten cities it shews much greater, viz., 28.5 per 1,000. This is to be expected, as the statistics of other countries invariably shew that the birth rate is always higher in cities and towns than in the rural districts. Three cities returned a higher rate than 30 per 1,000, viz., Ottawa 33, Kingston 32, and Hamilton 30.6 per 1,000, while Toronto and Guelph are not far behind; their birth rate being 29.1 and 29.3, respectively. St. Catharines returned the lowest rate of any, 17.9 per 1,000, and Belleville was very little in advance, viz., 18.5 per 1,000. St. Catharines has always returned a low birth rate, never exceeding 20 per 1,000 in the last eight years, except in 1880, when it reached 27.1 per 1,000. Belleville formerly returned a birth rate as high as 33 per 1,000, but for the last four years the rate has gradually decreased from 31.8 in 1880 to 18.5 per 1,000 in 1883. Evidently the Births are not yet all registered in those places, for with increased population, increased registrations of births must be expected. For four years, viz., those between 1876 and 1880, the birth rate of Ottawa did not exceed 19 per 1,000. In the year 1877, it was only 13 per 1,000 (see Table 9). The returns, however, suddenly increased from 18 per 1,000 in 1881 to 38 per 1,000 in 1882, but again decreased to 33 per 1,000 in 1883.

(See Tables 3, 4, 5, 6, 7 and 8.)

In noticing the sexes of the children born it is found that the number of male births always exceeds the number of the female births. The average excess in the last ten years was 7.2 per cent. In 1878 there was a difference of 9 per cent. in favor of the males. In 1882 the excess was the smallest, the male births being only 5 per cent. more than the female. In five of the ten years the difference was the same, 8 per cent. more male than female births.

The table of births by months shews that February in 1883 returned the most marked difference in the sexes; the relation was 112 males to 100 females, but that month returned the lowest number of female births of any month in the year. The highest proportion in any month in 1882 was in December, viz., 118 males to 100 females; May returned the least difference in the sexes, 101 males to 100 females; March returned the largest number of both sexes, 4,013, and also the largest number of male births, while June returned the least. In the Province the male births exceed the female births in every month of the year, whereas in the cities the months of April, July and November shewed a larger number of female births than male births.

In the returns from the cities those months of the year where the male births are in excess the proportion is much larger than in the returns for the whole Province, thus, the month of January returns 122 males to 100 females, February 123.8 to 100, and August 109.8 to 100, whereas the highest proportion in any month in the returns for the Province was 112 males to 100 females. The relation between the sexes in the whole number of births registered in the Province was nearly the same as in the total births registered in the cities, viz., 105.9 males to 100 females in the Province, and 105.2 to 100 in the cities.

In the table of births in the ten cities, March returned the highest number of births, as it did in the whole Province, and January the lowest. The first and second quarters of the year shew more births in the cities than in the other two quarters.

The return of births for the whole Province in the first and third quarters of the year was nearly the same, the third being the highest; the fourth quarter returns the lowest number of births; in 1882 the second quarter held that position.

Illegitimate Births, Twins and Triplets (see Table 10).

The illegitimate birth rate was about the same as in 1882, one in every 43 births. There was, however, a slight increase in the number returned, but there was also an increase in

the number of births, which equalizes the rate. The number of these births, 989, in one year, appears very large, but it must be noted that the county of Carleton alone returns 509 of this number, four times as many as the county of York returned, although the largest city in the Province, Toronto, was included in that county. Of these 509 illegitimate births in Carleton, Ottawa city returned 331 of them. The cause of the continued very large returns of illegitimate births from the county of Carleton appears to be the same as mentioned in last year's report, viz., that they are mostly received from the two lying-in hospitals, one located in Ottawa city, and another just outside of its limits. Eliminating the number returned from these two institutions from the total number returned for the Province, the rate would be only one illegitimate birth to every 86 births in the Province, and it would seem that this deduction would be just to a very great extent, as a large portion of these births was the offspring of mothers belonging to countries outside the Province. In 1880 the number returned from the county of Carleton was 126. In 1881 it increased to 144. In 1882 the very large number of 462 was returned, and in 1883, 509 as before mentioned.

There were 326 pairs of twins registered in 1883, five more than in 1882, and eight cases of triplets, three more than in 1882. One case of four children at a birth was returned from the city of London, but from information received three of these children only lived a short time.

MARRIAGES.

MARRIAGES.

TABLE 11.

MARRIAGES BY DENOMINATIONS.

(See Appendix Page xii.)

Of the whole number of persons married in 1882 the percentages of those whose religious denominations were given were as follows:—

35.30	per cent.	(or 1 in every 2.83)	were	Methodists.
20.33	"	(" " 4.92)	"	Presbyterians.
17.37	"	(" " 5.75)	"	Episcopalians.
13.39	"	(" " 7.47)	"	Roman Catholics.
5.44	"	(" " 18.40)	"	Baptists.
1.93	"	(" " 51.73)	"	Bible Christians.
1.88	"	(" " 53.16)	"	Lutherans.
.88	"	(" " 113.50)	"	Congregationalists.
.58	"	(" " 171.27)	"	Evangelical Association.
.54	"	(" " 185.50)	"	Mennonites.
.03	"	(" " 2988.67)	"	Quakers.
1.33	"	(" " 75.00)	"	of other denominations.

The percentages in 1883 were as follows:—

34.67	per cent.	(or 1 in every 2.88)	were	Methodists.
19.73	"	(" " 5.06)	"	Presbyterians.
17.74	"	(" " 5.63)	"	Episcopalians.
14.37	"	(" " 6.59)	"	Roman Catholics.
5.09	"	(" " 19.06)	"	Baptists.
1.96	"	(" " 50.89)	"	Lutherans.
1.95	"	(" " 51.08)	"	Bible Christians.
1.06	"	(" " 93.92)	"	Congregationalists.
.60	"	(" " 164.10)	"	Evangelical Association.
.57	"	(" " 196.89)	"	Mennonites.
.09	"	(" " 1057.55)	"	Quakers.
2.15	"	(" " 46.42)	"	of other denominations.

TABLE 12.

MARRIAGES BY MONTHS, IN NUMERICAL ORDER.

1882.		1883.	
December	1573	December	1614
October	1340	October	1547.
November	1330	January	1519
January	1232	November	1263
September	1202	March	1167
March	1164	September	1139
February	1158	April	1130
April	1004	February	1044
May	921	June	1018
June	880	May	1014
July	834	July	942
August	753	August	821
No date given	58	No date given	59
Total	13449	Total	14277

The average number of marriages, per quarter, for 1883 was 3,569
 “ “ “ “ month, “ 1,189
 “ “ “ “ week, “ 274
 “ “ “ “ day, “ 39

TABLE 13.

QUARTERLY RETURN OF MARRIAGES 1882 AND 1883.

QUARTERS.	1882.		1883.	
	Number of Marriages.	Per cent. of the whole Number.	Number of Marriages.	Per cent. of the whole Number.
Quarter ending 31st March.....	3554	26.4	3730	26.1
“ “ 30th June.....	2805	20.9	3162	22.2
“ “ 30th September.....	2789	20.7	2902	20.3
“ “ 31st December.....	4243	31.6	4424	31.0
Date of Marriages omitted	58	.4	59	.4
	13449	100.0	14277	100.0

TABLE 14.—MARRIAGES BY AGES.

The proportion of males to females married during the different quinquennial periods of life for the year 1882-83 to the whole number of marriages, is shown in the appended table :—

QUINQUENNIAL PERIODS OF LIFE.	1882.				1883.			
	Whole number of Marriages, 13,449.				Whole number of marriages, 14,277.			
	Males.		Females.		Males.		Females.	
	Number Married.	Per cent. of whole.	Number Married.	Per cent. of whole.	Number Married.	Per cent. of whole.	Number Married.	Per cent. of whole.
Under 20 years.....	175	1.30	2808	20.88	175	1.22	2841	19.90
From 20 to 25 years.....	5072	37.72	6659	49.51	5341	37.42	7168	50.20
“ 25 to 30 “.....	4758	35.38	2516	18.71	4944	34.62	2599	18.20
“ 30 to 35 “.....	1657	12.33	681	5.06	1869	13.09	771	5.40
“ 35 to 40 “.....	733	5.45	303	2.25	734	5.14	337	2.36
“ 40 to 45 “.....	381	2.83	174	1.30	429	3.00	212	1.48
“ 45 to 50 “.....	207	1.54	96	.72	240	1.68	117	.82
“ 50 to 55 “.....	149	1.12	72	.54	177	1.24	58	.41
“ 55 to 60 “.....	107	.79	35	.26	116	.81	60	.42
“ 60 to 65 “.....	77	.58	22	.16	87	.61	22	.15
“ 65 to 70 “.....	44	.32	6	.04	61	.43	8	.06
“ 70 to 75 “.....	26	.19	7	.05	31	.22	5	.04
“ 75 to 80 “.....	11	.08	2	.02	9	.07	1	.01
“ 80 and over	2	.02	0	.00	0	0	0
Ages not given	50	.35	68	.50	64	.45	78	.55
	13449	100.00	13449	100.00	14277	100.00	14277	100.00

TABLE 15.—MARRIAGES exhibiting great disparity in the ages of those married.

COUNTIES.	BRIDEGROOM THE ELDER.						BRIDE THE ELDER.			
	Occupation of Bridegroom.	Age of Bridegroom.	Age of Bride.	COUNTIES.	Occupation of Bridegroom.	Age of Bridegroom.	Age of Bride.	COUNTIES.	Occupation of Bridegroom.	Age of Bride.
Dufferin.....	Farmer.....	70	50	Ontario.....	Farmer.....	74	64	Essex.....	Farmer.....	71
Essex.....	Labourer.....	75	70	Oxford.....	".....	73	69	Huron.....	".....	77
Grey.....	Farmer.....	70	57	Peel.....	Mason.....	72	52			
Hastings.....	".....	70	24	Perth.....	Clerk.....	74	64			
Huron.....	".....	72	40	".....	Farmer.....	71	51			
".....	Gentleman.....	72	54	".....	Gentleman.....	74	65			
Kent.....	Merchant.....	70	60	".....	Farmer.....	70	56			
Leeds and Grenville.....	Farmer.....	75	56	".....	".....	71	66			
".....	Gentleman.....	72	44	Prince Edward.....	".....	71	52			
Lennox and Addington.....	".....	75	50	Simcoe.....	Shoemaker.....	72	23			
Middlesex.....	Merchant.....	70	63	Stormont, Dundas and Glengarry.....	".....	70	29			
".....	Farmer.....	70	34	Welland.....	Miller.....	72	58			
".....	Gentleman.....	70	58	".....	Farmer.....	72	66			
Norfolk.....	Farmer.....	75	60	Wellington.....	Gentleman.....	72	72			
".....	Justice of the Peace.....	79	56	Wentworth.....	Farmer.....	72	55			
Northumberland & Durham.....	".....	73	37	York.....	".....	74	60			
".....	Gentleman.....	70	70	".....	Auctioneer.....	71	52			
".....	Farmer.....	70	70	".....	Gentleman.....	73	60			
".....	Gentleman.....	74	59	".....	Farmer.....	72	52			
".....	Labourer.....	78	56	".....	Gentleman.....	78	47			

TABLE 1.

MARRIAGES.

(See Table 1.)

The number of marriages registered in 1883 was 14,277, an increase of 828 over the number returned in 1882. The ratio to 1,000 of the population for the whole Province was 7.4; in the cities it was 11.9. Those counties which include within their borders, cities and large towns, naturally return the largest ratio of marriages, thus the county of York, including the city of Toronto, returns a marriage ratio of 9.7 per 1,000; Carlton, including the city of Ottawa, 9.3 per 1,000; Wentworth, including the city of Hamilton, 9.2 per 1,000; Waterloo, including the town of Berlin, 9.0 per 1,000; whereas the following counties which contain no cities or large towns return a comparatively low marriage rate, viz., Prescott and Russell (United) a ratio of 5.7 per 1,000; Huron, 5.4 per 1,000; Grey, 5.4 per 1,000; Halton, 6.0 per 1,000, and Bruce, 6.1 per 1,000. The largest increases in the number of marriages were from the counties of York, 168; Perth, 124; Oxford, 66; Carleton, 65; Lanark, 57, and Stormont, Dundas and Glengarry (United), 56. The largest decreases were in the counties of Prescott and Russell (United), 52; Middlesex, 49; and Grey, 21. Only 11 counties returned a decrease in 1883, all the other 28 counties reported increases in the number of marriages.

MARRIAGES BY DENOMINATIONS.

(See Appendix, Page xii., also Table 11.)

The union of all the different Methodist bodies into one church does not affect this table, as the different divisions of that denomination were always classified under one general heading, Methodists. In every Annual Report issued from this Department the number of Methodists married shewed always in excess of any other denomination. Of the 28,554 persons married in 1883, 9,907 or 34.67 per cent. were Methodists. They exceeded in number the Episcopalians by 4,840 or 95 per cent.; the Presbyterians by 4,272 or 75 per cent.; and the Roman Catholics by 5,801 or 141 per cent.

In the following six counties the marriages of Methodists were the largest in proportion to the whole number of persons married in each county, thus:—The county of Prince Edward returned 280 persons married in 1883, of whom 206 or 73 per cent. were Methodists. The counties of Lennox and Addington returned 470 persons married in 1883, of whom 312 or 66 per cent. were Methodists. The county of Hastings returned 900 persons married in 1883, of whom 483 or 53 per cent. were Methodists. The county of Kent returned 864 persons married in 1883, of whom 415 or 48 per cent. were Methodists. The counties of Northumberland and Durham (United) returned 1,024 persons married in 1883, of whom 486 or 47 per cent. were Methodists. The county of Lambton returned 734 persons married in 1883, of whom 338 or 46 per cent. were Methodists.

In the following four counties the Presbyterians had the largest proportion:—The county of Bruce returned 790 persons married in 1883, of whom 255 or 32 per cent. were Presbyterians. The county of Huron returned 826 persons married in 1883, of whom 278 or 33 per cent. were Presbyterians. The county of Lanark returned 566 persons married in 1883, of whom 219 or 38 per cent. were Presbyterians. The county of Perth returned 816 persons married in 1883, of whom 240 or 29 per cent. were Presbyterians.

In the following five counties the Roman Catholics have the largest proportion:—The counties of Prescott and Russell (United) returned 438 persons married in 1883, of whom 358 or 81 per cent. were Roman Catholics. The county of Carleton returned 1,198 persons married in 1883, of whom 591 or 49 per cent. were Roman Catholics. The county of Renfrew returned 548 persons married in 1883, of whom 227 or 41 per cent. were Roman Catholics. The county of Essex returned 722 persons married in 1883, of whom 286 or 39 per cent. were Roman Catholics. The counties of Stormont, Dundas and Glengarry (United) returned 982 persons married in 1883, of whom 323 or 33 per cent. were Roman Catholics.

In only one county—York—were the Episcopalians the largest proportion, it returned 2,968 persons married, of whom 927 or 31 per cent. were Episcopalians. In Waterloo the marriages of Lutherans were more numerous than those of any other denomination; they numbered 174 or 22 per cent. of the 774 marriages in that county.

MARRIAGES BY MONTHS AND QUARTERS.

(See Appendix, Page xxii., also Tables 12 and 13.)

December again returns the largest number of marriages; the three months, October, December and January, returned 4,680 marriages, 32 per cent. of the whole number, a convincing proof that these months are favourable to matrimony. August returned the lowest number of marriages, 821, only 5 per cent. Ontario to a large extent is a farming country, and as August is generally a busy harvest month the marriage rate for that month may be expected to be low.

MARRIAGES BY AGES.

(See Appendix, Page xxiv., also Table 14.)

Exactly the same number of young men (175) were married under twenty years of age in 1883 as in 1882, and very nearly the same number of young women were married under that age as in 1882, viz., 2,841 in that year and 2,808 in 1883. Of all the men married in 1883, only 1.22 per cent. were under 20 years, while of the women, nearly twenty per cent. were under that age. The difference in the next decade is not nearly so great, but still the number of females between 20 and 25 years of age who were married during that period exceeds the males at those ages by 1,827 or 34 per cent. In the next period the relation is changed and there are returned 2,345 or 90 per cent. more men married between the ages of 25 and 30 years than women of those ages, and this relation between the sexes as regards their ages at the time of their marriage continues throughout the remaining decades, though with a less ratio.

MARRIAGES AT ADVANCED AGES.

(See Table 15.)

The oldest man married in 1883 was 79 years of age when married, five years younger than the oldest man married in 1882. In 1883 none of the men reached the age of 80 years before marriage, but two were married at the respectable old age of 79 years, one was a Justice of the Peace in the county of Norfolk, the other a farmer in the county of Welland. The youngest man married was 17 years old at the time of his marriage. The age of the oldest lady married was 77 years, she lived in the county of Huron, and the six youngest brides were only 14 years of age when they took partners for life. The two old men of 79 years took unto themselves wives of the respective ages of 66 and 56, so that the total ages of the oldest couple amounted to 145 years, one year more than the united ages of the oldest couple married in 1882. The youngest couple married were of the ages of 17 and 16 years respectively, their united ages being 33,—112 years less than the total ages of the oldest couple. The two old ladies whose ages were 77 and 72 at the time of their marriage took partners aged 64 and 72 years. Of the six young damsels who entered the married state at the early age of 14 years, three of them married young men of 21, two of them men of 22 years, and one to a man 29 years of age. Besides these youthful maidens who married at 14 years, 13 others were married at 15 years, and 50 at 16 years. As in 1882, so in 1883 more widowers were married than widows, viz., 1,638 widowers and 744 widows re-entered the married state.

DEATHS.

DEATHS.

(See Appendix, page lxxii.)

TABLE 16.—DEATHS AT DIFFERENT AGES.

The death rate under one year, from one to five, from five to ten, and in each decennial period thereafter, for the years 1876, 1877, 1878, 1879, 1880, 1881, 1882 and 1883, is shewn in the following table:—

	1876.		1877.		1878.		1879.		1880.		1881.		1882.		1883.	
	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.
Total under 1 year.....	3844	21.4	4704	24.1	3963	22.9	3869	22.2	4379	22.8	5246	23.6	4874	22.3	4882	23.2
“ from 1 year to 5 years.....	2471	13.7	2841	14.6	2321	13.4	2159	12.3	2795	14.6	3130	14.0	2942	13.6	2215	10.5
Total under 5 years.....	6315	35.1	7545	38.7	6284	36.3	6028	34.5	7174	37.4	8366	37.6	7826	35.9	7097	33.7
“ from 5 to 10 years.....	1012	5.6	1064	5.6	904	5.2	777	4.5	976	5.1	1144	5.2	1150	5.2	825	3.9
“ 10 “ 20 “.....	1341	7.5	1391	7.1	1187	6.8	1057	6.1	1197	6.2	1499	6.8	1449	6.6	1377	6.5
“ 20 “ 30 “.....	1696	9.5	1687	8.6	1623	9.4	1622	9.3	1785	9.3	2027	9.1	1930	8.8	2105	10.0
“ 30 “ 40 “.....	1316	7.4	1310	6.7	1201	7.0	1205	6.9	1192	6.2	1451	6.5	1359	6.3	1519	7.2
“ 40 “ 50 “.....	1116	6.2	1444	5.8	1026	6.0	1112	6.3	1142	5.9	1302	5.9	1201	5.5	1249	5.9
“ 50 “ 60 “.....	1099	6.1	1098	5.6	1067	6.1	1166	6.6	1119	5.8	1278	5.8	1257	5.8	1283	6.1
“ 60 “ 70 “.....	1311	7.3	1389	7.1	1276	7.4	1486	8.5	1468	7.6	1549	6.9	1600	7.4	1537	7.4
“ 70 “ 80 “.....	1595	9.0	1572	8.1	1551	9.0	1675	9.6	1803	9.4	2058	9.3	1952	8.9	1903	9.1
“ 80 “ 90 “.....	917	5.1	1000	5.2	951	5.5	1071	6.2	1112	5.9	1269	5.7	1250	5.8	1254	6.0
“ 90 “ 100 “.....	228	1.2	272	1.5	214	1.3	269	1.5	235	1.2	265	1.2	273	1.2	223	1.1
“ and over.....																
Age not given.....	17946	100.0	19472	100.0	17284	100.0	17468	100.0	19203	100.0	22208	100.0	21237	97.4	20392	96.9
Whole number of deaths.....	677	3.6	581	2.8	524	2.9	490	2.7	599	3.0	613	2.7	563	2.6	657	3.1
	18623	20053	17908	17958	19802	22821	21800	100.0	21049	100.0

TABLE 17.

LIST OF CENTENARIANS, 1883.

No.	NAME.	Sex.	Occupation.	Where Born.	Age at Death.	Where Died.	Cause of Death.
1	Henrietta McDonald	F.	Farmer's wife	Scotland	107	Tp. Kincardine, Bruce County	Old age.
2	William Norris	M.	Farmer	Berkshire, England	104	S. Dorchester, Elgin	"
3	Daniel Banks	M.	"	Kentucky, U. S.	107	" Anderson, Essex	"
4	John Orton	M.	Pauper	United States	100	" Maidstone, "	"
5	James Stowe	M.	Farmer	England	100	" "	"
6	John Brazill	M.	Labourer	Africa	109	Owen Sound, Grey	"
7	John McPhail	M.	Farmer	Isle of Mull, Scotland	100	Tp. Glenelg, "	Natural causes.
8	Elizabeth Irwin	F.	Farmer's widow	Ireland	100	" St. Vincent, Grey	Old age.
9	Martha Lucas	F.	Widow	Ireland	101	" Tyendinaga, Hastings	General debility hastened by a fall.
10	Amelia VanCott	F.	"	Connecticut, U. S.	101	Belleville, "	Bowel complaint.
11	Janet Christie Smith	F.	"	Scotland	101	Tp. Bosanquet, Lambton	Old age.
12	Thomas Ross	M.	Pauper	Scotland	107	" Adelaide, Middlesex	"
13	Isabella Sexton	F.	Widow	Scotland	107	" Eckfrid, "	"
14	Janet McLachlin	F.	Farmer's wife	Scotland	107	" Lobo, "	"
15	Diana Calphas	F.	Slave's widow	Kentucky, U. S.	115	" Westminster	"
16	Jacob Abdalla	M.	Negro labourer	Ireland	104	Ottawa, Carleton	Paralysis.
17	Margaret Bambridge	F.	Widow	Ireland	102	{ Tp. Manvers, Northumberland and Durham Counties }	Old age.
18	Martha Tuck	F.	"	England	105	{ Tp. Haldimand, Northumberland and Durham County (United) }	"
19	Caroline Bonaire	F.	"	Vermont, U. S.	114	Tp. Thorah, Ontario County	"
20	William Patterson	M.	Labourer	Philadelphia, U. S.	100	" S. Norwich, Oxford	Dropsy.
21	Charles McCarty	M.	Farmer	Canandaque, U. S.	103	" Blenheim, "	Old age.
22	William Casey	M.	"	Ireland	103	" Galway, Peterboro'	"
23	James Cole Delong	F.	Widow	Adolphustown, Canada	103	" Ameliasburgh, Prince Edward Co.	Accident (by a fall).
24	James Lamrock	M.	"	Ireland	107	Hamilton, Wentworth County	Old age.
25	Phoebe Grant	F.	Farmer's wife	Germany	107	Tp. Markham, York	"
26	James Mitchell	M.	Farmer	Ireland	100	" King, "	"
27	John Lunnan	M.	Whale fisher	Scotland	105	" "	Age (not disease).
28	Mary Ann Calahan	F.	Labourer's wife	London, England	112	" Raleigh, Kent	Extreme age.
29	Milton Raglin	M.	Farmer	United States	100	Vil. Ridgetown, Kent	Old age.
30	Sarah Marsh	F.	Widow	Georgetown, N. B.	106	Tp. Alfred, Prescott and Russell Co.	"
31	Joseph Menumier	M.	Farmer	Grand Chicot, Quebec	105	" Essa, Simcoe County	"
32	William Hodgins	M.	"	Ireland	105	" Bedford, Frontenac County	"
33	Michael Carrier	M.	Labourer	Lower Canada	106	Kingston, "	"
34	Moses Mullingham	M.	None	Ireland	108	Lindsay, Victoria	"
35	Ann Lytle	F.	"	County Cavan, Ireland	104	" "	"

TABLE 18.

Nationalities of Decedents over Sixty Years of Age.

	English.	Irish.	Scotch.	Canadian.	American.	German.	French.	Swiss.	Other Countries.	Unknown.	Total.
Deaths between 60 and 70....	316	471	244	346	72	58	9	3	4	34	1557
“ 70 “ 80....	378	548	327	431	89	78	7	1	6	38	1903
“ 80 “ 90....	204	417	229	189	109	60	6	3	0	37	1254
“ 90 “ 100....	28	62	35	30	25	5	2	3	190
“ 100 “ upw'rds	4	8	7	3	8	2	1	33
Total Deaths over 60 ...	930	1506	842	999	303	203	24	7	11	112	4937

TABLE 19.

QUARTERLY RETURN OF DEATHS IN 1883.

	Males.	Females.	Totals.	Per cent. of the whole.
Quarter ending 31st March.....	2906	2754	5660	26.9
“ “ 30th June	2804	2710	5514	26.2
“ “ 30th September.....	2813	2479	5292	25.1
“ “ 31st December.....	2430	2153	4583	21.8
	<u>10953</u>	<u>10096</u>	<u>21049</u>	<u>100.0</u>

TABLE 20.

MONTHLY RETURN OF DEATHS IN 1883, IN ROTATION ACCORDING TO NUMBERS.

	Males.		Females.		Totals.
March	1075	March	1075	March	2150
April	1004	April	1047	April	2051
August	972	May	896	August	1868
May	962	August	887	May	1849
January	949	January	869	January	1818
July	924	February	810	July	1734
September	917	July	797	September	1714
February	882	September	795	February	1677
June	838	June	767	June	1605
October	813	December	757	October	1570
December	811	October	704	December	1515
November	806	November	692	November	1498
	<hr/> 10953		<hr/> 10096		<hr/> 21049

TABLE 21.

The following is a Record of the Ten Highest Causes of Death for the years 1871, 1872, 1873, 1874, 1876, 1877, 1878, 1879, 1880, 1881, 1882, and 1883.

1871.	1872.	1873.	1874.	1876.	1877.
Whole number of Deaths registered 9182	Whole number of Deaths registered 10745	Whole number of Deaths registered 11069	Whole number of Deaths registered 10352	Whole number of Deaths registered 18623	Whole number of Deaths registered 20053
Phthisis 1042	Phthisis 1120	Phthisis 1217	Phthisis 1143	Phthisis 2259	Phthisis 2157
Scarlatina 630	Scarlatina 642	Old Age 778	Pneumonia 642	Old Age 1405	Old Age 1661
Pneumonia 508	Old Age 545	Lung Disease 533	Old Age 536	Diphtheria 864	Infantile Debility 1164
Exhaustion 467	Pneumonia 514	Typhoid Fever 401	Typhoid Fever 369	Pneumonia 786	Pneumonia 1050
Old Age 414	Diarrhea 407	Heart Disease 399	Heart Disease 351	Lung Disease 662	Diphtheria 964
Heart Disease 333	Heart Disease 350	Cerebro-spinal Meningitis 324	Diarrhea 334	Heart Disease 569	Scarlet Fever 717
Typhoid Fever 261	Dysentery 342	Stomach Disease 321	Enteritis 283	Convulsions 544	Heart Disease 697
Dropsey 241	Exhaustion 332	Brain Disease 278	Convulsions 267	Diarrhea 539	Diarrhea 666
Convulsions 209	Typhoid Fever 329	Pneumonia 276	Dropsey 239	Typhoid Fever 436	Convulsions 573
Diarrhea 207	Brain Disease 318	Cholera Infantum 276	Lung Disease 231	Dropsey 381	Enteritis 497

No Report in

TABLE 21—Continued.

1878.		1879.		1880.		1881.		1882.		1883.	
Whole number of Deaths registered 17808		Whole number of Deaths registered 17958		Whole number of Deaths registered 19802		Whole number of Deaths registered 22821		Whole number of Deaths registered 21800		Whole number of Deaths registered 21059	
Phthisis	1999	Phthisis	2065	Phthisis	2154	Phthisis	2397	Phthisis	2464	Phthisis	2500
Old Age	1722	Old Age	1749	Old Age	1658	Old Age	1972	Anaemia	1895	Old Age	1731
Infantile Debility . .	1100	Infantile Debility . .	955	Infantile Debility . .	1300	Infantile Debility . .	1481	Old Age	1841	Anaemia	1600
Diphtheria	986	Pneumonia	942	Pneumonia	1257	Diphtheria	1171	Pneumonia	1322	Pneumonia	1335
Pneumonia	826	Heart Disease	784	Diphtheria	822	Pneumonia	1137	Diphtheria	1239	Heart Disease	921
Heart Disease	621	Diphtheria	574	Heart Disease	760	Heart Disease	886	Heart Disease	753	Diphtheria	709
Convulsions	454	Convulsions	445	Convulsions	518	Diarrhea	818	Typhoid Fever	555	Convulsions	548
Enteritis	415	Dropsy	400	Bronchitis	438	Typhoid Fever	616	Scarlatina	543	Bronchitis	497
Diarrhea	401	Enteritis	393	Croup	429	Croup	533	Diarrhea	497	Diarrhea	471
Typhoid Fever	379	Diarrhea	340	Congestion of Lungs .	419	Convulsions	509	Convulsions	492	Typhoid Fever	469

TABLE 22.—Shewing the number of Deaths in each of the ten highest Causes of Deaths centage to the total deaths in each

COUNTIES.	Population per Census of 1881.	Total No. of Deaths.	Ratio per 1000 of Population.	PHTHISIS.			OLD AGE.			ANÆMIA.		
				No.	Per cent.	Ratio per 1000 of Population.	No.	Per cent.	Ratio per 1000 of Population.	No.	Per cent.	Ratio per 1000 of Population.
Algoma and Thunder Bay	20320	135	6.7	7	5.2	0.3	16	11.8	0.8
Brant	33869	382	11.3	43	11.2	1.2	26	6.8	0.8	13	3.4	0.4
Bruce	64774	479	7.4	45	9.4	0.7	48	10.0	0.7	65	13.5	1.0
Carleton	64103	1479	23.0	148	10.0	2.5	80	5.4	1.2	167	11.3	2.6
Dufferin	20536	174	8.4	25	14.3	1.2	18	10.3	0.9	20	11.5	0.9
Elgin	42361	330	7.7	41	12.4	1.0	33	10.0	0.8	17	5.1	0.4
Essex	46559	587	12.6	83	14.1	1.7	52	8.8	1.1	67	11.4	1.4
Frontenac	42555	674	15.8	97	14.4	2.3	74	10.9	1.7	41	6.1	0.9
Grey	70528	452	6.4	34	7.5	0.4	66	14.6	0.9	27	6.0	0.3
Haldimand	24991	188	7.5	34	18.0	1.3	14	7.4	0.6	6	3.2	0.2
Halton	21919	207	9.4	23	11.1	1.0	19	9.1	0.9	6	2.9	0.3
Hastings	55192	574	10.4	103	17.9	1.8	68	11.8	1.2	36	6.2	0.6
Huron	76525	627	8.2	76	12.1	1.0	68	10.8	0.9	40	6.3	0.5
Kent	54335	502	9.2	58	11.5	1.6	44	8.7	0.8	49	9.7	0.9
Lambton	52034	426	8.1	52	12.2	1.0	26	6.1	0.5	32	7.5	0.6
Lanark	33975	255	7.5	46	18.0	1.3	30	11.7	0.9	25	9.8	0.7
Leeds and Grenville	60164	570	9.4	78	13.6	1.3	68	11.9	1.1	48	8.4	0.8
Lennox and Addington	26484	261	9.8	41	15.7	1.5	36	13.8	1.3	14	5.3	0.5
Lincoln	31563	401	12.7	54	13.4	1.6	24	6.0	0.7	25	6.2	0.8
Middlesex	93081	976	10.4	97	9.9	1.4	86	8.8	0.9	53	5.4	0.5
Muskoka and Parry Sound	27204	257	9.4	16	6.2	0.6	8	3.1	0.3	31	12.0	1.1
Norfolk	33527	297	8.8	32	10.7	0.9	15	5.0	0.4	25	8.4	0.7
Northumberland and Durham	77390	691	8.9	117	16.9	1.5	77	11.1	1.0	31	4.5	0.4
Ontario	48812	576	11.8	60	10.4	1.2	39	6.7	0.8	31	5.4	0.6
Oxford	50159	561	11.2	73	13.0	1.4	51	9.1	1.0	31	5.5	0.6
Peel	26175	263	10.0	36	13.7	1.3	27	10.2	1.0	17	6.4	0.6
Perth	53686	440	8.2	50	11.3	0.9	44	10.0	0.8	30	6.8	0.5
Peterborough	34648	409	11.8	46	11.2	1.3	37	9.0	1.1	29	7.1	0.8
Prescott and Russell	38022	391	10.2	45	11.5	1.2	34	8.7	0.9	81	20.7	2.1
Prince Edward	21045	250	11.9	35	14.0	1.6	35	14.0	1.6	12	4.8	0.6
Renfrew	40246	321	7.9	37	11.5	0.9	26	8.1	0.6	36	11.2	0.9
Simcoe	74903	610	8.1	58	9.5	0.8	52	8.5	0.7	36	5.9	0.5
Stormont, Dundas and Glengarry	66017	477	7.2	79	16.5	1.2	73	15.3	1.1	40	8	0.6
Victoria	35163	363	10.3	44	12.1	1.2	28	7.7	0.8	24	6.6	0.7
Waterloo	42735	493	11.5	50	10.1	1.2	44	8.9	1.0	20	4.0	0.5
Welland	31771	318	10.0	31	9.7	1.0	21	6.6	0.6	14	4.4	0.4
Wellington	66189	714	10.8	86	12.0	1.3	62	8.6	0.9	67	9.3	1.0
Wentworth	66952	1213	18.1	138	11.3	2.1	65	5.3	1.0	67	5.5	1.0
York	153098	2726	17.8	282	10.3	1.8	113	4.1	0.7	211	7.7	1.3
Total	1923610	21049	10.9	2500	11.9	1.3	1731	8.2	0.9	1600	7.6	0.8

in the Counties of the Province, with the Population of each County, and also the per-County, and ratio to Population.

PNEUMONIA.			HEART DISEASE.			DIPHTHERIA.			CONVULSIONS.			BRONCHITIS.			DIARRHÆA.			TYPHOID FEVER.		
No.	Per cent.	Ratio per 1000 of Population.	No.	Per cent.	Ratio per 1000 of Population.	No.	Per cent.	Ratio per 1000 of Population.	No.	Per cent.	Ratio per 1000 of Population.	No.	Per cent.	Ratio per 1000 of Population.	No.	Per cent.	Ratio per 1000 of Population.	No.	Per cent.	Ratio per 1000 of Population.
11		0.5	7	5.1	0.3	8	5.9	0.4	6	4.4	0.2	2	1.4	0.1	1	0.7	0.05	3	2.2	0.1
26	6.8	0.8	21	5.5	0.6	29	7.6	0.8	6	1.5	0.2	8	2.1	0.2	3	0.8	0.1	17	4.4	0.5
21	4.3	0.3	19	3.9	0.3	13	2.7	0.2	9	1.8	0.1	10	2.1	0.2	6	1.2	0.1	8	1.6	0.1
53	3.6	0.8	52	3.5	0.8	46	3.1	0.7	22	1.5	0.3	20	1.3	0.3	85	5.7	1.3	27	1.8	0.4
9	5.2	0.4	5	2.8	0.2	1	0.5	0.05	4	2.3	0.2	1	0.5	0.05				4	2.3	0.2
30	9.1	0.7	12	3.6	0.3	5	1.5	0.1	7	2.1	0.2	7	2.1	0.2	8	2.4	0.2	9	2.7	0.2
35	5.9	0.7	24	4.1	0.5	31	5.2	0.7	19	3.2	0.4	7	1.2	0.1	14	2.3	0.3	15	2.5	0.3
26	3.8	0.6	29	4.3	0.7	5	0.7	0.1	12	1.8	0.3	17	2.5	0.4	8	1.1	0.2	11	1.6	0.2
38	8.4	0.5	9	2.0	0.1	13	2.8	0.2	9	2.0	0.1	14	3.1	0.2	3	0.6	0.04	7	1.5	0.1
9	4.7	0.3	19	10.1	0.8	6	3.2	0.2	10	5.3	0.4	2	1.1	0.1	3	1.6	0.1	2	1.1	0.1
10	4.8	0.4	12	5.8	0.5	7	3.3	0.3	7	3.3	0.3	4	1.9	0.2	2	0.9	0.1	9	4.3	0.4
43	7.5	0.8	25	4.3	0.4	16	2.8	0.3	4	0.7	0.07	8	1.4	0.1	12	2.1	0.2	7	1.2	0.1
40	6.3	0.5	38	6.0	0.5	33	5.2	0.4	13	2.1	0.2	8	1.2	0.1	8	1.2	0.1	14	2.2	0.2
30	5.9	0.5	24	4.7	0.4	8	1.5	0.1	15	3.0	0.3	8	1.6	0.2	15	3.0	0.3	18	3.6	0.3
34	7.9	0.6	20	4.7	0.4	11	2.5	0.2	14	3.3	0.3	5	1.2	0.9	3	0.7	0.05	12	2.8	0.2
21	8.2	0.6	8	3.1	0.2	20	7.8	0.6	3	1.2	0.1	3	1.1	0.1	3	1.1	0.1	6	2.3	0.2
31	5.4	0.5	25	4.4	0.4	68	11.9	1.1	6	1.0	0.1	7	1.2	0.1	3	0.5	0.05	8	1.4	0.1
13	4.9	0.5	10	3.8	0.4	8	3.1	0.3	9	3.4	0.3	1	0.4	0.04	2	0.7	0.07	4	1.5	0.1
31	7.7	1.0	24	6.0	0.7	9	2.2	0.3	8	2.0	0.2	13	3.2	0.4	2	0.5	0.06	10	2.4	0.3
73	7.4	0.8	59	6.0	0.6	8	0.8	0.1	27	2.7	0.3	18	1.8	0.2	36	3.6	0.4	24	2.4	0.2
9	3.5	0.3	6	2.3	0.2	7	2.7	0.2	14	5.4	0.5	10	3.9	0.4	1	0.4	0.04	7	2.7	0.2
14	4.7	0.4	20	6.7	0.6	7	2.3	0.2	9	3.0	0.3	6	2.0	0.2	8	2.7	0.2	9	3.0	0.3
50	7.2	0.6	27	3.9	0.3	7	1.0	0.1	13	1.8	0.2	14	2.0	0.2	10	1.4	0.1	10	1.4	0.1
41	7.1	0.8	16	2.8	0.3	21	3.6	0.4	13	2.2	0.3	19	3.3	0.4	12	2.1	0.2	23	4.0	0.5
35	6.2	0.7	35	6.2	0.7	34	6.1	0.6	16	2.8	0.3	12	2.1	0.2	7	1.2	0.1	13	2.3	0.2
20	7.6	0.7	15	5.7	0.5	17	6.4	0.6	2	0.7	0.08	4	1.5	0.1	4	1.5	0.1	6	2.3	0.2
30	6.8	0.6	16	3.6	0.3	11	2.5	0.2	12	2.7	0.2	14	3.2	0.3	6	1.3	0.1	3	0.7	0.05
29	7.1	0.8	19	4.6	0.5	15	3.6	0.4	11	2.7	0.3	8	1.9	0.2	12	2.9	0.4	6	1.4	0.2
19	4.8	0.5	9	2.3	0.2	26	6.6	0.7	6	1.5	0.1	4	1.0	0.1	11	2.8	0.3	10	2.5	0.2
15	6.0	0.7	6	2.4	0.3	3	1.2	0.1	4	1.6	0.2	5	2.0	0.2				5	2.0	0.2
14	4.3	0.3	15	4.6	0.4	22	6.8	0.5	5	1.5	0.1	10	3.1	0.2	10	3.1	0.2	6	1.8	0.1
47	7.7	0.6	21	3.4	0.3	20	3.3	0.3	13	2.1	0.2	22	3.6	0.3	7	1.1	0.1	11	1.8	0.1
13	2.7	0.2	16	3.3	0.2	14	2.9	0.2	7	1.4	0.1	8	1.6	0.1	6	1.2	0.1	2	0.4	0.03
25	6.8	0.7	13	3.6	0.3	6	1.6	0.2	12	3.3	0.3	11	3.0	0.3	8	2.2	0.2	4	1.1	0.1
31	6.3	0.7	28	5.6	0.7	14	2.8	0.3	31	6.3	0.7	11	2.2	0.2	20	4.0	0.5	6	1.2	0.1
28	8.8	0.8	17	5.3	0.5	7	2.2	0.2	19	6.0	0.6	13	4.1	0.4	3	0.9	0.1	7	2.2	0.2
64	8.9	0.9	34	4.7	0.5	22	3.1	0.3	12	1.6	0.2	15	2.1	0.2	11	1.5	0.1	18	2.5	0.3
87	7.1	1.3	70	5.7	1.0	26	2.1	0.4	30	2.4	0.4	54	4.4	0.8	38	3.1	0.5	19	1.5	0.3
180	6.6	1.2	96	3.5	0.6	85	3.1	0.5	109	4.0	0.7	94	3.4	0.6	80	2.9	0.5	89	3.2	0.6
1335	6.3	0.6	921	4.3	0.4	709	3.3	0.3	548	2.6	0.3	497	2.3	0.2	471	2.3	0.2	469	2.2	0.2

TABLE 23.—Shewing the number of Deaths in each of the ten highest causes
number of Deaths, also Ratio of each cause of

CITIES.	Population per census of 1881.	Total number of Deaths. Ratio per 1000			PHTHISIS.			ANÆMIA.			PNEUMONIA.		
					No.	Per cent.	Ratio per 1000.	No.	Per cent.	Ratio per 1000.	No.	Per cent.	Ratio per 1000.
Toronto	91240	2040	22.3	217	10.6	2.4	170	8.3	1.8	144	7.0	1.6	
Hamilton	35961	822	22.8	97	11.8	2.7	52	6.3	1.5	49	5.9	1.4	
Ottawa	27412	1211	44.2	114	9.4	4.1	147	12.1	5.3	37	3.0	1.3	
London	19746	280	14.2	27	9.6	1.3	18	6.4	0.9	16	5.7	0.8	
Kingston	14091	384	27.2	53	13.8	3.7	29	7.5	2.0	13	3.3	0.9	
Guelph	9894	150	15.2	22	14.6	2.2	19	12.6	1.9	6	4.0	0.6	
St. Catharines	9631	166	17.2	27	16.2	2.8	9	5.4	0.9	12	7.2	1.2	
Brantford	9616	159	16.5	20	12.6	2.0	8	5.0	0.8	12	7.5	1.2	
Belleville	9516	164	17.2	40	24.4	4.2	6	3.6	0.6	4	2.4	0.4	
St. Thomas	8367	91	10.9	10	10.9	1.1	6	6.6	0.7	9	9.9	1.7	
Total	235474	5467	23.2	627	11.4	2.6	464	8.4	1.9	302	5.5	1.3	

of Death in the following Cities of the Province with the percentage to the whole Death to 1000 of the population for 1883.

OLD AGE.			HEART DISEASE.			DIARRHŒA.			BRONCHITIS.			CONVULSIONS.			MENINGITIS.			TYPHOID FEVER.		
No.	Per cent.	Ratio per 1000.	No.	Per cent.	Ratio per 1000.	No.	Per cent.	Ratio per 1000.	No.	Per cent.	Ratio per 1000.	No.	Per cent.	Ratio per 1000.	No.	Per cent.	Ratio per 1000.	No.	Per cent.	Ratio per 1000.
59	2.9	0.6	65	3.2	0.7	66	3.2	0.7	81	3.9	0.9	84	4.1	0.9	61	3.0	0.7	74	3.6	0.8
29	3.5	0.8	51	6.2	1.4	33	4.0	0.9	38	4.6	1.0	22	2.6	0.6	33	4.0	0.9	11	1.3	0.3
49	4.0	1.8	41	3.4	1.5	81	6.7	2.9	16	1.3	0.6	13	1.1	0.5	32	2.6	1.1	23	1.9	0.6
16	5.7	0.8	9	3.2	0.4	11	3.9	0.5	4	1.4	0.2	15	5.3	0.7	4	1.4	0.2	11	3.9	0.5
32	8.3	2.3	16	4.1	1.1	2	0.5	0.1	15	3.9	1.0	8	2.1	0.5	3	0.8	0.2	5	1.3	0.3
11	7.3	1.1	9	6.0	0.9	4	2.6	0.4	1	0.6	0.1	2	1.3	0.2	3	2.0	0.3
5	3.0	0.5	10	6.0	1.0	2	1.2	0.2	8	4.8	0.8	2	1.2	0.2	4	2.4	0.4	4	2.4	0.4
8	5.0	0.8	7	4.4	0.7	1	0.6	0.1	6	3.8	0.6	9	5.6	0.9	3	1.9	0.3
12	7.3	1.2	11	6.6	1.1	5	3.0	0.5	2	1.2	0.2	2	1.2	0.2	4	2.4	0.4	2	1.2	0.2
6	6.6	0.7	2	2.2	0.2	4	4.4	0.5	4	4.4	0.5	3	3.3	0.3	1	1.1	0.1	4	4.4	0.5
227	4.1	0.9	221	4.0	0.9	208	3.8	0.8	170	3.1	0.7	157	2.9	0.6	154	2.8	0.6	137	2.5	0.5

TABLE 24.

Ten Highest Causes of Death, with their percentage of the whole number of Deaths from specified causes, for the years 1877, 1878, 1879, 1880, 1881, 1882 and 1883.

1877.			1878.			1879.		
Whole number of Deaths from specified causes. .19,260			Whole number of Deaths from specified causes. .16,852			Whole number of Deaths from specified causes. .16,897		
DISEASES.	No. of Deaths.	Per cent. of the whole.	DISEASES.	No. of Deaths.	Per cent. of the whole.	DISEASES.	No. of Deaths.	Per cent. of the whole.
Phthisis	2157	11.2	Phthisis	1999	11.8	Phthisis	2065	12.2
Old Age	1661	8.6	Old Age	1722	10.2	Old Age	1749	10.3
Infantile Debility	1164	6.0	Infantile Debility	1100	6.5	Infantile Debility	955	5.6
Pneumonia	1050	5.4	Diphtheria	986	5.8	Pneumonia	942	5.5
Diphtheria	964	5.0	Pneumonia	826	4.9	Heart Disease	784	4.6
Scarlet Fever	717	3.7	Heart Disease	621	3.6	Diphtheria	574	3.4
Heart Disease	697	3.6	Convulsions	454	2.1	Convulsions	445	2.6
Diarrhoea	666	3.4	Enteritis	417	2.4	Dropsy	400	2.3
Convulsions	573	2.9	Diarrhoea	401	2.3	Enteritis	393	2.3
Enteritis	497	2.5	Typhoid Fever	379	2.1	Diarrhoea	340	2.0

TABLE 24—Continued.

1880.				1881.				1882.				1883.			
Whole number of Deaths from specified causes.....				Whole number of Deaths from specified causes.....				Whole number of Deaths from specified causes.....				Whole number of Deaths from specified causes.....			
19,152				21,997				21,097				20,299			
DISEASES.	No. of Deaths.	Per cent. of the whole.		DISEASES.	No. of Deaths.	Per cent. of the whole.		DISEASES.	No. of Deaths.	Per cent. of the whole.		DISEASES.	No. of Deaths.	Per cent. of the whole.	
Phthisis	2154	11.2		Phthisis	2397	10.8		Phthisis	2464	11.6		Phthisis	2500	12.3	
Old Age.....	1658	8.6		Old Age.....	1972	8.9		Anæmia	1895	8.9		Old Age.....	1731	8.5	
Infantile Debility.....	1300	6.7		Infantile Debility.....	1481	6.7		Old Age.....	1841	8.7		Anæmia	1600	7.8	
Pneumonia.....	1257	6.5		Diphtheria	1171	5.3		Pneumonia	1322	6.2		Pneumonia	1335	6.5	
Diphtheria	822	4.2		Pneumonia	1137	5.1		Diphtheria	1239	5.8		Heart Disease.....	921	4.5	
Heart Disease	760	3.0		Heart Disease	886	4.0		Heart Disease	753	3.5		Diphtheria.....	709	3.5	
Convulsions	518	2.7		Diarrhœa.....	818	3.7		Typhoid Fever.....	555	2.6		Convulsions.....	548	2.7	
Bronchitis	438	2.3		Typhoid Fever.....	616	2.8		Scarlatina	543	2.5		Bronchitis	497	2.4	
Croup.....	429	2.2		Croup.....	533	2.4		Diarrhœa.....	497	2.3		Diarrhœa	471	2.3	
Congestion of Lungs...	419	2.1		Convulsions	509	2.3		Convulsions	492	2.3		Typhoid Fever.....	469	2.2	

TABLE 25.

Deaths by Occupations (for General Table *see* Appendix page clxx.)

Over the Average Age, 56.2 years.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
Volunteers, Soldiers, and Pensioners	56	68.2	Masons	45	60.0
Gentlemen.....	195	68.0	Bricklayers.....	7	59.4
Millwrights	7	66.3	Tailors.....	54	59.3
Gardeners	30	62.8	Shoemakers	102	57.8
Farmers.....	2375	62.2	Carriage and Waggon-makers..	24	57.1
Weavers.....	32	61.8	Coopers	19	56.5
Public Officials.....	69	60.1			

Under the Average Age.

OCCUPATIONS.	No. of Deaths.	Average Age of Death.	OCCUPATIONS.	No. of Deaths.	Average Age of Death.
Cabinet-makers.....	30	56.1	Cooks	2	45.0
Pedlars	7	56.1	Brewers and Distillers.....	6	44.6
Clergymen.....	42	56.0	Editors.....	2	44.5
Teachers, Male	41	55.4	Sailors.....	28	43.9
Merchants	127	55.2	Milliners and Dressmakers....	28	43.5
Manufacturers	32	55.0	Stonecutters	20	43.0
Blacksmiths.....	67	55.0	Undertakers	2	43.0
Builders and Contractors.....	23	54.5	Seamstresses	32	42.2
Carpenters.....	175	53.8	Barbers.....	11	41.3
Labourers	919	52.1	Miners	3	41.6
Teamsters	33	51.7	Provincial Land Surveyors ...	3	41.3
Butchers	27	51.2	Tinsmiths	13	40.0
Millers	34	50.6	Saddlers and Harness-makers..	20	38.6
Physicians	43	50.1	Railway Employees.....	58	38.5
Hunters and Fishermen.....	10	50.0	Tobacconists and Cigar-makers.	6	38.5
Chemists and Druggists.....	10	49.7	Watchmakers and Jewellers...	10	38.3
Bakers and Confectioners.....	11	49.5	Machinists.....	25	37.3
Lawyers	16	49.0	Musicians	3	37.3
Plasterers	13	49.0	Moulders.....	22	36.5
Brickmakers	13	48.3	Servants, Female.....	70	36.5
Agents	48	48.1	Book-keepers, Salesmen and Clerks.....	104	35.0
Tanners and Curriers.....	9	48.1	Printers	23	32.5
Tavern-keepers	77	47.9	Artists.....	7	32.4
Other Mechanics.....	81	47.2	Dentists.....	4	30.0
Bankers	13	47.0	Teachers, Female.....	21	29.4
Engineers	32	46.4	Telegraph Operators	6	27.8
Lumbermen	15	45.8	Students	10	24.2
Painters.....	35	45.2			

TABLE 26.

A STATISTICAL CLASSIFICATION of the number of Deaths of persons whose Occupations were specified, giving the Number, Average and Aggregate Ages.

OCCUPATIONS.	NUMBER OF PERSONS.	AGES AT DEATH.	
		Aggregate.	Average.
CLASSES AND OCCUPATIONS	5537	311135	56.2
1. CULTIVATORS OF THE EARTH	2405	149700	62.2
2. MECHANICS	971	50166	51.5
3. LABOURERS	959	49988	52.1
4. MERCHANTS, FINANCIERS, AGENTS, ETC.	432	20379	47.1
5. PROFESSIONAL MEN	488	27992	57.3
6. OTHER EMPLOYMENTS	152	7781	51.2
7. FEMALES AT WORK	130	5129	39.4
CLASS I.—CULTIVATORS OF THE EARTH	2405	149700	62.2
Farmers	2375	147816	62.2
Gardeners	30	1884	62.8
CLASS II.—MECHANICS	971	50166	51.5
Blacksmiths	67	3685	55.0
Brickmakers	13	628	48.2
Brewers and Distillers	6	268	44.6
Bricklayers	7	416	59.4
Barbers	11	455	41.3
Butchers	27	1384	51.2
Bakers, Confectioners	11	545	49.5
Carpenters	175	9415	53.8
Cabinetmakers	30	1683	56.3
Coopers	19	1073	56.4
Cooks	2	90	45.0
Contractors and Builders	23	1258	50.0
Masons	45	2692	60.0
Machinists	25	933	57.3
Moulders	22	803	36.5
Millers	34	1722	50.6
Millwrights	7	464	66.3
Miners	3	125	41.6
Other Mechanics	81	3824	47.2
Painters	35	1582	45.2
Printers	23	749	32.5
Plasterers	13	638	49.0
Stonecutters	20	861	43.0
Shoemakers	102	5897	57.8
Saddlers and Harnessmakers	20	772	38.6
Tinsmiths	13	516	40.0
Tobacconists and Cigarmakers	6	231	38.5
Tailors	54	3206	59.3
Tanners and Curriers	9	433	48.1
Undertakers	2	86	43.0
Watchmakers and Jewellers	10	383	38.3
Weavers	32	1978	61.8
Carriage and Waggonmakers	24	1371	57.1

TABLE 26—*Continued.*

OCCUPATIONS.	NUMBER OF PERSONS.	AGES AT DEATH.	
		Aggregate.	Average.
CLASS III.—LABOURERS	959	49988	52.1
Labourers	919	47889	52.1
Pedlars	7	393	56.1
Teamsters	33	1706	51.7
CLASS IV.—MERCHANTS, ETC.	432	20379	47.1
Agents	48	2309	48.1
Book-keepers, Salesmen and Clerks	104	3639	35.0
Bankers	13	612	47.0
Chemists and Druggists	10	497	49.7
Manufacturers	32	1762	55.0
Merchants	127	7017	55.2
Tavern-keepers	77	3689	47.9
Telegraph Operators	6	167	27.8
Lumbermen	15	687	45.8
CLASS V.—PROFESSIONAL MEN	488	27992	57.3
Artists	7	227	32.4
Clergymen	42	2352	56.0
Dentists	4	120	30.0
Engineers	32	1487	46.4
Editors	2	89	44.5
Lawyers	16	782	49.0
Musicians	3	112	37.3
Physicians	43	2157	50.1
Public Officials	69	4150	60.1
Provincial Land Surveyors	3	124	41.3
Teachers, Male	41	2272	55.4
" Female	21	618	29.4
Gentlemen	195	13260	68.0
Students	10	242	24.2
CLASS VI.—OTHER EMPLOYMENTS	152	7781	51.2
Hunters and Fishermen	10	499	50.0
Railroad Employees	58	2233	38.5
Sailors	28	1229	43.9
Volunteers, Soldiers and Pensioners	56	3820	68.2
CLASS VII.—FEMALES AT WORK	130	5129	39.4
Domestic Servants	70	2558	36.5
Milliners and Dressmakers	28	1218	43.5
Seamstresses	32	1353	42.2

TABLE 27.

TEN OCCUPATIONS, giving the Highest Average Age in 1883, compared with 1882.

1882.	No. of Deaths.	Average Age at Death.	1883.	No. of Deaths.	Average Age at Death.
Millwrights	5	74.8	Volunteers, Soldiers and Pensioners	56	68.2
Volunteers, Soldiers and Pensioners	39	70.9	Gentlemen.....	195	68.0
Dentists.....	1	70.0	Millwrights	7	66.3
Gentlemen.....	170	68.2	Gardeners	30	62.8
Weavers	23	65.1	Farmers.....	2375	62.2
Gardeners.....	38	64.8	Weavers.....	32	61.8
Masons	28	64.4	Public Officials.....	69	60.1
Tailors.....	41	63.0	Masons	45	60.0
Hunters and Fishermen.....	6	62.8	Bricklayers	7	59.4
Farmers.....	2503	61.8	Tailors	54	59.3

TEN OCCUPATIONS, giving the Lowest Average Age at Death in 1883, compared with 1882.

1882.	No. of Deaths.	Average Age at Death.	1883.	No. of Deaths.	Average Age at Death.
Students.....	7	26.0	Students.....	10	24.2
Telegraph Operators	6	28.1	Telegraph Operators.....	6	27.8
Tobacconists and Cigar-makers ..	4	30.7	Teachers, Female	21	29.4
Printers	16	32.3	Dentists.....	4	30.0
Seamstresses.....	27	32.7	Artists.....	7	32.4
Book-keepers, Salesmen and Clerks	92	35.9	Printers	23	32.5
Teachers, Female	18	36.0	Book-keepers, Salesmen and Clerks	104	35.0
Domestic Servants.....	52	36.6	Servants, Female.....	70	36.5
Sawyers	4	36.7	Moulders.....	22	36.5

TABLE 28.

DEATHS BY OCCUPATIONS.

Ten Highest Causes of Deaths amongst those whose Occupations were given.

1882.	No.	Per cent. of Deaths from all causes.	1883.	No.	Per cent. of Deaths from all causes.
Old Age.....	877	16.5	Phthisis.....	1044	18.7
Phthisis	751	14.1	Old Age.....	923	16.5
Pneumonia.....	435	8.2	Heart Disease	382	6.8
Violent Deaths	375	7.0	Pneumonia.....	369	6.6
Heart Disease	331	6.2	Violent Deaths.....	366	6.5
Apoplexy.....	186	3.5	Paralysis.....	219	4.0
Typhoid Fever.....	181	3.4	Apoplexy	216	3.9
Cancer.....	176	3.3	Carcinoma (Cancer).....	176	3.1
Dropsy.....	168	3.1	Anasarca (Dropsy).....	150	2.7
Enteritis.....	107	2.0	Typhoid Fever.....	132	2.3

TEN OCCUPATIONS which returned the Highest number of Deaths from Phthisis.

1882. OCCUPATIONS.	Deaths from Phthisis	Deaths from all causes.	Rate per cent.	1883. OCCUPATIONS.	Deaths from Phthisis	Deaths from all causes.	Rate per cent.
Farmers.....	286	2519	11.4	Farmers	381	2375	16.0
Labourers	115	731	15.7	Labourers	169	919	18.3
Carpenters.....	34	173	19.6	Book-keepers, Sales- men and Clerks	49	104	47.1
Book-keepers, Salesmen and Clerks.....	28	92	30.4	Carpenters.....	45	175	25.7
Merchants	18	119	15.1	Shoemakers	21	102	20.5
Blacksmiths	18	81	22.3	Servants, Female....	20	70	28.5
Shoemakers	18	94	19.1	Merchants	19	127	15.0
Seamstresses.....	16	27	59.2	Mechanics (kind not specified).....	18	81	22.2
Gentlemen.....	15	170	8.8	Gentlemen.....	15	95	15.7
Teachers, Males.....	4	33	12.1	Teachers, Males.....	12	41	29.2
“ Females.....	8	18	44.4	“ Females....	12	21	57.1

DEATHS.

(See Tables 1 and 2.)

In 1870, the number of deaths registered was only 6,905; whereas, in 1883, there were 21,049 deaths registered, 14,144 more than in 1870, or an average yearly increase of 1,080.

The ratio of deaths to population in 1870 was only 4.2 per 1,000; in 1883 it was nearly 11 per 1,000.

The tables appended for the year under review show that ten counties returned an increase in the number of deaths. Of these, the County of York returned an increase of 263; Wentworth, 148; Ontario, 78; Peterboro', 50; and Frontenac, 46; the increases in the other five were small.

In twenty-nine counties there was a decrease, particularly in the following ten, viz.: Grey returned 136 less; Middlesex, 127 less; Prince Edward, 98 less; Kent, 93 less; Essex, 90 less; Waterloo, 86 less; Leeds and Grenville (United), 76 less; Peel, 71 less; Perth, 71 less; and Welland, 67 less. The decrease in the remaining nineteen counties was not so large, ranging from 63 in Stormont, Dundas and Glengarry (United), to 2 in Lambton.

In twelve counties the ratio of deaths to population was higher than that of the whole Province, 11 per 1,000.

Carleton was the highest, 23 per 1,000; Wentworth next, with 18.1 per 1,000, York followed, with 17.8 per 1,000; and the other nine counties showed a death rate of from 15.8 in Frontenac to 11.3 in Brant. Grey returned the lowest rate, 6.4 per 1,000.

DEATHS IN THE CITIES.

The mortality in the ten cities was 507 in excess of 1882, but the increase in the population, which numbered 23,569, caused the ratio per 1,000 to remain about the same, viz.: 21.5 per 1,000.

Ottawa city again returns a very high death rate, 39.4 per 1,000, though not so large as in 1882, when it reached 44.9 per 1,000.

Kingston city stands next, with a ratio of 25.1 per 1,000. This high death rate is, however, in a measure accounted for by the many deaths of illegitimate children, which took place in a lying-in-hospital within its limits.

Toronto and Hamilton stand next, with a death rate for, Toronto, of 21.3 per 1,000; and for Hamilton, of 20.9 per 1,000. In both these cities the return of deaths was considerably in excess of the previous year, 1882. Toronto returned 310 more deaths, but Yorkville, which now forms a part of Toronto, is included in the returns for the first time. Hamilton returned 185 more deaths than in 1882.

The following cities also returned increases, viz.: Kingston, 71; St. Catharines, 10; St. Thomas, 9; and Brantford, 3. The other four cities report less deaths, viz.: Ottawa, 20 less; London, 36; Guelph, 18; and Belleville, 7.

St. Thomas returned the lowest death rate, 8.4 per 1,000. It must be either a very healthy city, or, which is more probable, the deaths are not all registered.

The following extracts from the reports relating to vital statistics of other countries will be found interesting:

Eighteen of the largest English towns returned a death rate of 25 per 1,000.			
Eight of the principal towns of Scotland	"	"	23.4 "
Winnipeg, Manitoba,	"	"	27.5 "
Kingston, Jamaica,	"	"	34 "
Boston, Massachusetts, U.S.,	"	"	21.7 "
Baltimore, Maryland,	"	"	22.9 "
Providence, Rhode Island,	"	"	20 "
Ten cities of Ontario	"	"	21.5 "

DEATHS AT DIFFERENT AGES.

(See Table 16.)

The deaths under the age of one year in 1883 numbered very nearly the same as in 1882; but, in consequence of the decrease in the total number of deaths, the ratio is larger, being 23.2 per cent. of the whole, while in 1882 it was 22.3 per cent.

Between the ages of one and five years, there was a decrease of 727 deaths, reducing the percentage from 13.6 to 10.5 of all the deaths.

The total deaths under five years numbered 7,097, being 33.6 per cent. of all the deaths registered. In 1882, there were 7,816 deaths in the same period, or 35.9 per cent. of all.

In England, the percentage of deaths under five years was 39.7; in Kingston, Jamaica, 41 per cent.; in Vermont, U.S., 27 per cent.; in Massachusetts, 32 per cent.; in New Hampshire, 21 per cent.; and in Rhode Island, 30 per cent.

The decrease in the number of deaths registered appears to have been principally of those between one and five years of age, and between five and ten years. This decrease is satisfactory (if not caused by non-registration).

There was a large increase in the number of deaths between twenty and thirty years in 1883, and also in the period between thirty and forty years. In the former the increase was 175, and in the latter period 160 deaths more were registered.

During the last eight years, from 1876 to 1883 inclusive, the mortality of children under one year has not varied to any great extent, the average percentage being 22.8 of the total deaths returned. The highest percentage was in 1877, 24.1, and the lowest in 1876, 21.4.

In the period from one to five years, during the same eight years, the average percentage was 13.3. The highest was 14.6 per cent. in 1877, and the lowest 10.5 in 1883.

Taking all the deaths registered in the two periods under one and between one and five years during the eight years referred to, the average percentage was 36.1. The highest was 38.7 in 1877 and the lowest 33.7 in 1883.

It is gratifying to find that 3,380 persons lived the allotted age of 70 years in 1883, this being 16 per cent. of all the deaths.

The tables also show that, of the 159,914 deaths recorded during the last eight years, 24,912, or nearly 16 per cent. of the whole, lived to be 70 years and upwards; 8,824, or 5.5 per cent., lived to be 80 years and upwards; and 1,979, or 1.2 per cent., lived to be 90 years and over. This longevity in 1883 compares favourably with other countries, as the following shows:

In Ontario.....	16	per cent. of all who died lived to be 70 years and over.
" Jamaica	12	" " " " " "
" Massachusetts	16	" " " " " "
" Rhode Island.....	15	" " " " " "
" Vermont	25	" " " " " "
" New Hampshire ..	24	" " " " " "
" England.....	16	" " " " " "

CENTENARIANS.


(See Table 17.)

This table presents the usual number of deaths of persons reported to have lived a century and over.

The repeated enquiries made by the department for satisfactory proof that these persons had attained these extreme ages have not resulted in the production of any reliable data except in one instance.

According to the returns these centenarians were nearly all born in other countries, their ages are generally given on the personal testimony of themselves previous to death, without any corroborative evidence as to its correctness, and probably the same will apply to those who were born in Ontario.

DEATH WAVE IN THE YEARS 1881, 1882 AND 1883.



NATIONALITIES OF DECEDENTS OVER SIXTY YEARS.

(See Table 18.)

It appears, as it did in previous years, that more Irishmen lived to be over 70 years than the natives of any other country.

According to the census of 1881, there were 139,031 persons then living in Ontario, who were born in England; 130,094 who were born in Ireland, and 82,173 who were born in Scotland; 1,661 of these Englishmen have since died at ages of 70 and over, or 1.2 per cent. of that nationality; 2,930 Irishmen or 2.2 per cent. have also died at those ages, and 1,606 Scotchmen also died or 1.9 per cent. of their number.

Canadians numbered 1,435,647 at that time, and 1,704 of them have died at 70 years and over .1 per cent.

MONTHLY AND QUARTERLY RETURN OF DEATHS.

(See Tables 19 and 20.)

March was the most fatal month, both for males and females, and so it was in 1882. It was also the most prolific in births.

It is to be noted that an equal number of deaths of both sexes were registered in March, viz., 1,075 of each.

November was the least fatal month for both sexes, 806 males and 692 females having died in that month, being 269 males and 383 females less than in the most fatal month—March.

In ten out of the twelve months, more males than females died, and the excess of the death of males over females in the whole twelve months was 857, but there were 1,249 more births of males than females.

The deaths in the different quarters of the year were in regular descending order, as regards numbers, the first quarter being the highest, the second the next highest, the third quarter ranks next, and the fourth quarter reported the least number of deaths. The first half of the year, therefore, gave a higher number of deaths than the second half.

In Rhode Island, New Hampshire and Massachusetts, more females died than males, and the excess of male births was small. August, March and January were respectively the most fatal months in those States, and November and June the least so.

THE DEATH WAVE OF THE YEAR.

(See Diagram.)

By referring to the diagram, it will be observed that the two high points of mortality during the year were in March and August, and the two low points in June and November. They occupied the same position in 1882.

Taking January as a starting point for noticing the rise and fall of the mortality through the different months of the year, it is found that the number of deaths was 1,818, or about the monthly average of the year. There is a fall in the wave in February, due rather to the number of days in that month being less, than to any decreased mortality.

In March a sudden and very rapid rise takes place in the wave, and it reaches the highest point, 473 more deaths being registered in that month than in the preceding one.

After reaching the highest point, the wave recedes gradually through April, and continues declining through May and June, where it reaches the first low point of the year, 213 less deaths having been recorded than in March, the highest point.

In July the wave rises, and continues rising through August, where it attains the second high point of mortality in the year.

The wave again falls through September. In October and November its progress is downwards, and in the latter month it reached the second low—being also the lowest—point in the year, the deaths being 652 less than in March, the highest point. A slight rise takes place in December.

The features of the wave of 1883 strongly resemble those of 1882. In January the wave was neither very high nor very low in either year. The same fall in both waves took place in February, and both show the same rapid rise in March, where they reached their highest points of mortality; similarly they fall in April, more rapidly, however, in 1882 than in 1883.

In May a slight difference occurs; the wave of 1882 rises a little, while in 1883 it continues to fall.

In June the two waves are found together again, and there reach their lowest points. They then rise side by side through July and August, where they attain their second high point. They both fall through September, October and November, but the wave of 1883 descends lower in September and October than the wave of 1882. They are, however, close together again in November, and both exhibit the lowest mortality of the year in that month.

The diagram also shows the death wave of 1881, which differs materially from both 1882 and 1883.

CLASSIFIED CAUSES OF DEATH.

(See Appendix, page xxxii.)

The following table shews the names of the different classes, also the number of deaths in each class with percentages:

CLASSES.	Deaths in 1883.	Percent'ge to whole number of deaths.	Deaths to 1,000 of population
Class I.—Zymotic diseases	3737	17.8	1.9
Class II.—Constitutional diseases	5511	26.2	2.8
Class III.—Local diseases	7312	34.8	3.8
Class IV.—Developmental diseases	2976	14.1	1.6
Class V.—Violent Deaths	763	3.6	.4
Cause not specified	750	3.5	.4
Total	21,049	100.0	10.9

EXPLANATION OF THE DIFFERENT CLASSES.

Class I.—Zymotic diseases, a term proposed by Dr. Farr, is usually employed as synonymous with preventible, and includes all those diseases such as Measles, Scarlatina, Diphtheria, Dysentery, Cholera Infantum, Bilious, Typhoid and Typhus fevers and Smallpox, which occur as endemics or epidemics.


Class II.—Constitutional diseases, which include Anæmia, Cancer, Rheumatism, Dropsy, Gout, Abscess, Hydrocephalus, Scrofula, and Phthisis or Consumption.

Class III.—Local diseases, under which are included all those diseases in which the functions of particular organs of the system are disturbed, such as Epilepsy, Apoplexy, Convulsions, Paralysis, Insanity, Heart Disease, Congestion of the Lungs, Bronchitis, Pleurisy, Pneumonia, Disease of the Stomach, Liver and Kidneys, etc.

Class IV.—Developmental diseases are those incidental to women, children, and old people.

Class V.—Deaths by violence or those which are caused by wounds, burns, drowning, poison, hanging, suicide, murder, etc.

DIAGRAM SHEWING THE MORTALITY IN THE FIVE CLASSES OF DISEASES IN EACH MONTH; ALSO THE NUMBER WHO DIED IN EACH PERIOD OF LIFE IN 1883.



Zymotic Diseases include Scarlatina, Diphtheria, Dyeentery, Cholera Infantum, Fevers, Diarrhoea, etc., etc.

Constitutional Diseases include Anæmia, Cancer, Rheumatism, Dropey, Gout, Hydrocephalus, Consumption, etc., etc.

Local Diseases include Epilepsy, Apoplexy, Convulsions, Paralyse, Insanity, Heart Diseases, Bronchitis, Pneumonia, etc., etc.

Developmental Diseases include Childbirth, Old Age, Dentitio, Premature Birth, etc., etc.

Violent Deaths include Accidental Deaths, Suicides and Homicides, etc.

REMARKS ON CLASS I.

(See Tables 21, 22, 23 and 24.)

The mortality in this class amounted to 3737, or 17.8 per cent. of all the deaths in the Province. Of this class of preventible diseases the most prevalent among them is Diphtheria, with 709 deaths, 368 males and 341 females. The number was, however, very much less than in 1882; in that year there were 1,239 deaths from Diphtheria, or 5.8 per cent. of all the deaths, whereas in 1883 there were only 709 deaths or 3.5 per cent., a falling off of 530 or 4.2 per cent. This is the lowest return from this disease since it first appeared on the list of ten highest causes of death in 1876.

This decrease was probably caused by the action of the Provincial Board of Health, lately established in this Province, which encouraged the formation of Local Boards of Health and also disseminated information respecting sanitary measures, and thus caused precautions to be taken to prevent the spread of this and other contagious diseases. The returns from the rural districts shew a decrease of 300, but it still prevails to a greater extent there than in the cities and towns.

Diphtheria was most fatal in January and least so in August. It was most prevalent in the winter months, as the three months, December, January, and February, returned 226 deaths from it, while July, August and September only returned 132.

The two periods of life from 1 to 5 years and from 5 to 10 years recorded more deaths from Diphtheria than the total of all the other periods. There were 276 deaths in the former period and 223 in the latter, 499 in all. 65 died under one year, and only one in each of the periods from 40 to 50 years, 60 to 70 years and from 70 to 80 years. More males than females were victims to this cause of death.

The following counties returned the largest percentage of deaths from this cause:—Leeds and Grenville (United) returned 11.9 per cent. of all the deaths in that county; Lanark, 7.8 per cent.; Brant, 7.6 per cent.; Renfrew, 6.8 per cent.; Prescott and Russell (United) 6.6 per cent.; Peel 6.4 per cent.; and Oxford, 6.1 per cent.

In the following counties the disease was not so prevalent:—Dufferin returned only 0.5 per cent. of the deaths from all causes in that county; Frontenac, 0.7 per cent.; Middlesex, 0.8 per cent.; Northumberland and Durham (United), 1.0 per cent.; Kent, 1.5 per cent.; and Elgin, 1.5 per cent.

It will thus be seen that Leeds and Grenville (United) returned the highest rate, 11.9 per cent., and Dufferin the lowest, 0.5 per cent. In 1882 Prince Edward was the highest, with 13.8 per cent., and Wentworth, the lowest, with 2.7 per cent.

Table 22 also shews that in those counties where the percentage of deaths from this cause was high, the ratio of deaths to population was also high, and contrariwise, when the percentage was low the ratio was also low, especially in those counties which contain the cities.

In the counties of York, Wentworth, Middlesex and Carleton, which include Toronto, Hamilton, London and Ottawa, the percentage of deaths from this cause was 7, being less than the average for the whole Province, 3.3 per cent., and the ratio to population was not higher than the average for the whole, being .3 per 1,000, except in Toronto and Hamilton where it was a little higher, .5 and .4 respectively.

From these figures it is concluded that Diphtheria is more prevalent in the rural districts than in the cities.

In the total return of deaths from the cities, there was a decrease in the number of deaths from Diphtheria of 34, which reduced the percentage from 3.3 to 2.3 per cent, although in one city, Brantford, there was an increase of 18 deaths from this cause.

Ottawa shews a marked falling off. In 1882 there were 60 deaths from Diphtheria; in 1883 only 30 were so returned, a decrease of 50 per cent. Kingston, St. Catharines, Belleville and St. Thomas returned no deaths from this cause.

Diphtheria has always held a place in the ten highest causes of death, varying from fourth to sixth position. In the cities it does not appear on the list.

FEVERS.

1,086 deaths were caused by the different kinds of fever, and if they were grouped into one order, they would number more than Diphtheria.

Typhoid Fever.

More deaths were caused by this fever than from any other, viz., 469; males 249 and females 220, 43 per cent. of all the deaths from fevers. There was, however, a decrease of 86 as compared with the number returned in 1882.

This fever is often caused by the want of proper sanitary regulations in houses and their surroundings, and the neglect of proper precautions to prevent its spreading. The remarks made in reference to Diphtheria, suggesting the enforcements of the provisions of the Provincial Health Act, apply with equal force to this disease.

October again returns the highest mortality from this fever of any month in the year, as it has done for several years past. In the three months, August, September and October, 176 persons died from it, being 37.5 per cent. of the total deaths from this disease. April, May and June were the least fatal months, only 84 deaths of Typhoid Fever were returned in that period of the year.

Regarding the ages of the decedents from this cause more died between 20 and 30 years of age than in any other decade, only 15 died under one year and very few over 60 years of age.

The six counties in which it was most fatal were Brant, Halton, Ontario, York, Kent and Norfolk; York returned the largest number, 89.

The percentage of the deaths in each county ranged from 4.4 in Brant, to 3. per cent. in Norfolk. In the following six counties the fever was the least prevalent, viz., Stormont, Dundas and Glengarry (United), Perth, Haldimand, Hastings, Victoria and Waterloo. Their percentage was from 1.2 in Hastings and Waterloo, to 0.4 in Stormont, Dundas and Glengarry (United).

More males than females died from this disease, as is the case in nearly all the diseases of this class.

Scarlet Fever.

This fever ranks next in mortality. 405 deaths were returned from it, 205 males and 200 females, but this is less by 138 than the number recorded in 1882.

March is always the most fatal month, but December was very nearly the same. 58 died in March, and 51 in December.

The first three months of the year returned 138 deaths from scarlet fever. August, September, and October returned only 46 deaths. Scarlet fever was, therefore, apparently more prevalent in the winter and spring months.

Those who died from this fever were nearly all under fifteen years, the returns shewing that 355 died at ages ranging from under one to fifteen years, only three died between 30 and 40, and none over that age.

It appears to have been rather prevalent in the counties of Carleton, Ontario and Simcoe.

It is not now on the list of ten highest causes of death, though it held the eighth place in 1882.

Of the others, cerebro spinal fever stands next. There were 133 deaths recorded under this head—69 males and 64 females.

The deaths from the remaining fevers, bilious, congestive, intermittent, and remittent, were not numerous.

DIARRHŒA.

The next highest cause of death in Class II. after fevers was Diarrhœa. 471 deaths were caused by it—261 males and 210 females.

The majority of the decedents died in the months of July, August, and September.

Many causes may be assigned for the mortality from this disease in those hot months. Among the principal are heat, unsuitable food, and impure water.

The disease was generally more fatal to the young than to the middle aged and old. 390 died under five years. It was not quite so prevalent as in 1882.

The counties of Carleton, Waterloo, Middlesex, Wentworth, Renfrew, and Kent suffered the most from this disease.

There was considerable increase in the deaths in the cities from this cause, particularly in Ottawa, which returns 41 more than in 1882; Hamilton also returns an increase of 5; Belleville, 2. The other cities had less deaths from Diarrhoea than in 1882. It stands ninth in the ten highest causes of death in the Province, and sixth in the list for the cities.

CHOLERA INFANTUM.

Cholera Infantum caused the death of 312 children, 51 less than in 1882, principally in the months of July, August, and September. 265 out of the 312 died in these three months, and all but four died under five years of age.

CROUP.

Croup, like Cholera Infantum, was also less prevalent, the decrease in the number of deaths caused by it being 102. The three spring months, March, April, and May, were the most fatal, whereas the deaths from Cholera Infantum were more numerous in the summer months.

Nearly all died under ten years of age.

MEASLES.

The deaths from this cause show an increase of 102. In some counties it was quite prevalent, as in Kent, where there were 16 deaths caused by it in 1883, while there were none in 1882.

The increases in other counties were 12 in Frontenac; 10 in Victoria; 9 in Waterloo, and 8 in Wentworth. Some of these counties returned no deaths from this cause in 1882.

DYSENTERY AND WHOOPING COUGH.

There was a small decrease in the number of deaths from these causes.

The other diseases in class I. present no noticeable features.

CLASS II.

CONSTITUTIONAL DISEASES.

There were 5,511 deaths in this class, 2,715 males and 2,796 females.

Phthisis or Consumption.

This is the principal disease of the class and again returns more deaths registered from it than from any other cause in any of the five classes. There were 2,500 persons died from its deceptive but deadly attacks.

The increase in 1883 was not, however, very great, only 36 more than in 1882, but its percentage 11.9 of all the deaths is still very high. There were 258 more females than males succumbed to its effects.

Examining the statistics relating to Consumption for the last five years, it is found that certain seasons of the year are always more fatal than others. The following table plainly shews this fact:

YEAR.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
1879.....	178	198	237	205	189	168	139	144	149	143	146	169	2065
1880.....	158	186	219	199	178	181	171	156	146	181	196	183	2154
1881.....	208	191	207	212	197	189	192	202	179	207	206	207	2397
1882.....	221	200	239	231	240	193	192	167	182	197	202	200	2464
1883.....	214	180	255	263	228	217	175	187	190	211	182	198	2500
Total.....	979	955	1157	1110	1032	948	869	856	846	939	932	957	11580

Those afflicted with this disease appear to revive during the warm months of summer, but gradually droop and die during the winter and spring months, particularly in the latter, as the table shews that during the spring months March, April and May, 3,299 died out of 11,580 deaths in the five years, while in the summer months only 2,571 died. The mortality from this disease in other countries is also the greatest in the spring months of the year.

The following tables shew that the greatest mortality from this cause was in the period of life between 20 and 30 years of age. Between 30 and 40 years, and between 40 and 50 years were also fatal periods. 7,215 or 62 per cent. of all died in these three periods. From 5 to 10 and from 80 to 90 there were few decedents.



YEARS.	Under one year.	1 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 30 years.	30 to 40 years.	40 to 50 years.	50 to 60 years.	60 to 70 years.	70 to 80 years.	80 to 90 years.	90 and over.	Unknown.	Total.
1879.....	55	58	18	42	199	627	391	271	167	120	52	7	2	56	2065
1880.....	56	63	32	36	217	674	396	254	155	127	64	10	70	2154
1881.....	71	73	28	52	222	763	442	270	200	141	57	7	71	2397
1882.....	81	89	44	55	246	779	440	283	192	127	56	6	66	2464
1883.....	91	71	23	52	229	830	503	292	145	120	64	13	67	2500
Total...	354	354	145	237	1113	3673	2172	1370	859	635	293	43	2	330	11580

Comparing the deaths with those of 1882 in the different counties, various changes will be seen. 18 counties returned more deaths from Phthisis than in 1882 and 17 a less number than in that year, whilst four counties returned exactly the same number in other years.

THESE TWO DIAGRAMS EXHIBIT—FIRST, IN No. 1, THE PREVALENCE OF SICKNESS FROM FIVE DISEASES, AND SECOND, IN No. 2, THE MORTALITY FROM THOSE DISEASES—BY MONTHS FOR THE YEAR COMMENCING OCTOBER 1st, 1882, AND ENDING SEPTEMBER 30th, 1883.

No. 1.

No. 2.



The county of Hastings always returned a high death rate from this disease and continues to do so in 1883. The number of deaths returned was 29 more, raising the percentage to 17.9, or within .1 of the highest county, Lanark, which returned 18 per cent. Frontenac shewed an increase of 25; Lambton, 24; Wellington, 20; Renfrew, 18; Oxford, 17; Lanark, 16; and Northumberland and Durham (United), 14. On the other hand, Middlesex returned a decrease of 30, Leeds and Grenville (United), 18; Welland, 18; Prince Edward, 16; Huron and Lincoln, 14 each.

In considering the prevalence of Phthisis in the different counties, the percentage of the decedents to the total number of deaths in the county to be dealt with must be taken into account. Thus, the County of York returns the largest number of deaths from Phthisis, viz., 282, but the percentage to the total deaths—2,726—was only 10.3, or below the average of the whole Province, which was 11.9, while the County of Lanark, though returning only 46 deaths from Phthisis, yet shewed a percentage of 18 of all the deaths in the county; Wentworth returned 138 deaths with a percentage of 11.3, while Carleton returned 148 deaths with a percentage of only 10.

Those counties which return the highest percentage of deaths from Phthisis generally return a very low ratio of deaths to population, probably caused by incomplete registrations. For instance, in Dufferin the ratio of deaths to population was only 8.4 per 1,000, while the percentage of deaths from Phthisis was 14.3; in Elgin the ratio was 7.7 per 1,000, the percentage 12.4; in Haldimand the ratio was 7.5 per 1,000, the percentage 18.0; in Hastings the ratio was 10.4, the percentage 17.9; in Huron the ratio was 8.2 per 1,000, the percentage 12.1; in Lanark the ratio was 7.5 per 1,000, the percentage 18.0; in Leeds and Grenville (united) the ratio was 9.4, the percentage 13.6; in Lennox and Addington the ratio was 9.8 per 1,000, the percentage 15.7; in Northumberland and Durham (united) the ratio was 8.9, the percentage 16.9; and in Stormont, Dundas and Glengarry (united) the ratio was 7.2, the percentage 16.5.

There is every reason to believe that in those counties which return so low a ratio, the registration of deaths is incomplete. If so, any deductions made from these high percentages might be misleading, but in the following counties, viz., Brant, Essex, Lincoln, Oxford, Hastings, Wellington and Waterloo, where the ratio of deaths to population and percentage of deaths from Phthisis to all the deaths are both high, it is apparent that this disease is prevalent to a large extent in those counties.

Dr. Bryce, Secretary of the Provincial Board of Health, in his Annual Report for 1883, advances the proposition that the prevalence of a disease should be based upon the ratio of deaths from any specific cause to 1,000 of the population in the county.

According to this plan, the counties which returned the highest percentage from Phthisis return a low ratio of deaths to population; thus, Hastings returned 17.9 per cent. of deaths from Phthisis, but the ratio of these deaths to 1,000 of the population of the County was only 1.8 or very little higher than the average for the whole Province 1.3. This may appear to conflict with the ratios given in a previous paragraph, but it should be understood that this ratio to population is of the deaths from Phthisis alone, whereas the ratios before alluded to have reference to the total deaths in the county from all causes.

Lanark returned 18 per cent. of all the deaths in that county from Phthisis, the ratio to population was 1.3 per 1,000; Dufferin returned 14 per cent. with a ratio of 1.2 per 1,000; Haldimand 18 per cent. with a ratio of 1.3 per 1,000; Lennox and Addington 15.7 per cent., with a ratio of 1.5 per 1,000; Stormont, Dundas and Glengarry (united) 16.5 per cent. with a ratio of 1.2 per 1,000.

The average percentage of deaths from Phthisis in the cities was 11.4, a little lower than for the whole Province, but every city, excepting St. Thomas, returned a very much higher ratio to population than the average for the whole Province. This will be seen by the following extracts from the table. Toronto returned only 10.6 per cent. of deaths from this cause, but the ratio to population was 2.4 per 1,000, nearly double the average for the Province; Hamilton returned 11.8 per cent., with a ratio of 2.7 per 1,000; Ottawa returned 9 per cent., with a ratio of 4.1 per 1,000; Kingston returned 13.8 per cent., with a ratio of 3.7 per 1,000. The conclusion to be drawn from these data is that Phthisis was more prevalent in the cities than in the rural districts.

The mortality from this disease in other countries is here given in comparison with Ontario.

In England the deaths from Phthisis were 9.2 per cent. of all, and 2.3 per 1,000 of the population.

In Ontario the deaths from Phthisis were 11.9 per cent. of all, and 1.3 per 1,000 of the population.

In Massachusetts, U.S., the deaths from Phthisis were 16.8 per cent. of all, and 3.0 per 1,000 of the population.

In Jamaica, West Indies, the deaths from Phthisis were 8.0 per cent. of all, and 1.8 per 1,000 of the population.

In New Hampshire, U.S., the deaths from Phthisis were 15.1 per cent. of all, and 2.1 per 1,000 of the population.

ANÆMIA.

Anæmia includes Infantile Debility, a general term given as the "cause of death" of a large number of infants whose disease had not been diagnosed by a medical man.

It also includes Atrophy or (Wasting), under which head are placed the deaths of people who died apparently without any particular disease, and without medical attendance.

The deaths recorded under this heading numbered 1,600, or nearly 300 less than in 1882. Of these 882 were males and 718 females.

In the cities the deaths were relatively more numerous, the percentage being 8.4 per cent. Guelph and Ottawa returned the highest percentage, 12.6 and 12.1 per cent., and Belleville the lowest, viz., 3.6 per cent.

The highest returns were from Prescott and Russell (united), being 20.7 per cent. of deaths in that county. Bruce returned 13.5 per cent.; Muskoka and Parry Sound (united), 12 per cent.; Carleton, 11.3 per cent. The average for the whole Province was 7.6 per cent.

The summer months were the most fatal. 1,297 or 81 per cent. of all the deaths from this cause, died under the age of one year.

The disease ranks third on the list of the ten highest causes of death in the Province, and second in those in the cities.

CARCINOMA (CANCER).

This disease has become rather prevalent in the Province, increasing gradually every year. Although it has never appeared on the list of ten highest causes of death, yet in several years it has occupied the eleventh place.

In 1879, 278 deaths were recorded; in 1883 the mortality reached 403, being an increase of 125 or 44 per cent. in four years.

Cancer and the various kinds of tumour are included under this heading. The deaths of females from these diseases exceeded those of males by 17.

It was more prevalent in the counties of Huron, Middlesex, Northumberland and Durham (united), Wellington, and York, than in the other counties.

ANARSARCA (DROPSY).

There were 374 deaths returned as due to Anarsaca. This is 19 less than in 1882 while it seems to be decreasing every year. In 1881 the records shew that 447 died from it. It was somewhat prevalent in Middlesex, Perth, Carleton, Bruce, and York.

In the years 1871, 1874, 1876 and 1879 it formed one of the ten highest causes of death; but since the last mentioned year it has not been on the list.

More females than males died from Dropsy. The total deaths from Constitutional diseases shew an excess of 81 females over males.

HYDROCEPHALUS AND RHEUMATISM.

These two diseases returned 187 and 152 deaths respectively, there being a slight increase over the numbers returned in 1882. The males outnumbered the females.

The other causes of death in this class present no special features requiring notice.

CLASS III.

LOCAL DISEASES.

The diseases in this class which particularly deserve attention are, firstly : those affecting the nervous system, the most conspicuous being Apoplexy, Convulsions, Epilepsy, Paralysis, and Insanity. Secondly : diseases of the Circulatory System, including all those connected with the heart. Thirdly : Lung and Throat diseases such as Pneumonia, Bronchitis, Congestion of the Lungs, etc. Fourthly : those of the Digestive Organs.

APOPLEXY AND CONVULSIONS.

Apoplexy and Convulsions, together returned 949 deaths, 401 from the first and 548 from the second, a large increase over the return of 1882.

Under Convulsions are included the deaths of many infants dying from "Fits." The deaths from Apoplexy were principally of those who had reached middle age.

In the cities there are more deaths returned from Convulsions, in consequence of the greater mortality of children in those places ; thus, York (which includes Toronto) returned 109 deaths while Prince Edward, Renfrew, Lanark, Peel and other rural counties having no cities or large towns, only returned two or three cases of Convulsions.

Apoplexy is nearly equally distributed through all the counties, with one or two exceptions such as Middlesex which returned 28 deaths from this cause ; Lambton, 19 ; Northumberland and Durham (united), 18 ; and Huron 16, considerably above the average of the Province.

There was nearly the same number of deaths in every month of the year from Apoplexy.

Two hundred and forty-two out of the whole 401 died between 50 and 80 years of age.

Convulsions holds the seventh place in the list of the highest causes of death, which place it has held since 1878 (except in 1881 and 1882) when it was last on the list. Apoplexy has never appeared in the list.

BRAIN DISEASE.

Under Brain Disease may be included Epilepsy, Paralysis, Meningitis, Necrencephalus, Encephalitis, and Insanity. Together they returned 1,108 deaths, 621 males and 487 females, a slight increase over 1882.

None of these diseases have held positions in the ten highest causes of death, except in 1872 and 1873, when they were all classed under "Brain Disease." The deaths of males exceeded those of females by 134.

DISEASES OF THE CIRCULATORY SYSTEM.

In this order, diseases of the heart predominate. The number of decedents is increasing yearly. In 1871 there were only 333 deaths recorded from this cause. In 1883 the mortality has increased to 921 or 176 per cent. It has held either the fifth or sixth place respectively in the list of highest causes of death every year since 1871, both in the cities and in the whole Province.

The percentage to all the deaths in the Province was 4.3 ; in the cities it was 4.0 per cent. ; the ratio to population was 10.4 per 1,000 in the former, and .9 in the latter.

The highest number of deaths from this disease took place in May, in the other months the deaths averaged about the same number.

The period between 50 and 70 years was the most fatal, no less than 359 or 39. per cent. of the total number having died.

The percentage of deaths from this disease in the different counties ranged from 2.0 the lowest in Grey, to 10.1 the highest in Haldimand.

The mortality from Heart Disease was greater among females than males by 35.

DISEASES OF LUNGS, THROAT AND CHEST, ETC.

Chief amongst them was Pneumonia, which is fourth on the list of the ten highest causes of death and was never lower than fifth since 1871 except in 1873 when it was ninth. In 1874 it was as high as second on the list.

In 1871 only 508 deaths were recorded, whereas in 1883 there were 1,335. The increase has not been gradual, as in some years it was much lower than in the preceding year, and then would rise in the following year very rapidly ; this was partly owing to a want of proper classification of Lung Diseases.

BRONCHITIS.

There was an increase of 29 in the number of deaths from this disease.

It appears eighth on the list, but did not receive a place in 1882.

The following counties returned more deaths from this cause than in 1882: Wentworth, 24 more; Muskoka and Parry Sound, 9 more; Ontario and Welland, each, 8 more; Lincoln and Grey, each, 7 more; and Simcoe and Middlesex, each, 6 more.

The Disease reports made to the Provincial Board of Health shew that it was very prevalent in 1883, throughout the Province.

In those counties where the deaths from Bronchitis were numerous, the mortality from Consumption was low, being less than the average, except in Lincoln where it was greater.

The months of March, April and May were the most fatal (as they were for Phthisis and Pneumonia) numbering 196 deaths or 40 per cent. of all the deaths.

Similarly with Pneumonia the deaths from Bronchitis under five years of age were the most numerous, although a large number died between 60 and 80 years.

DISEASES OF THE STOMACH.

The deaths from these causes numbered 748, or 13 less than in 1882.

None of them have appeared in the list of the ten highest causes of death except Enteritis, which held the ninth place in 1874, the eight in 1878, and again the ninth in 1879.

DISEASES OF THE URINARY ORGANS AND LIVER.

Amongst these are Hepatitis and Nephria and Nephritis, the latter two being Kidney diseases. 139 died from the former disease, and 239 from the latter two, being nearly the same number as in 1882.

CLASS IV.

DEVELOPMENTAL DISEASES.

In this class are grouped the deaths of children from Teething, Still-Births, Premature Births, etc.; also the deaths of women from diseases incidental to their sex, such as Child-birth, Abortion, etc., and the deaths from Old Age.

DENTITION.

One hundred and fifty children, 78 males and 72 females, under five years of age are recorded as having died while teething, and probably many deaths from other causes were developed from this infantile complaint, such as convulsions, etc.

STILL-BIRTH AND PREMATURE BIRTH.

There were 601 cases of Still-Birth and Premature Birth, or 348 males and 253 females, being 164 in excess of the number returned in 1882. Why this class of deaths increased so largely is a matter deserving of careful consideration.

OLD AGE.

The deaths of persons whose lives have been prolonged through many years, and who die apparently without any specific complaint were not so numerous as in 1882.

In 1881 the returns shew that 3,592 persons died at the age of 70 years and over. In 1882 3,475 died at those ages, and in 1883 the number was reduced to 3,380.

Old Age has however regained its former position as second on the list of the ten highest causes of death, in consequence of the large decrease in the number of deaths from Anæmia, which held the second place in 1882.

CLASS V.

VIOLENT DEATHS.

The lives of 763 persons, 617 males and 146 females, were shortened by violence of some kind.

The chief cause was wounds accidental or self-inflicted. 182 lost their lives by drowning. 82 were killed by cars, 20 less than in 1882. Suicides decreased 35.

Those who desire to study the other causes of death not specially noticed here, can do so by referring to the Tables in the Appendix.

DEATHS BY OCCUPATIONS, CLASSIFIED.

(See Tables 25 and 26.)

Although the deaths registered in the Province in 1883 were less, yet the number of persons included in the various classes was larger than in 1882 by 248, owing to the occupations of the decedents being more generally given. There was an increase in every class except "Cultivators of the Soil," which shewed a decrease of 136.

Not much difference is shewn in the average age of the different classes. "Cultivators of the Soil," Merchants and "Females at work" were a little higher and the others rather lower.

CLASS I.

FARMERS AND GARDENERS.

The number of deaths of these workers was less in 1883 than in 1882; their average age was also less, but is still the highest age returned by any occupation, a strong testimony as to the healthfulness of these occupations.

CLASS II.

MECHANICS.

The 33 trades included in this class returned 971 deaths, 75 more than in 1882, their average age being 51.5 years.

Three of them, Weavers, Millwrights and Masons averaged sixty years, but they only numbered 84 of the total deaths in the class; ten others were above the average of all the classes, 56.2 years.

The four trades, Carpenters, Shoemakers, Blacksmiths and Tailors, (the same as grouped together in 1882), returned 398 deaths or 41 per cent. of the class, nine more, but a less percentage than in 1882. Their average age, however, was 56 years, slightly in advance of 1882.

Of this group, tailors were again the longest lived, although their average age was not quite so high, but more died; the return shews 54 deaths of these mechanics at an average age of 59.3 years against 41 at 63 years in 1882. It is a great age when the nature of the occupation is considered, and exceeds the age of any of the professional men. In other countries their average age is high also. In Massachusetts their average age was 57 years, in Rhode Island 59, and in Vermont 54.

Seventeen of these trades had average ages less than that of the whole class. Among the lowest were those who worked in factories and ill ventilated rooms, or were closely confined at in-door work, such as printers, tobacconists, cigar-makers, saddlers and harness makers, jewellers and watchmakers, and moulders; they numbered 81, and their average age at death was only 36 years.

CLASS III.

LABOURERS.

Only three occupations were in this class; they, however, numbered 959, with an average age of 52.1 years.

Labourers returned 919 of them, their average age being 52.1 years. Their work is chiefly out of doors, and might be expected to make the length of life in this class more extended. Probably this would be so were it not for the dangers they are exposed to in their work, subjecting them to accidents, which, in 1883, resulted in the death of no less than 76 in early and middle life.

CLASS IV.

MERCHANTS, FINANCIERS, AGENTS, ETC.

The deaths in this class numbered 432 at an average age of 47.1 years, the lowest of any class except "Females at work." Some of them, however, died at ages above the average of this class, viz., merchants and manufacturers who lived to be 55 years.

The low average age of the class was caused by book-keepers, clerks and telegraph operators being included. Their average age is always low and in consequence affects the age of the whole.

CLASS V.

PROFESSIONAL MEN.

The average age of the members of this class was 57.3 years, and they numbered 488.

The strictly professional class, clergymen, lawyers and physicians, have returned the same number of deaths 100 during the last three years, their average age for those years was 55, 53 and 52 years.

Public officials and gentlemen ranked the highest in the class; there was 264 of them died at an average age of 66 years.

A great difference appears between the ages of male and female teachers, the former averaged 55 years at the time of their death while the latter only reached 29 years. This may be accounted for by the fact that male teachers generally remain longer in the profession than females. When female teachers marry they usually retire from teaching, while male teachers continue teaching after their marriage, therefore the deaths among female teachers will be in many cases in early life.

CLASS VI.

OTHER EMPLOYMENTS.

Four of the occupations in this class, hunters, fishermen, railroad employees and sailors, are of a precarious nature tending to violent deaths in early life, causing their average length of life to be low.

Railroad employees are often the victims of railroad accidents, their average age was only 38 years.

Volunteers, pensioners and soldiers attain a good age, as their deaths include many pensioners of the British army.

CLASS VII.

FEMALES AT WORK.

Of these workers 130 were reported as dying at an average age of 39.4 years, an increase in their length of life of four years, as compared with those dying in 1882.

The average age of those seamstresses who died in 1883 was ten years longer than in 1882. A number of them were reported as having died at 60 years and over, an unusual age for this class of female workers.

The age of domestic servants remains the same as in 1882, viz., 36 years.

DEATHS BY OCCUPATIONS.—CAUSES OF DEATH.

See Table 28.

Only one change has taken place in this table. Enteritis does not appear and its place is taken by Paralysis.

Phthisis is first with an increase both in number and percentage.

The deaths of those persons who followed some occupation at the time of their death numbered more than in 1882, which accounts for the increase in the deaths from Phthisis.

Farmers returned the largest number, 381, or 16 per cent., but it was the lowest percentage of deaths from this disease of any on the list, except merchants and gentlemen, and their percentage was nearly the same, 15 per cent.

Old age is second with 228 more deaths, but the per centage was the same owing to the increase in the total deaths.

Heart disease has risen from fifth to third place; pneumonia returns less deaths with a less percentage.

Violent deaths rank one place lower, having returned a few less decedents, and a slightly less percentage.

More deaths are returned from apoplexy, but its position is one place lower. Very little difference appears between the number of deaths returned from cancer and dropsy in 1883, and the number returned in 1882.

Typhoid fever has decreased, 59 less deaths having occurred in 1883, and the percentage has fallen from 3.4 to 3.1.

I have the honour to be,

Sir,

Your obedient servant,

H. S. CREWE,

Inspector.

APPENDIX.

BIRTHS.

TABLE A.—BIRTHS BY MONTHS, 1883.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Quadruplets.	Triples.	Illegitimate.	Still Born.
Algonia and Thunder Bay:																		
Males.....	17	17	19	18	18	10	14	16	14	8	21	15	187	1	1
Females.....	12	14	20	19	16	15	8	16	13	13	9	13	168	1	1
Total.....	29	31	39	37	34	25	22	32	27	21	30	28	355	5	2	2
Brant:																		
Males.....	29	26	37	35	35	26	33	27	39	36	31	32	386	4	3
Females.....	31	26	33	31	36	27	38	31	28	26	38	30	375	4	4
Total.....	60	52	70	66	71	53	71	58	67	62	69	62	761	4	8	7
Bruce:																		
Males.....	49	70	67	65	66	51	63	62	62	67	56	63	741	4	3
Females.....	46	56	64	52	60	57	54	56	66	60	40	50	661	3	4
Total.....	95	126	131	117	126	108	117	118	128	127	96	113	1402	11	4	7	7
Carleton:																		
Males.....	84	93	114	88	81	93	93	67	62	84	50	80	989	271	2
Females.....	66	66	107	75	63	93	88	68	59	65	48	54	852	288	4
Total.....	150	159	221	163	144	186	181	135	121	149	98	134	1841	16	509	6
Dufferin:																		
Males.....	17	23	25	15	14	13	28	23	26	20	18	17	239	2	1
Females.....	14	16	10	14	13	14	18	16	18	20	20	25	198	1	2
Total.....	31	39	35	29	27	27	46	39	44	40	38	42	437	9	3	3
Elgin:																		
Males.....	16	32	32	38	21	34	36	38	43	41	24	36	391	6	1
Females.....	36	26	33	24	23	24	34	34	32	31	39	30	366	1	1
Total.....	52	58	65	62	44	58	70	72	75	72	63	66	757	6	7	2

TABLE A.—BIRTHS BY MONTHS, 1883—Continued.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of pairs of twins.	Quadruplets.	Triplets.	Illegitimate.	Still Born.
Lambton :																		
Males.....	65	59	60	53	43	45	47	50	49	57	45	58	631	2	4
Females.....	52	57	51	45	58	36	41	38	55	49	43	43	568	2	3
Total.....	117	116	111	98	101	81	88	88	104	106	88	101	1199	12	4	7
* Lanark :																		
Males.....	17	15	33	34	19	27	20	24	20	20	25	27	281	3	2
Females.....	23	21	20	27	22	22	21	17	18	18	35	34	278	3	2
Total.....	40	36	53	61	41	49	41	41	38	38	60	61	559	6	6	4
Leeds and Grenville :																		
Males.....	41	33	43	33	44	33	44	41	61	26	37	31	467	5	2
Females.....	49	31	38	33	31	38	44	43	32	38	22	29	428	2	2
Total.....	90	64	81	66	75	71	88	84	93	64	59	60	895	9	7	4
Lennox and Addington :																		
Males.....	12	19	26	24	14	18	19	15	21	24	15	22	229	1	1
Females.....	22	16	14	16	25	9	17	22	17	12	16	18	204	1	1
Total.....	34	35	40	40	39	27	36	37	38	36	31	40	433	3	2	2
Lincoln :																		
Males.....	32	23	22	35	36	13	26	28	27	28	33	34	337	3	4
Females.....	28	13	25	31	35	27	19	28	34	38	27	26	331	8	1
Total.....	60	36	47	66	71	40	45	56	61	66	60	60	668	8	11	5
Middlesex :																		
Males.....	102	95	89	104	91	71	87	80	103	77	80	65	1044	22	4
Females.....	83	91	97	92	90	85	86	83	79	93	76	83	1038	20	4
Total.....	185	186	186	196	181	156	173	163	182	170	156	148	2082	18	1	1	42	8

Muskoka and Parry Sound :	40	27	41	45	44	36	33	23	40	30	20	23	402	3	1
	28	41	42	47	47	29	38	34	45	28	33	24	436	4	1
Total.....	68	68	83	92	91	65	71	57	85	58	53	47	838	7	7	2
Norfolk :	17	24	30	36	28	33	38	31	34	32	23	27	353	4	1
	29	26	27	39	30	22	27	28	27	22	22	25	324	2	1
Total.....	46	50	57	75	58	55	65	59	61	54	45	52	677	5	6	2
Northumberland and Durham :	67	50	74	44	44	44	51	57	68	66	60	59	684	4	2
	47	39	58	62	55	40	39	58	64	51	58	54	625	2	3
Total.....	114	89	132	106	99	84	90	115	132	117	118	113	1309	7	6	5
Ontario :	53	45	51	58	64	42	56	58	59	63	47	52	648	5	4
	50	51	51	45	48	38	47	56	64	45	45	33	573	6	3
Total.....	103	96	102	103	112	80	103	114	123	108	92	85	1221	10	11	7
Oxford :	33	56	46	48	48	36	62	48	40	50	48	46	561	5	5
	54	46	62	47	42	44	51	55	47	40	50	40	578	2	2
Total.....	87	102	108	95	90	80	113	103	87	90	98	86	1139	12	7	7
Peel :	24	22	16	24	30	19	22	31	26	23	21	17	275	2	2
	22	18	30	25	17	16	13	29	24	20	19	21	254	3	2
Total.....	46	40	46	49	47	35	35	60	50	43	40	38	529	3	5	4
Perth :	51	47	60	54	47	39	35	69	53	56	41	43	595	2	2
	38	37	42	44	50	44	39	51	47	55	38	52	537	3	2
Total.....	89	84	102	98	97	83	74	120	100	111	79	95	1132	7	5	4
Peterborough :	25	32	44	34	29	39	33	30	40	33	27	42	408	3	2
	36	31	39	44	30	30	35	34	35	39	39	36	428	3	3
Total.....	61	63	83	78	59	69	68	64	75	72	66	78	836	7	6	5

TABLE A.—BIRTHS BY MONTHS, 1883—Concluded.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Quadruplets.	Triplets.	Illegitimate.	Still Born.
Prescott and Russell:																		
Males.....	52	39	52	50	64	41	61	55	50	50	46	48	608	3	3
Females.....	50	57	72	64	64	42	60	58	65	37	54	35	658	4	2
Total.....	102	96	124	114	128	83	121	113	115	87	100	83	1266	14	7	5
Prince Edward:																		
Males.....	21	14	20	20	13	13	16	15	22	20	12	10	196	1	1
Females.....	19	14	11	14	22	18	16	10	13	15	18	18	188	1	1
Total.....	40	28	31	34	35	31	32	25	35	35	30	28	384	5	2	2
Renfrew:																		
Males.....	36	39	35	39	31	26	42	34	28	26	21	45	402	5	2
Females.....	33	38	52	35	40	35	47	30	25	41	26	24	426	3	2
Total.....	69	77	87	74	71	61	89	64	53	67	47	69	828	5	8	4
Simcoe:																		
Males.....	53	65	69	68	47	63	51	68	57	71	72	55	739	8	6
Females.....	56	50	74	65	52	53	51	59	59	71	45	47	682	3	3
Total.....	109	115	143	133	99	116	102	127	116	142	117	102	1421	7	11	9
Stormont, Dundas and Glengarry:																		
Males.....	58	51	42	60	48	39	33	42	50	61	47	52	583	2	2
Females.....	44	45	70	43	53	33	35	46	52	43	41	49	559	2	3
Total.....	102	96	112	103	101	77	68	88	102	104	88	101	1142	15	4	5
Victoria:																		
Males.....	31	25	35	30	31	31	33	35	36	24	27	40	378	4	3
Females.....	29	29	36	37	29	28	27	32	26	27	27	33	360	3	2
Total.....	60	54	71	67	60	59	60	67	62	51	54	73	738	8	7	5

Waterloo :	66	62	70	54	49	57	45	59	60	52	51	56	681	10	5
Males	61	45	59	43	38	44	41	47	58	50	51	50	587	10	4
Females	127	107	129	97	87	101	86	106	118	102	102	105	1268	10	20	9
Total																		
Welland :																		
Males	24	36	44	33	24	27	41	32	36	21	33	29	380	6	3
Females	23	22	40	23	26	25	26	30	45	23	15	25	323	3	2
Total	47	58	84	56	50	52	67	62	81	44	48	54	703	6	9	5
Wellington :																		
Males	75	67	67	57	65	49	68	70	68	68	64	68	786	7	3
Females	77	53	74	58	68	69	70	69	65	74	55	57	789	7	4
Total	152	120	141	115	133	118	138	139	133	142	119	125	1575	14	14	7
Wentworth :																		
Males	87	83	87	97	82	69	91	89	96	77	87	74	1019	39	14
Females	67	71	74	76	91	57	81	82	85	80	91	61	916	23	7
Total	154	154	161	173	173	126	172	171	181	157	178	135	1935	23	2	62	21
York :																		
Males	177	163	203	175	184	157	155	203	188	191	168	185	2149	68	15
Females	132	158	187	172	166	183	165	184	205	179	182	185	2098	58	12
Total	309	321	390	347	350	340	320	387	393	370	350	370	4247	44	1	126	27
Total Males	1860	1821	2031	1919	1787	1665	1814	1890	1952	1872	1718	1786	22115	377	532	124
Total Females	1698	1622	1982	1804	1770	1628	1720	1779	1869	1734	1639	1621	20866	457	107
Grand Total	3558	3443	4013	3723	3557	3293	3534	3669	3821	3606	3357	3407	42981	377	1	8	989	231

H. S. CREWE,
Inspector.

MARRIAGES.

TABLE B.—MARRIAGES BY DENOMINATIONS, 1883.

The following Table shows the number of Marriages returned as having been solemnized during the year 1883, the religious denomination of the parties married, and whether by license or banns.

COUNTIES.	Religious Denomination of Bride and Bridegroom.										Total.	No Denominations given.	Grand Total.	How Married.			
	Episcopalian.	Presbyterian	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Associa-	Quaker.	Mennonite.	Bible Christian.	Other Denominations.		License.	Bann	Not stated.	Total Marriages.
Algoma and Thunder Bay :																	
Males	14	37	41	11	3	1	1	1				1	110				
Females	18	37	38	13	2		1	1					110				
Total	32	74	79	24	5	1	2	2				1	220	106	4		110
Brant :																	
Males	27	50	102	10	35	6	1		1		2	6	240				
Females	24	34	104	15	45	13	2				2	2	241				
Total	51	84	206	25	80	19	3		1		4	8	481	233	7	3	243
Bruce :																	
Males	58	128	115	48	17	3	4	8		2	4	6	393				
Females	49	127	117	48	25		6	8			3	5	392				
Total	107	255	232	96	42	7	10	16		2	7	11	785	338	52	5	395
Carleton :																	
Males	124	100	63	289	10	3	2					5	596				
Females	115	84	72	302	16	2	2					3	599				
Total	239	184	135	591	26	5	4					8	1192	369	223	7	599

Dufferin :	22	50	56	1	1	3	134	134
Males	29	41	60	1	2	1	134
Females
Total	51	91	116	1	3	1	4	268	133	1	134
Elgin :
Males	55	58	143	12	49	2	1	7	3	332	6	338
Females	49	54	141	15	59	2	6	6	332	6	338
Total	104	112	284	27	108	4	2	1	13	9	664	12	676	325	10	3 338
Essex :
Males	44	35	104	141	22	1	3	5	4	359	2	361
Females	30	26	122	145	23	1	1	6	5	359	2	361
Total	74	61	226	286	45	2	3	1	11	9	718	4	722	222	138	1 361
Frontenac :
Males	63	36	124	48	3	2	7	283	9	292
Females	65	39	120	49	4	5	1	4	287	5	292
Total	128	75	244	97	7	7	1	11	570	14	584	253	38	1 292
Grey :
Males	50	124	133	17	13	4	26	8	4	1	380	2	382
Females	45	125	136	19	20	21	10	5	381	1	382
Total	95	249	269	36	33	4	47	18	9	1	761	3	764	348	34 382
Haldimand :
Males	32	23	59	9	21	5	4	2	156	8	164
Females	23	17	64	10	24	4	7	1	8	158	6	164
Total	55	40	123	19	45	9	11	1	10	314	14	328	155	9 164
Halton :
Males	22	38	62	1	3	4	3	133	133
Females	18	37	67	2	5	1	1	1	132	1	133
Total	40	75	129	3	8	5	1	4	265	1	266	133	133

TABLE B.—MARRIAGES BY DENOMINATIONS, 1883—Continued.

COUNTIES.	Religious Denomination of Bride and Bridegroom.												Total.	No Denomination given.	Grand Total.	How Married.			
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Association.	Quaker.	Mennonite.	Bible Christian.	Other Denominations.				License.	Banns.	Not stated.	Total Marriages.
Hastings :																			
Males	78	61	232	38	10	3			3		18	3	446	4					
Females	76	53	251	44	5	1			1		17		448	2					
Total	154	114	483	82	15	4			4		35	3	894	6		427	21		
Huron :																			
Males	59	144	141	8	6	2	6	13		2	23	3	407	6					
Females	70	134	134	9	4	3	5	12		3	29	7	410	3					
Total	129	278	275	17	10	5	11	25		5	52	10	817	9		393	20		
Kent :																			
Males	46	77	206	52	33	1	2					6	423	9					
Females	52	77	209	51	29	1	1				1	4	425	7					
Total	98	154	415	103	62	2	3				1	10	848	16		376	54		
Lambton :																			
Males	62	96	163	4	27	6	1	1		2	1	3	366	1					
Females	51	84	175	5	33	8	1	1		1	2	4	365	2					
Total	113	180	338	9	60	14	2	2		3	3	7	731	3		363	4		

[illegible]

TABLE B.—MARRIAGES BY DENOMINATIONS, 1883—Continued.

COUNTIES.	Religious Denomination of Bride and Bridegroom.										Total.	No Denominations given.	Grand Total.	How Married.			
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Associa- tion.	Quaker.	Mennonite.	Bible Christian.	Other Denominations.		License.	Banns.	Not stated.	Total Marriages.
Northumberland and Durham :																	
Males	85	105	243	17	6	7	1	40	4	512
Females	81	92	243	20	14	8	49	4	512
Total	166	197	486	37	20	15	1	89	8	1024	500	10	2	512
Ontario :																	
Males	51	73	151	17	10	4	2	35	3	346
Females	42	60	154	24	20	3	1	39	2	345
Total	93	133	305	41	30	7	3	74	5	691	313	31	3	347
Oxford :																	
Males	45	80	153	11	53	3	10	1	1	17	7	381
Females	51	68	169	10	55	4	5	2	1	11	6	382
Total	96	148	322	21	108	7	15	2	1	2	28	13	763	379	7	386
Peel :																	
Males	41	48	80	9	7	2	1	1	1	1	191
Females	38	48	87	11	3	2	1	1	191
Total	79	96	167	20	10	4	2	1	1	2	382	182	7	3	192

Perth: Males..... Females.....			53 46	119 121	108 107	30 39	15 11	3 2	45 48	9 10	1	6	13	3	405 405	3 3	408 408		
	Total		99	240	215	69	26	5	93	19	1	12	25	6	810	6	816	32	2
Peterborough: Males..... Females.....			39 42	59 47	89 100	58 56	8 6	1					9 12		263 263	1 1	264 264		
	Total		81	106	189	114	14	1					21		526	2	528	53	4
Prescott and Russell: Males..... Females.....			9 4	18 21	8 10	179 179	5 5								219 219		219 219		
	Total		13	39	18	358	10								438		438	66	1
Prince Edward: Males..... Females.....			17 19	13 5	97 109	7 5	2				1			2	139 140	1	140 140		
	Total		36	18	206	12	2				1		1	3	279	1	280	5	140
Renfrew: Males..... Females.....			44 38	54 60	30 34	114 113	4 4	19 18	7 6						272 273	2 1	274 274		
	Total		82	114	64	227	8	37	13						545	3	548	152	274
Simcoe: Males..... Females.....			126 116	132 129	156 163	38 44	15 18	9 9			3 2	2	2	4	485 487	5 3	490 490		
	Total		242	261	319	82	33	18			2	5	2	8	972	8	980	452	2
Stormont, Dundas and Glengarry: Males..... Females.....			62 62	115 115	99 102	157 166	18 16	7 3	20 22					4 2	482 488	9 3	491 491		
	Total		124	230	201	323	34	10	42					6	970	12	982	339	3

TABLE B.—MARRIAGES BY DENOMINATIONS, 1883—*Concluded.*

COUNTIES.	Religious Denomination of Bride and Bridegroom.											Total.	No Denomination given.	Grand Total.	How Married.			
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Evangelical Association.	Quaker.	Mennonite.	Bible Christian.	Other Denominations.			License.	Banns.	Not stated.	Total Marriages.
Victoria:																		
Males	39	35	85	50	6	1	1	1	1	1	34	2	2	255
Females	33	31	90	55	9	3	1	1	1	1	28	2	2	255
Total	72	66	175	105	15	4	2	2	1	1	62	4	4	510	223	32	255
Waterloo:																		
Males	25	67	54	45	9	2	90	22	2	39	16	16	387
Females	17	72	50	56	9	84	23	42	2	17	15	387
Total	42	139	104	101	18	2	174	45	2	81	2	33	31	774	271	115	1	387
Welland:																		
Males	51	30	85	8	9	1	13	3	2	5	1	11	6	225
Females	58	22	86	9	8	3	14	2	1	7	12	3	225
Total	109	52	171	17	17	4	27	5	3	12	1	23	9	450	212	13	225
Wellington:																		
Males	71	147	164	48	13	11	4	1	1	4	8	3	475
Females	65	152	151	55	14	8	3	2	8	16	1	475
Total	136	299	315	103	27	19	7	1	3	12	24	4	950	435	40	475

[illegible]

H. S. CREWE,
Inspector.

TABLE C.

MARRIAGES BY MONTHS.

TABLE C.—MARRIAGES BY MONTHS, 1883.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	No date given.	Total number of Couples married.
Algoma and Thunder Bay	5	9	12	14	4	13	14	9	6	6	13	5	110
Brant	19	13	23	22	21	20	18	14	19	22	26	26	243
Bruce	50	38	44	31	21	39	23	14	19	44	40	31	1	395
Carleton	49	29	22	53	49	69	57	51	45	72	60	39	4	599
Dufferin	21	10	16	11	6	2	7	11	12	11	11	16	134
Elgin	43	26	32	24	28	15	19	15	27	37	17	55	338
Essex	47	23	17	43	26	25	26	28	28	41	34	22	1	361
Frontenac	21	20	26	30	17	15	24	21	23	28	30	34	3	292
Grey	45	28	44	32	33	35	20	10	10	44	34	46	1	382
Haldimand	15	18	16	10	16	5	8	6	13	22	10	25	164
Halton	11	14	20	8	7	9	5	3	11	13	13	18	1	133
Hastings	53	33	33	32	25	22	22	27	33	58	42	68	2	450
Huron	54	34	47	29	32	26	29	23	17	34	31	55	2	413
Kent	38	39	30	35	49	32	20	14	30	38	39	53	15	432
Lambton	35	27	35	24	25	21	28	19	25	42	27	58	1	367
Lanark	36	16	17	26	19	28	13	23	30	24	25	25	1	283
Leeds and Grenville	44	31	44	24	16	30	29	23	41	44	39	56	421

Lennox and Addington	22	15	18	13	18	19	10	15	25	26	13	40	1	285
Lincoln	28	12	18	19	21	15	13	12	18	31	17	34	3	241
Middlesex	74	54	56	49	72	54	42	34	61	76	53	75	700
Muskoka and Parry Sound	8	14	12	12	7	12	17	14	25	19	9	24	2	175
Norfolk	20	24	24	23	20	10	12	9	14	22	36	29	1	244
Northumberland and Durham	56	48	43	31	30	44	29	24	46	44	44	70	3	512
Ontario	52	30	26	21	20	22	21	22	23	36	39	34	1	349
Oxford	41	28	37	37	25	25	20	19	22	34	40	58	386
Peel	28	18	26	7	6	4	18	3	12	20	20	30	192
Perth	50	42	46	28	22	25	20	15	31	46	32	49	2	408
Peterboro	33	10	27	27	14	12	12	19	14	35	30	30	1	264
Prescott and Russell	20	19	7	16	11	20	25	31	23	25	16	6	219
Prince Edward	10	9	12	13	5	9	9	4	18	14	14	22	1	140
Renfrew	22	10	9	34	27	25	34	22	28	28	17	18	274
Simcoe	42	35	44	50	35	28	34	24	53	46	45	52	2	490
Stormont, Dundas and Glengarry	62	29	30	52	23	30	35	28	42	70	38	50	2	491
Victoria	33	21	24	12	15	16	12	13	22	27	30	30	255
Waterloo	42	31	35	25	25	32	24	18	23	42	43	45	2	387
Welland	27	16	18	16	19	20	17	13	18	28	10	21	2	225
Wellsington	70	39	46	26	41	23	19	24	23	60	42	60	2	475
Wentworth	55	28	32	51	43	37	40	42	72	93	52	71	616
York	138	104	99	120	121	130	117	105	137	145	132	134	2	1484
Total	1519	1044	1167	1130	1014	1018	942	821	1139	1547	1263	1614	59	14277

TABLE D.—MARRIAGES BY AGES, 1883.

COUNTIES.	AGES.															Total.	Bachelors.	Widowers.	Total.	Spinsters.	Widows.	Total.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.	Ages not given.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Algonia and Thunder Bay :																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

[illegible]

TABLE D.—MARRIAGES BY AGES, 1883—Continued

COUNTIES.	AGES.															Total.	Bachelors.	Widowers.	Total.	Spinsters.	Widows.	Total.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.	Ages not given.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Lambton :																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													</

TABLE D.—MARRIAGES BY AGES, 1883—Concluded.

COUNTIES.	AGES.															Total.	Bachelors.	Widowers.	Total.	Spinners.	Widows.	Total.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.	Ages not given.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Prescott and Russell :																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						</

[illegible]

H. S. CREWE,
Inspector.

DEATHS.

TABLE E.—

Distinguishing by Months, by Ages, by Sex and by Diseases, the Registered Number

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
CLASS I. ZYMOTIC DISEASES, <i>Zymotici</i> .													
ORDER I. MIASMATIC DISEASES, <i>Miasmatici</i> .													
Anthrax (Carbuncle) M	1		1		1		1						4
“ “ F													
Total	1		1		1		1						4
Cholera Infantum M	2		1	1	4	3	50	62	33	7		3	166
“ “ F		2	4	5	1	5	47	44	29	5	2	2	146
Total	2	2	5	6	5	8	97	106	62	12	2	5	312
Cholera Morbus M	1					2	6	6	4	3			22
“ “ F				1		1	5	2	3		5	1	18
Total	1			1		3	11	8	7	3	5	1	40
Cynanche Trachealis (Membranous Croup). M	10	15	17	13	14	9	8	8	10	14	8	14	140
“ “ F	24	6	11	20	11	7	5	9	7	8	9	10	127
Total	34	21	28	33	25	16	13	17	17	22	17	24	367
Diarrhœa Acuta (Acute Diarrhœa) M	7	10	6	6	5	10	56	69	61	13	10	8	261
“ “ F	4	1	7	12	2	8	34	68	46	14	10	4	210
Total	11	11	13	18	7	18	90	137	107	27	20	12	471
Diarrhœa Chronica (Chronic Diarrhœa) . . M	2		1			3	1	2				1	10
“ “ F	1				1		1	1	3		2		9
Total	3		1		1	3	2	3	3		2	1	19
Dysentery Acuta (Acute Dysentery) . . . M	1	1		3	1	1	7	23	20	2			59
“ “ F		3	1			1	4	11	17	4	1	2	44
Total	1	4	1	3	1	2	11	34	37	6	1	2	103
Diphtheria M	49	32	41	35	22	31	22	22	26	21	36	31	368
“ “ F	47	22	35	42	25	21	24	10	28	17	25	45	341
Total	96	54	76	77	47	52	46	32	54	38	61	76	709
Erysipelas M	9	11	7	13	2	8	5	7	9	4	4	3	82
“ “ F	3	7	10	7	7	2	1			4	4		45
Total	12	18	17	20	9	10	6	7	9	8	8	3	127

DEATHS.

of Deaths from various specified Causes (arranged in Classes) during the year 1883.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males									1		3				4
Females															
Total									1		3				4
Males	136	28	1	1											166
Females	116	25	1	1										3	146
Total	252	53	2	2										3	312
Males	2	4				2	2	2	3	4	3				22
Females	3	2	2	1	1	2	1	1	3		1	1			18
Total	5	6	2	1	1	4	3	3	6	4	4	1			40
Males	37	77	22	2										2	140
Females	28	62	26	8		1								2	127
Total	65	139	48	10		1								4	367
Males	159	55	2		7	3	2	2	4	8	9	4	1	5	261
Females	140	36		1	1	2	3	4	4	4	7	5		3	210
Total	299	91	2	1	8	5	5	6	8	12	16	9	1	8	471
Males		1				1			3	3	2				10
Females	1							4	1	1	2				9
Total	1	1				1		4	4	4	4				19
Males	25	18		2			3	3	3	2		1	1	1	59
Females	15	6	2		2		2	1	1	3	3	3		6	44
Total	40	24	2	2	2		5	4	4	5	3	4	1	7	103
Males	45	151	100	47	14	2	2		1					6	368
Females	20	125	123	39	14	5	4	1		1	1			8	341
Total	65	276	223	86	28	7	6	1	1	1	1			14	709
Males	24	4	1	2		3	3	7	1	13	18	1	2	3	82
Females	17	3		2		6	6	3	4	2	1	1			45
Total	41	7	1	4		9	9	10	5	15	19	2	2	3	127

TABLE E.—

CAUSE OF DEATH.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Enterocolitis	M			1				1					2
“	F												
Total				1				1					2
Febris Biliosa (Bilious Fever)	M	1	1		1	1					2		6
“	F	2		2	1	1	2		1	1	1		11
Total		3	1	2	1	2	2		1	1	3		17
Febris Cerebro-Spinalis (Spinal Fever)	M	9	6	4	13	8	5	5	5	8	3	2	69
“	F	8	4	6	5	12	9	2	4	3	4	6	64
Total		17	10	10	18	20	14	7	9	11	7	8	133
Febris Congestiva (Congestive Fever)	M	1					2		1				4
“	F		1	1	1		1			1	1		6
Total		1	1	1	1		1	2		1	1		10
Febris Intermittens (Intermittent Fever)	M	1	1		1	1		1				1	7
“	F			1	2	3	3		2				11
Total		1	1	1	3	4	3		1	2	1		13
Febris Remittens (Remittent Fever)	M		1	1	2	1	3		2				10
“	F	1	2	1	2	2	1	2	3	2			18
Total		1	3	2	4	3	5	1	2	5	2		28
Febris Typhoides (Typhoid Fever)	M	19	14	14	18	11	11	20	28	32	35	24	249
“	F	15	15	16	15	18	11	16	26	20	35	13	220
Total		34	29	30	33	29	22	36	54	52	70	37	469
Febris Typhus (Typhus Fever)	M	1	1	1				1				1	5
“	F							1					1
Total		1	1	1				2				1	6
Influenza	M	7	2	7	5	2	2	2	2	1		1	32
“	F	3	2	10	3	2		3				2	27
Total		10	4	17	8	4	2	5	1		3	3	59
Morbilli (Measles)	M	7	7	14	22	13	9	7	4	5	1		89
“	F	4	1	14	20	17	11	8	3		4	4	88
Total		11	8	28	42	30	20	15	7	5	5	4	177

DEATHS—Continued.

SEX.	AGES.												
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.
Males	2												
Females													
Total	2												
Males		3				1		1	1				
Females		1		1	1	1	2		1	2	2		
Total		4		1	1	2	2	1	2	2	2		
Males	20	21	5	7	1	7	1	1	1	1			4
Females	12	16	14	8	4	4	2	2		1			1
Total	32	37	19	15	5	11	3	3	1	2			5
Males		1			1							1	
Females			1				3	1				1	
Total		1	1		1		3	1				2	
Males	1	3		1					1			1	
Females	2	3	1		1	1	1			1		1	
Total	3	6	1	1	1	1	1		1	1		2	
Males		2	1	1			1	5					
Females		6	1	2		2	2	2		2	1		
Total		8	2	3		2	3	7		2	1		
Males	4	14	14	22	38	69	30	13	15	8	6		16
Females	11	22	11	14	33	59	31	13	9	13	2		2
Total	15	36	25	36	71	128	61	26	24	21	8		18
Males					2	1	1			1			
Females						1							
Total					2	2	1			1			
Males	17	6		1				1		2	2	2	1
Females	10	1	1		2	3	3		1	3		3	
Total	27	7	1	1	2	3	3	1	1	5	2	5	1
Males	29	39	7	5	4	1	2		1			1	
Females	19	42	3	7	3	4	3	3	2				2
Total	48	81	10	12	7	5	5	3	3			1	2

TABLE E.—

CAUSE OF DEATH.	MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Parotitis (Mumps) M	2	3	2	3							1	
“ “ F		1		3								
Total	2	4	2	6							1	
Pertussis (Whooping Cough) M	5	7	8	5	5	3	4	5	3	3	5	3
“ “ F	7	6	10	7	7	3	3	7	9	3	2	3
Total	12	13	18	12	12	6	7	12	12	6	7	6
Pyæmia M	2	2	6	5	1	5	4	5	4	2	3	6
“ “ F	10	4	6	4	4	6	2	7	4	4	4	3
Total	12	6	12	9	5	11	6	12	8	6	7	9
Scarlatina (Scarlet Fever) M	21	16	38	16	14	18	16	7	5	10	20	24
“ “ F	24	19	20	27	8	22	8	6	12	6	21	27
Total	45	35	58	43	22	40	24	13	17	16	41	51
Tonsilitis (Quinsy) M			2	1								
“ “ F			2					3				1
Total			4	1				3				1
Variola (Small-Pox) M	2	1										
“ “ F			1									
Total	2	1	1									
ORDER 2. ENTHETIC DISEASES. <i>Enthetici.</i>												
Syphilis M		1	1							1	1	1
“ “ F	1				1			1	1			1
Total	1	1	1		1			1	1	1	1	2
ORDER 3. DIETIC DISEASES. <i>Dietici.</i>												
Alcoholism M	1	2				1		1	2	1	1	
“ “ F	1	1						1		1		
Total	2	3				1		2	2	2	1	

DEATHS—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males	4	2	2			2				1					11
Females		2		1		1									4
Total	4	4	2	1		3				1					15
Males	45	8	1											2	56
Females	49	15	2	1											67
Total	94	23	3	1										2	123
Males	3	3	3	1	3	3	5	4	3	3	7	2		5	45
Females	6	2			3	18	14	8	1	5		1			58
Total	9	5	3	1	6	21	19	12	4	8	7	3		5	103
Males	20	100	62	12	3	3	1							4	205
Females	25	106	42	10	2	10	2							3	200
Total	45	206	104	22	5	13	3							7	405
Males	1		1					1							3
Females			2	2						1	1				6
Total	1		3	2				1		1	1				9
Males						1		1						1	3
Females							1								1
Total						1	1	1						1	4
Males	3					1			1						5
Females	2					1		1						1	5
Total	5					2		1	1					1	10
Males							2	5						2	9
Females							2	1		1					4
Total							4	6		1				2	13

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Bronchocele.....M	1												1
“.....F													
Total	1												1
Delirium alcoholicum (Delirium Tremens) M		1			1				1	2	2	2	9
“.....F			1							2			3
Total		1	1		1				1	4	2	2	12
Ebriositas (Drunkenness).....M		2	2	3		1	3	1	1		5	2	20
“.....F	1	1						2					4
Total	1	3	2	3		1	3	3	1		5	2	24
Purpura.....M													
“.....F				1		2			1				4
Total				1		2			1				4
Rachitis (Rickets).....M							1	1					2
“.....F													
Total							1	1					2
ORDER 4. PARACITIC DISEASES. <i>Paracitici.</i>													
Apthæ (Thrush).....M		2	1	1	3		3	1	1	1	1	1	15
“.....F	1		1	1	1	2	1		1	1			9
Total	1	2	2	2	4	2	4	1	2	2	1	1	24
Tænia solum (Tape Worm).....M								1					1
“.....F													
Total								1					1
Vermes (Worms).....M	2		1		1	1	1	1		1		1	9
“.....F		1	3				2	1					7
Total	2	1	4		1	1	3	2		1		1	16
Total Zymotic Diseases.....M	162	138	177	166	114	127	224	264	229	125	126	127	1979
“.....F	157	98	164	176	125	118	166	212	190	116	112	124	1758
Total	319	236	341	342	239	245	390	476	419	241	238	251	3737

DEATHS—Continued.

SEX.	AGES.												
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.
Males						1							
Females													
Total						1							
Males						3	4	1					1
Females							2		1				
Total						3	6	1	1				1
Males						1	3	4	7	3			2
Females							2	1	1				
Total						1	5	5	8	3			2
Males													
Females	1		1	2									
Total	1		1	2									
Males		1			1								
Females													
Total		1			1								
Males	12	3											
Females	8						1						
Total	20	3					1						
Males									1				
Females													
Total									1				
Males	2	6	1										
Females		6	1										
Total	2	12	2										
Males	591	550	223	104	74	105	62	51	47	49	50	13	4
Females	485	481	234	100	67	121	87	46	29	40	21	16	31
Total	1076	1031	457	204	141	226	149	97	76	89	71	29	87

1979
1758

3737

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
CLASS II. CONSTITUTIONAL DISEASES. <i>Cachectici</i> .													
ORDER 1. DIATHETIC DISEASES. <i>Diathetici</i> .													
Anæmia	M	70	81	73	88	66	58	84	97	83	59	63	882
“	F	52	57	82	77	62	48	61	77	70	55	40	718
Total		122	138	155	165	128	106	145	174	153	114	103	1600
Anasarca (General Dropsy)	M	16	15	11	16	21	15	10	9	18	13	15	172
“	F	17	15	23	14	20	14	15	17	18	15	18	202
Total		33	30	34	30	41	29	25	26	36	28	33	374
Arthritis (Articular Rheumatism)	M												
“	F												1
Total													1
Asthma (Spasmodic Asthma)	M	3	3	6	6	2	3	7	3	3	4	1	44
“	F	3	1	2	7		1	2	2	2	4		26
Total		6	4	8	13	2	4	9	5	5	8	1	70
Carcinoma (Cancer)	M	14	18	16	13	15	13	21	20	15	17	20	193
“	F	13	20	18	17	13	18	20	16	16	23	15	210
Total		27	38	34	30	28	31	41	36	31	40	35	403
Leucocythæmia	M	1											1
“	F					1	1		1	1		1	5
Total		1				1	1		1	1		1	6
Mortificacio (Mortification)	M	4	3	1	1	1				3	1	1	17
“	F		1				1			2		1	6
Total		4	4	1	1	1	1			5	1	2	23
Noma (Canker)	M		1			2		3					6
“	F		1	1				2	1		1		6
Total			2	1		2		5	1		1		12
Podagra Rheumatica (Rheumatic Gout) ..	M								2				2
“	F							1	1				2
Total								1	3				4

DEATHS—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males	745	68	6	3	1	7	5	8	11	22	3	3		3	882
Females	552	62	3	5	5	9	11	9	14	33	6	3		6	718
Total	1297	130	9	8	6	16	16	17	25	55	6	6		9	1600
Males	4	8	6	6	3	4	6	14	14	33	46	20	1	7	172
Females	4	8	5	9	2	12	16	19	30	37	38	18	1	3	202
Total	8	16	11	15	5	16	22	33	44	70	84	38	2	10	374
Males															
Females											1				1
Total											1				1
Males	1			1			1	4	8	10	14	4		1	44
Females							1	2	4	7	7	4		1	26
Total	1			1			2	6	12	17	21	8		2	70
Males		2			1	5	3	25	37	52	39	16	1	12	193
Females	1	1	2		4	8	23	32	50	48	30	4	1	6	210
Total	1	3	2		5	13	26	57	87	100	69	20	2	18	403
Males		1													1
a					1	2	1	1							5
Total		1			1	2	1	1							6
Males		1	1			2	3	4	3		2				17
les								3				2			6
Total	2	1	1			2	3	7	3		2	2			23
Males	5	1													6
Females	5					1									6
Total	10	1				1									12
Males									1	1					2
Females							1	1							2
Total							1	1	1	1					4

TABLE E.—

CAUSE OF DEATH.	MONTHS.												Total.
	Jan.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Rheumatismus (Rheumatism)M	9	8	4	11	9	5	9	4	6	3	6	5	79
“ “F	2	6	9	7	12	3	10	7	4	5	3	5	73
Total	11	14	13	18	21	8	19	11	10	8	9	10	152
ORDER 2. TUBERCULAR DISEASE. <i>Phthisici</i> .													
HydrocephalusM	3	7	5	7	4	13	15	12	7	6	19	6	104
“ “F	3	9	5	9	9	6	10	7	5	8	7	5	83
Total	6	16	10	16	13	19	25	19	12	14	26	11	187
Meningitis Tuberculosis (Tubercular Menin- gitis)M	3	4	10	1	5	3	4	2	1	3	8	2	46
“ “ “ “F	3	7	1	2	2	1	3	5	4	2	3	3	36
Total	6	11	11	3	7	4	7	7	5	5	11	5	82
Morbus Coxarius (Hip Disease)M	1	1	1	1	1	1	6
“ “F	1	1	1	1	2	6
Total	2	1	1	1	1	1	2	1	2	12
Phthisis Pulmonalis (Consumption)M	95	82	103	116	108	92	77	82	90	95	82	99	1121
“ “F	119	98	152	147	120	125	98	105	100	116	100	99	1379
Total	214	180	255	263	228	217	175	187	190	211	182	198	2500
ScrofulaM	2	4	6	3	4	5	1	1	1	4	31
“ “F	1	1	5	5	3	4	6	2	2	2	31
Total	3	5	5	11	6	8	11	3	1	3	6	62
Tabes MesentericaM	1	2	1	1	1	1	4	11
“ “F	1	1	3	1	1	2	2	1	12
Total	1	3	1	1	4	1	2	3	6	1	23
Total Constitutional DiseasesM	221	229	231	265	238	206	237	234	231	203	219	201	2715
“ “F	213	218	298	286	245	223	229	243	225	232	191	193	2796
Total	434	447	529	551	483	429	466	477	456	435	410	394	5511
CLASS III. LOCAL DISEASES.													
<i>Monorganici.</i>													
ORDER 1. DISEASES OF THE NERVOUS SYS- TEM. <i>Cephalici.</i>													
Apoplexia (Apoplexy)M	21	24	19	14	30	18	14	20	19	17	19	15	230
“ “F	15	7	15	18	16	18	15	11	13	10	17	16	171
Total	36	31	34	32	46	36	29	31	32	27	36	31	401

DEATHS—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males	1	1	8	8	4	7	9	8	10	7	9	3	5	79
Females	1	1	5	7	4	7	4	7	9	11	11	1	5	73
Total.....	1	2	13	15	8	14	13	15	19	18	20	4	10	152
Males	71	25	2	1	1	1	1	1	1	104
Females	57	15	2	1	1	3	2	1	1	83
Total.....	128	40	4	1	2	4	3	1	2	1	1	187
Males	15	11	8	4	3	1	2	2	46
Females	14	5	5	1	4	5	1	1	36
Total.....	29	16	13	1	4	9	3	2	2	3	82
Males	1	1	2	1	1	6
Females	3	1	1	1	6
Total.....	1	1	2	3	2	1	1	1	12
Males	46	36	8	7	64	364	231	143	79	79	33	10	21	1121
Females	45	35	15	45	165	466	272	149	66	41	31	3	46	1379
Total.....	91	71	23	52	229	830	503	292	145	120	64	13	67	2500
Males	21	3	1	1	1	1	1	1	1	31
Females	23	1	1	1	2	2	1	31
Total.....	44	4	2	2	3	1	2	1	1	1	1	62
Males	4	5	1	1	11
Females	7	2	1	1	1	12
Total.....	11	7	2	1	2	23
Males	913	163	41	27	77	396	263	208	165	206	145	56	2	53	2715
Females	710	130	38	70	189	517	334	225	174	178	124	36	3	68	2796
Total.....	1623	293	79	97	266	913	597	433	339	384	269	92	5	121	5511
Males	3	2	1	2	1	10	11	22	38	61	44	20	15	230
Females	4	2	4	8	12	16	22	45	32	15	11	171
Total.....	3	6	1	4	5	18	23	38	60	106	76	35	26	401

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Atropia Musculorum Ingravicens (Progressive Locomotor Ataxia).	M	1	1			1			1	2	1		7

DEATHS—Continued.

SEX.	AGES.													
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.
Males						2		1		2				2
Females									2					2
Total						2		1	2	2				2
Males								1						1
Females				1					2					3
Total				1				1	2					1
Males	250	53	6											309
Females	169	50	5	1	3	5	2			1		1		239
Total	419	103	11	1	3	5	2			1		1		548
Males	19	11	5	5	3	6	7	4	2	3	4			71
Females	18	17	4	8	2	4	1	1	3	4				67
Total	37	28	9	13	5	10	8	5	5	7	4			138
Males	1	2		4	5	4	13	8	3	2	1			43
Females	1	2	1	2	3	6	5	3	7	4	1	1		37
Total	2	4	1	6	8	10	18	11	10	6	2	1		80
Males				1				1		2	2			6
Females								1			4			5
Total				1				2		2	6			11
Males														
Females					2									2
Total					2									2
Males	2					3	3	2	5	1	1			17
Females						2	2	3	1	2	1			11
Total	2					5	5	5	6	3	2			28
Males		1			2		1	1		1				6
Females		1					1							2
Total		2			2		2	1		1				8
Males	77	54	17	9	9	20	10	5	3	10	3	2	2	6
Females	49	32	19	9	8	15	12	8	3	11	3	1		7
Total	126	86	36	18	17	35	22	13	6	21	6	3	2	13

DEATHS—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males	3	7	1		5	6	1	2	3	5	2				35
Females	6	6	1	3		4	1	6	5	2				1	35
Total	9	13	2	3	5	10	2	8	8	7	2			1	70
Males	3	2				3	1	2	5	4	9			2	31
Females	1					2		1	2	4	5	2	1		18
Total	4	2				5	1	3	7	8	14	2	1	2	49
Males		3	1	2	3	8	12	23	26	36	66	42	3	7	232
Females	1	3	3	1	1	5	2	9	19	28	66	31		8	177
Total	1	6	4	3	4	13	14	32	45	64	132	73	3	15	409
Males							2	1	1	1	1				6
Females							1		1		1				3
Total							3	1	2	1	2				9
Males			1			1	2	1	1						6
Females						1	1								2
Total			1			2	3	1	1						8
Males					1										1
Females	1				1		1		1						4
Total	1				2		1		1						5
Males							1	2							3
Females															
Total							1	2							3
Males							1								1
Females						1	2	1		1					5
Total						1	3	1		1					6
Males										2	1	2			
Females					1					2	1			1	4
Total					1					4	2	2		1	9

TABLE E.—

CAUSE OF DEATH.	MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Carditis (Inflammation of Heart).....M					1						1	
.....F	1		1									1
Total	1		1		1						1	1
Degeneratio cordis (Fatty Degeneration of Heart).....M			1					2			1	1
.....F	1						1					
Total	1		1				1	2			1	1
Endocarditis (Inflammation of Membrane lining Heart).....M	1		1	1				1				
.....F	1				1		1					
Total	2		1	1	1		1	1				
Epistaxes (Nosebleed)							1				1	
.....F												
Total							1				1	
Hydrops Pericardii (Dropsy of Heart)M		2	2	3		4	2	2	1		2	
.....F	3	1	2	3	2	5		1	2	3	3	1
Total	3	3	4	6	2	9	2	3	3	3	5	1
Hypertrophia cordis (Enlarge't of Heart) ..M	1		1	1		1						
.....F			1	1	1		1					
Total	1		2	2	1	1	1					
Morbus valvularum cordis (Valvular Disease of Heart)M	38	31	35	31	47	41	34	35	36	37	36	42
.....F	42	40	45	40	45	35	45	35	37	35	40	39
Total	80	71	80	71	92	76	79	70	73	72	76	81
Pericarditis			1		1	2				1		
.....F			1									1
Total			2		1	2				1		1
Phlebitis (Inflammation of Veins)				1								
.....F		1		1								
Total		1		2								
Syncope (Fainting)			1							1		
.....F		1	1	1						1		
Total		1	2	1						2		

DEATHS—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males					1							1			2
Females									1	1	1				3
Total					1				1	1	1	1			5
Males								2			1				5
Females					1					1					2
Total				2		1			2		2				7
Males							2			1		1			4
Females		1		1	1										3
Total		1		1	1		2		1		1				7
Males									1	1					2
Females															
Total									1	1					2
Males		1		1		2	1		4	5	2	2			18
Females	1			1	1		5	4	2	3	4	4		1	26
Total	1	1		2	1	2	6	4	6	8	6	6		1	44
Males							1			1	1				4
Females						1		1		1	1				4
Total						1	1	1	1	2	2				8
Males	11	7	5	6	12	32	23	38	81	95	96	17	1	19	443
Females	11	6	10	15	19	56	41	50	88	95	46	21		20	478
Total	22	13	15	21	31	88	64	88	169	190	142	38	1	39	921
Males					1	1	1		1					1	5
Females			1		1										2
Total			1		2	1	1		1					1	7
Males										1					1
Females			1			1									2
Total			1			1				1					3
Males									2						2
Females							1		1		1			1	4
Total							1		3		1			1	6

DEATHS—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Males	66	36	4	8	6	12	11	14	11	24	25	5	228
Females	60	30	12	5	6	12	14	6	6	13	27	10	203
Total	126	66	16	13	12	24	25	20	17	37	52	15	436
Males	77	52	5	4	4	2	8	11	24	28	19	3	246
Females	79	49	4	3	1	13	4	12	14	29	27	8	251
Total	156	101	9	3	5	17	6	20	25	53	55	27	3	497
Males	1	1
Females
Total	1	1
Males	1	3	1	5
Females	1	1	1	1	1	5
Total	1	1	1	1	1	4	1	10
Males	4	5	1	2	2	4	1	19
Females	6	4	1	1	3	1	16
Total	10	9	1	2	3	3	2	4	1	35
Males	1	2	1	2	11	4	3	5	4	5	38
Females	1	1	1	3	2	4	1	2	15
Total	2	2	2	2	12	7	5	9	5	7	53
Males	159	85	25	16	25	72	56	51	73	70	61	15	737
Females	92	88	20	9	32	65	51	61	36	57	39	23	598
Total	251	173	45	25	57	137	107	112	109	127	100	38	1335
Males	1	2	1	4
Females	2	3	5
Total	3	2	3	1	9
Males	1	1	1	2
Females	1	2	3
Total	1	1	1	2	5

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Cirrhosis.....M				2	2	1		1	1	1	1	9
“.....F	1		1	1	1	1	3	2	2	12
Total	1		3	3	2	1	4	3	1	3	21
Colica (Colic).....M			1		1	1					3
“.....F				1	1		1				3
Total			1	1	1	1	1	1				6
Dyspepsia (Indigestion).....M	4	1	4	4	4	3	3	1	3	2	2	31
“.....F	2	1	1	2	4	1	2	1	2	16
Total	6	1	5	4	5	5	7	2	2	4	2	4	47
Enteritis (Inflammation of Bowels).....M	21	17	29	15	16	10	14	25	33	22	13	20	235
“.....F	25	24	18	8	14	10	18	18	30	12	13	17	207
Total	46	41	47	23	30	20	32	43	63	34	26	37	442
Fistula.....M								1				1
“.....F													
Total								1				1
Gastritis (Inflammation of Stomach).....M	3	8	7	6	4	9	3	5	7	6	7	5	70
“.....F	5	4	3	4	5	6	6	8	2	6	1	6	56
Total	8	12	10	10	9	15	9	13	9	12	8	11	126
Hæmatemesis (Blood Vomit).....M						1					1		2
“.....F												1	1
Total						1					1	1	3
Hæmorrhoids (Piles).....M			1		2							3
“.....F													
Total			1		2							3
Hepatitis (Inflammation of Liver).....M	6	4	9	3	5	7	9	5	5	6	4	13	76
“.....F	4	3	7	8	8	6	3	4	9	8	2	1	63
Total	10	7	16	11	13	13	12	9	14	14	6	14	139
Hernia (Rupture).....M		2	2	3	5	3	3	1	2	1	2	1	25
“.....F	2	2	1	1	1	1	1	1	10
Total	2	2	4	4	6	4	3	2	3	1	3	1	35

DEATHS—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Males							2		4	2	1			9
Females		1						3	3	4				12
Total		1					2	3	7	6	1			21
Males	3													3
Females	1		1										1	3
Total	4		1										1	6
Males	4	1				1		3	7	8	5	2		31
Females	2						3		2	4	4			16
Total	6	1				1	3	3	9	12	9	2		47
Males	58	24	5	10	22	25	14	15	13	21	12	9		235
Females	43	22	11	17	17	18	21	17	12	11	8	4	2	207
Total	101	46	16	27	39	43	35	32	25	32	20	13	2	442
Males										1				1
Females														
Total										1				1
Males	13	3	1		1	5	3	5	6	17	9	4		70
Females	9	5	1	1		6	12	4	4	4	9	1		56
Total	22	8	2	1	1	11	15	9	10	21	18	5		126
Males				1				1						2
Females								1						1
Total				1				2						3
Males									1	2				3
Females														
Total									1	2				3
Males	5	4	1	1	1	3	6	12	10	17	14			76
Females	1	2	5		2	5	5	5	11	12	11	2		63
Total	6	6	6	1	3	8	11	17	21	29	25	2		139
Males	1	1				3	2	4	3	2	5	1		2
Females					1		2	1	2	2	1	1		10
Total	1	1			1	3	4	5	5	4	6	2		35

TABLE E.—

- CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Icterus (Jaundice)M	3	1	2	2	2	...	2	2	1	4	3	1	23
F	3	2	2	3	2	1	2	3	3	2	23
Total	6	3	4	5	2	...	4	3	3	7	6	3	46
Intus-susceptio (Invagination of Gut) . . .M	...	1	1	1	3
F	...	1	1	1	1	1	5
Total	2	2	1	1	2	8
Obstipatio (Constipation)M	3	2	2	3	1	1	1	1	1	1	...	2	18
F	1	2	1	...	1	...	1	...	1	1	3	1	12
Total	4	4	3	3	2	1	2	1	2	2	3	3	30
Cesophagitis (Inflammation of Gullet) . . .M	1	1
F
Total	1	1
Peritonitis (Inflammation of Abdomen) . . .M	5	2	7	10	8	1	10	3	2	4	4	4	60
F	4	5	7	9	9	8	9	6	4	4	4	4	73
Total	9	7	14	19	17	9	19	9	6	8	8	8	133
Perforatio Intestini (Perforation of Intes- tine)M
F	1	1
Total	1	1
Splenitis (Inflammation of Spleen)M	1	1	...	1	...	1	...	1	5
F	1	1	1	3
Total	1	2	1	1	...	1	1	1	8
Stomatitis (Inflammation of Mouth)M	1	1	1	1	...	1	5
F	1	1	1	3
Total	1	2	2	1	...	1	...	1	8
Stricture Intestina (Stricture of Intestine).M	1	1	1	1	4
F	...	1	1	1	2	5
Total	1	2	1	...	1	1	2	...	1	9
TyphlitisM	1	1	2
F
Total	1	1	2

DEATHS—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males	1	1					1								3
Females	1			2	1										4
Total	2	1		2	1		1								7
Males	2	1			1			5	2	4	1			1	17
Females	2					2		1	4	4	3				16
Total	4	1			1	2		6	6	8	4			1	33
Males															
Females															
Total															
Males										1	5	2			8
Females											2				2
Total										1	7	2			10
Males	1	1	1			1	1	3	3	15	16	8		2	52
Females									2						2
Total	1	1	1			1	1	3	5	15	16	8		2	54
Males			2	3	1	6	5	3	7	7	4	2			40
Females			2	4	2	1		1	4	2	1	2		1	20
Total			4	7	3	7	5	4	11	9	5	4		1	60
Males								1	2	2	1	3		1	10
Females									1						1
Total								1	3	2	1	3		1	11
Males						1	1			3	9	7			21
Females											1				1
Total						1	1			3	10	7			22
Males								2			1	1			4
Females															
Total								2			1	1			4
Males		1		4	1	9	8	13	8	13	12	2		3	74
Females		2	3	1	2	5	7	4	11	6	3				44
Total		3	3	5	3	14	15	17	19	19	15	2		3	118

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Nephritis (Inflammation of Kidneys) M	11	3	5	5	11	3	5	3	5	8	5	12	76

DEATHS—Continued.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males	5	2	2	2	2	5	2	3	8	14	15	13	1	2	76
Females	2	3	1	1	3	5	5	4	5	6	3	5	2	45
Total	7	5	3	3	5	10	7	7	13	20	18	18	1	4	121
Males										1	1		2
Females
Total										1	1		2
Males									1		1		2
Females
Total									1		1		2
Females						1	1		1			3
Females						5	6	6	4					21
Females						1	3	2	5	2			1	14
Females						2	1	3	5	6	1		1	19
Females						2	5	2	3	2				14
Males	1										1		2
Females
Total	1										1		2
Males				1	2	1	1		2				7
Females					2	1			1	1			5
Total				1	4	2	1		3	1			12
Males	1													1
Females
Total	1													1
Males					1									1
Females						2			1				3
Total					1	2			1				4

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Ostitis (Inflammation of Bones) M	1									1			2
“ “ “ “ “ F													
Total	1									1			2
Synovitis M				1									1
“ “ “ “ “ F									1	1			2
Total				1					1	1			3
ORDER 8. DISEASES OF THE INTEGUMENTARY SYSTEM. <i>Chrotici.</i>													
Abscessus (Abscess) M	6	2	6	6	3	1	5	2	5	10	8	6	60
“ “ “ “ “ F	2	3	4	5	5	5	1	2	3	5	5	5	45
Total	8	5	10	11	8	6	6	4	8	15	13	11	105
Phlegmon. M		1			1	2		1					5
“ “ “ “ “ F									1				1
Total		1			1	2		1	1				6
Total Local Diseases. M	371	339	463	366	415	306	270	284	267	288	284	314	3968
“ “ “ “ “ F	296	303	366	352	326	264	239	240	238	217	237	266	3344
Total	667	642	829	718	741	570	509	524	505	505	521	580	7312
—													
CLASS IV. DEVELOPMENTAL DIS-EASES. <i>Metamorphici.</i>													
ORDER 1. DEVELOPMENTAL DISEASES OF CHILDREN. <i>Paidici.</i>													
Anus imperforatus (Imperforate Anus). . . . M					1			2			1		4
“ “ “ “ “ F	2			3				2			1		8
Total	2			3	1			4			2		12
Atelectasis pulmonum M	2	3	2	3	1			2		1	2	3	19
“ “ “ “ “ F	1	2	1	2	2	1		2		1	3	2	17
Total	3	5	3	5	3	1		4		2	5	5	36
Cyanosis M			1			1			1				3
“ “ “ “ “ F	1	1		1		2				1			6
Total	1	1	1	1		3			1	1			9

DEATHS—Continued.

[illegible]

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Dentitio (Teething)M	10	5	5	7	5	7	8	9	8	9	3	2	78
“ “F	8	4	8	2	6	3	11	12	8	6	2	2	72
Total	18	9	13	9	11	10	19	21	16	15	5	4	150
Hæmorrhagia umbilicalis (Umbilical Hæ-													
orrhage)..... “ “M	2	2	2	1	1	8
“ “ “ “F	2	1	2	1	1	1	1	1	10
Total	2	3	4	3	1	2	1	2	18
Natus præter naturam (Preternat'l Birth) M	1	1	2	4
“ “ “ “F	1	1	1	3
Total	1	1	1	3	1	7
Partus emortuus (Still Birth).....M	20	17	16	20	13	20	12	12	15	15	16	20	196
“ “ “ “F	15	14	12	14	13	12	6	7	15	6	11	12	137
Total	35	31	28	34	26	32	18	19	30	21	27	32	333
Partus intempestivus (Premature Birth) .M	15	16	12	10	15	13	13	16	10	9	17	6	152
“ “ “ “F	9	5	17	12	9	5	15	13	6	7	6	12	116
Total	24	21	29	22	24	18	28	29	16	16	23	18	268
Spina bifidaM	2	1	1	2	2	1	1	10
“ “ “ “F	1	1	1	1	1	1	6
Total	3	2	1	3	1	3	1	1	1	16
ORDER 2. DEVELOPMENTAL DISEASES OF WOMEN. <i>Gyniæci.</i>													
Abortus (Abortion, Miscarriage)F	1	2	1	2	6
Climacteria (Turn of Life)F	2	1	2	1	6
Eclampsia parturi (Convulsions in Child-													
birth).....F	1	2	6	3	8	2	2	6	5	5	1	3	44
Febris puerperalis (Puerperal Fever)F	11	5	16	18	17	10	10	2	4	5	2	4	104
Hæmorrhagia post partum (Flooding)F	1	1	1	1	1	2	1	2	4	14
Mania puerperalis (Puerperal Mania).....F	2	1	3

DEATHS—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males	47	31	78
Females	42	29	1	72
Total	89	60	1	150
Males	8	8
Females	10	10
Total	18	18
Males	4	4
Females	3	3
Total	7	7
Males	196	196
Females	137	137
Total	333	333
Males	152	152
Females	116	116
Total	268	268
Males	7	3	10
Females	5	1	6
Total	12	4	16
Females	2	2	1	1	6
Females	1	3	2	6
Females	5	25	12	2	44
Females	6	41	40	12	5	104
Females	9	3	2	14
Females	2	1	3

TABLE E.—

[illegible]

DEATHS—Continued.

SEX.	AGE.												
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.
Females					10	81	72	25					
Females						3	1						
Males										1	6	7	1
Females									1	2	1		1
Total									1	3	7	7	2
Males										4	347	392	104
Females										13	365	401	90
Total										17	712	793	194
Males	437	37								5	353	399	105
Females	340	33	2		23	163	131	43	3	15	366	401	91
Total	777	70	2		23	163	131	43	3	20	719	800	196
Males													
Females													
Total													
Males	1	14	2	1		4	3	1	2				1
Females	4	16	2					4	2	1		1	
Total	5	30	4	1		4	3	5	4	1		1	1
Males					1	1		1					
Females													
Total					1	1		1					
Males			1		1	2		1	1				
Females													
Total			1		1	2		1	1				
Males							5	1		2			
Females													
Total							5	1		2			
Males						3							
Females													
Total						3							

TABLE E.—

CAUSE OF DEATH.	MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Fractura (Fracture).....M	...	2	4	1	1	2	2	1	2	2
.....F	1	3	1	1	...	1
Total.....	...	2	5	3	...	1	2	3	2	2	2	2
Gelatio (Freezing).....M	5	1	4	1	4
.....F	1	1	...
Total.....	5	1	5	2	4
Ictus fulminis (Lightning).....M	1	2	1
.....F
Total.....	1	2	1
Suffocatio (Suffocation).....M	1	2	2	2	1	1	...	1	1	2	1	...
.....F	...	1	1	1	...	1	...	1	1	1	1	...
Total.....	1	3	3	3	1	2	...	2	2	3	2	...
Submersio (Drowning).....M	1	1	5	10	16	30	31	20	21	12	11	4
.....F	1	3	...	5	5	3	2	1
Total.....	1	1	6	13	16	35	36	23	23	12	11	5
Venenatio (Poison).....M	3	2	2	...	1	1	3	2
.....F	1	1	1	1	1	1	1	...
Total.....	3	2	3	1	2	2	1	1	4	...
Vulnera (Wounds).....M	22	16	18	17	18	16	21	25	15	27	22	21
.....F	5	6	2	2	2	4	3	7	4	1	2	4
Total.....	27	22	20	19	20	20	24	32	19	28	24	25
Killed by Cars.....M	4	8	7	7	5	9	3	4	6	12	3	5
.....F	1	1	1	...	1	1	3	1
Total.....	5	9	7	7	6	9	4	5	9	13	3	5
ORDER 2. HOMICIDE.												
Murder and Manslaughter.....M	2	1	...	1	1
.....F	...	1	...	3
Total.....	2	2	...	4	1
ORDER 3. SUICIDE—Autophonici.												
Submersio (Drowning).....M	1	1	...	1
.....F	1	...	1	1
Total.....	1	1	...	2	1	1

DEATHS—Continued.

SEX.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Males			1	2		1	6	3	2	1	1			17
Females		2	2						1		2			7
Total		2	3	2		1	6	3	3	1	3			24
Males						1	2	5	1	3	1	1		15
Females									1				1	2
Total						1	2	5	2	3	1	1	2	17
Males							2	1	1					4
Females														
Total							2	1	1					4
Males	2	1			1	1		4	3	1			1	14
Females		2	2				2		1			1		8
Total	2	3	2		1	1	2	4	4	1		1	1	22
Males	1	19	17	20	19	35	16	6	11	7	3	1		162
Females		3			5	4	1	1	1	1	2		2	20
Total	1	22	17	20	24	39	17	7	12	8	5	1	9	182
Males	2		2		1	2	1	1	1	2	1		1	14
Females	2				1	2	1	1		1			1	9
Total	4		2		2	4	2	2	1	3	1		2	23
Males	2	7	11	14	20	38	28	20	27	34	19	7	1	238
Females	2	7	1	6	2	3	2	5	3	3	6	1	1	42
Total	4	14	12	20	22	41	30	25	30	37	25	8	2	280
Males			2	3	11	21	12	7	5	5	2	3		73
Females		1			1	1	1	1	1	1	2			9
Total		1	2	3	12	22	13	8	6	6	4	3	2	82
Males					1			2		1			1	5
Females		1								2			2	5
Total		1			1			2		3			1	10
Males						1		1	1					3
Females					1	1		1						3
Total					1	2		2	1					6

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Suspendium (Hanging).....M								1					1
“.....F													
Total								1					1
Venenatio (Poison).....M					1		2				1		4
“.....F						2		1	2		1		6
Total					1	2	2	1	2		2		10
Vulnera (Wounds).....M			1	1	2		1		2	1	5		13
“.....F				2					1				3
Total			1	3	2		1		3	1	5		16
ORDER 4. EXECUTION.													
Suspendium (Hanging).....M	1		1			1		1		1			5
“.....F					1			1					2
Total	1		1		1	1		2		1			7
Total Violent Deaths	46	33	48	46	55	61	62	59	54	61	50	42	617
“.....F	11	13	11	17	8	15	13	16	15	8	6	13	146
Total	57	46	59	63	63	76	75	75	69	69	56	55	763
Cause not Specified	30	30	26	35	22	29	35	24	28	24	27	20	330
“.....F	41	43	48	41	30	25	27	39	28	25	40	33	420
Total	71	73	74	76	52	54	62	63	56	49	67	53	750

TABLE E.—DEATHS BY

CAUSE OF DEATH.	MONTHS.												Total.	
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
CLASS I.														
Total Zymotic Diseases—Males.....	162	138	177	166	114	127	224	264	229	125	126	127	1979	
Females.....	157	98	164	176	125	118	166	212	190	116	112	124	1758	
Total.....	319	236	341	342	239	245	390	476	419	241	238	251	3737	
CLASS II.														
Total Constitutional Diseases—Males....	221	229	231	265	238	206	237	234	231	203	219	201	2715	
Females ..	213	218	298	286	245	223	229	243	225	232	191	193	2796	
Total.....	434	447	529	551	483	429	466	477	456	435	410	394	5511	
CLASS III.														
Total Local Diseases—Males.....	371	339	463	367	415	306	270	284	267	288	284	314	3968	
Females	296	303	366	352	326	264	239	240	238	217	237	266	3344	
Total.....	667	642	829	719	741	570	509	524	505	505	521	580	7312	
CLASS IV.														
Total Developmental Deaths—Males.....	119	113	130	125	118	109	96	107	108	112	100	107	1344	
Females....	151	135	188	175	162	122	123	137	99	106	106	128	1632	
Total.....	270	248	318	300	280	231	219	244	207	218	206	235	2976	
CLASS V.														
Total Violent Deaths—Males.....	46	33	48	46	55	61	62	59	54	61	50	42	617	
Females	11	13	11	17	8	15	13	16	15	8	6	13	146	
Total.....	57	46	59	63	63	76	75	75	69	69	56	55	763	
Total Deaths from Other Causes and Cause not specified—Males ..														330
Females.....	41	43	48	41	30	25	27	39	28	25	40	33	420	
Total.....	71	73	74	76	52	54	62	63	56	49	67	53	750	
Total—Males.....														10953
Females.....	869	810	1075	1047	896	767	797	887	795	704	692	757	10096	
Grand Total.....	1818	1692	2150	2051	1858	1605	1721	1859	1712	1517	1498	1568	21049	

CLASSES.—RECAPITULATION.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males	591	550	223	104	74	105	62	51	47	49	50	13	4	56	1979
Females	485	481	234	100	67	121	87	46	29	40	21	16	31	1758
Total	1076	1031	457	204	141	226	149	97	76	89	71	29	4	87	3737
Males	913	163	41	27	77	396	263	208	165	206	145	56	2	53	2715
Females	710	130	38	70	189	517	334	225	174	178	124	36	3	68	2796
Total	1623	293	79	97	266	913	597	433	339	384	269	92	5	121	5511
Males	806	370	91	86	134	278	230	282	386	502	473	185	10	135	3968
Females	575	334	112	95	133	297	259	254	320	383	327	133	5	117	3344
Total	1381	704	203	181	267	575	489	536	706	885	800	318	15	252	7312
Males	437	37	5	353	399	105	8	1344	
Females	340	33	2	23	163	131	43	3	15	366	401	91	21	1632
Total	777	70	2	23	163	131	43	3	20	719	800	196	29	2976
Males	8	41	36	40	56	115	78	62	58	56	28	12	2	25	617
Females	9	31	7	6	11	12	9	16	11	11	13	3	1	6	146
Total	17	72	43	46	67	127	87	78	69	67	41	15	3	31	763
Males	4	20	19	14	16	40	20	22	44	58	1	72	330
Females	4	25	22	23	32	61	46	40	46	54	2	65	420
Total	8	45	41	37	48	101	66	62	90	112	3	137	750
Males	2759	1181	410	271	357	934	653	625	700	876	1050	665	123	349	10953
Females	2123	1034	415	294	455	1171	866	624	583	681	853	589	100	308	10096
Grand Total	4882	2215	825	565	812	2105	1519	1249	1283	1557	1903	1254	223	657	21049

H. S. CREWE,
Inspector.

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC										
	ORDER 1.—MIASMATIC										
	Anthrax (Carbuncle).	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Diarrhoea Chronica (Chronic Diarrhoea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Entero-Colitis.	Febris Biliosa (Bilious Fever).
Algoma :											
Males								3			
Females				2	1			5			
Total				2	1			8			
Brant :											
Males	1	4		6	1		1	14	2	1	
Females		1			2			15	1		
Total	1	5		6	3		1	29	3	1	
Bruce :											
Males		1	1	6	4		1	5	3		
Females				1	2	1		8	1		
Total		1	1	7	6	1	1	13	4		
Carleton :											
Males		27		4	41		4	23	7		
Females		24	1	7	44		3	23			1
Total		51	1	11	85		7	46	7		1
Dufferin :											
Males		1		1				1			
Females				3							1
Total		1		4				1			1
Elgin :											
Males		6		2	2		2	2	1		
Females		1		2	6			3	2		
Total		7		4	8		2	5	3		
Essex :											
Males		7	3	5	9			14	2		
Females		2		3	5		2	17			
Total		9	3	8	14		2	31	2		
Frontenac :											
Males		1		5	6		2	3	1		
Females		4		5	2			2			
Total		5		10	8		2	5	1		

CAUSES OF DEATHS, 1883.

DISEASES, *Zymotici*.DISEASES, *Miasmatici*.

Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).	Febris Typhus (Typhus Fever).	Influenza.	Morbilli (Measles).	Parotitis (Mumps).	Pertussis (Whooping Cough).	Pyæmia.	Scarlatina (Scarlet Fever).	Tonsillitis (Quinsy).	Variola (Small-Pox).	ORDER 2.—ENTHETIC OR INOCULATED DISEASES, <i>Enthetici</i> .
1				1							3		3	
2				2						1	2			
3				3						1	5		3	
1			1	9					1	4	2			
1				8			1		1	2		1		
2			1	17			1		2	6	2	1		
2				4		1	1	1		1	5			
				4		1				3	5			
2				8		2	1	1		4	10			
		3	1	13		4			5		28			
		1		14		3			4	2	17			
		4	1	27		7			9	2	45			
				2			1		1		1			
				2			2		1		1			
				4			3		2		2			
2				5		1	1							
	1	1		4			1		1		1			
2	1	1		9		1	2		1		1			
2			1	5					2		7			
2	1	1		10		1	3		2	3	6			
4	1	1	1	15		1	3		4	3	13			
	1			6		2	6		3	4	1	1		
		1		5		5	8		5	2	2	1		1
	1	1		11		7	14		8	6	3	2		1

TABLE F.—DEATHS BY COUNTIES.—

[illegible]

CAUSES OF DEATHS, 1883—*Continued.*CLASS II.—CONSTITUTIONAL DISEASES.—*Cachectici.*

ORDER 1.—DIATHETIC DISEASES.— <i>Diathetici.</i>											ORDER 2.—TUBERCULAR DISEASE.— <i>Phthisici.</i>		
Anæmia.	Anasarca (General Dropsy).	Arthritis (Articular Rheumatism).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Leucocythæmia.	Mortificacio (Mortification).	Noma (Canker).	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Morbus Coxarius (Hip Disease).
11 5	2		1			1					3		
16	2		1			1					3		
9 4	3 4			3 8						1 1	1 3	2	
13	7			11						2	4	2	
34 31	5 10		1 1	7 9						3 2	2 2		
65	15		2	16						5	4		
98 69	10 11		2	10 16		1				3 2	43 28		2
167	21		2	26		1				5	71		2
9 11	3		2	2							1 1		
20	3		2	2							2		
8 9	1 5			3 1		1				1	1		1
17	6			4		1				1	1		1
37 30	4 4			3 4		2					1 1	1 1	
67	8			7		2					2	2	
27 14	7 7		1 2	10 3		3				5 1	2 1	1	
41	14		3	13		3				6	3	1	

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.—Continued.				CLASS III.—LOCAL							
	ORDER 2—Continued.			Total Constitutional Diseases.	ORDER 1.—DISEASES OF THE							
	Phthisis Pulmonalis (Consumption).	Scrofula.	Tabes Mesenterica.		Apoplexia (Apoplexy).	Atrophia Musculorum Ingravitans (Progressive Locomotor Ataxia).	Chorea (St. Vitus' Dance).	Convulsio (Convulsions).	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Hysteria.
Algoma :												
Males.....	3		1	20				3	2	2		
Females.....	4			11	1			3				
Total	7		1	31	1			6	2	2		
Brant :												
Males.....	18			37	9			5	1	1		
Females.....	25	1	1	47	5			1				
Total	43	1	1	84	14			6	1	1		
Bruce :												
Males.....	20			72	7			5	2	1		
Females.....	25	1		81	1			4	2			
Total	45	1		153	8			9	4	1		
Carleton :												
Males.....	72	20		257	11			12	15	1		
Females.....	76	21		227	8		1	10	7	1		
Total	148	41		484	19		1	22	22	2		
Dufferin :												
Males.....	14			26				3				
Females.....	11			28	1			1	2			
Total	25			54	1			4	2			
Elgin :												
Males.....	16			30	5			3		1		
Females.....	25			42	4			4				
Total	41			72	9			7		1		
Essex :												
Males.....	38	1	1	86	9	2		11	1			
Females.....	45		1	88	1			8	3			
Total	83	1	2	174	10	2		19	4			
Frontenac :												
Males.....	42	2		100	4	1	1	5		2	1	
Females.....	55			83	6			7				
Total	97	2		183	10	1	1	12		2	1	

CAUSES OF DEATHS, 1883--*Continued.*DISEASES.—*Monorganici.*

NERVOUS SYSTEM.— <i>Cephalici.</i>										ORDER 2.—DISEASES OF THE CIRCULATORY SYSTEM.— <i>Cardiac.</i>							
Insania (Insanity).	Insolatio (Sunstroke).	Meningitis.	Myelitis (Inflammation of Spinal Cord).	Neuroencephalus (Softening of Brain).	Paralysis (Palsy).	Paraplegia (Palsy of Lower Extremities).	Tetanus (Lockjaw).	Neuralgia.	Aneurisma (Aneurism).	Angina Pectoris (Breast Pang).	Atrophia Cordis (Atrophy of Heart).	Carditis (Inflammation of Heart).	Degeneratio Cordis (Fatty Degeneration of Heart).	Endocarditis (Inflammation of Membrane lining Heart.)	Epistaxes (Nosebleed).	Hydrops Pericardii (Dropsey of Heart).	Hypertrophia Cordis (Enlargement of Heart).
.....	3	1
.....	3	1
.....	5 6	1	6 4	2	1
.....	11	1	1	10	2	1
1	11 7	2 1	3	5 2
1	18	3	3	7
.....	21 12	1	11 13	1 2	1
.....	33	1	24	3	1	1
.....	1	1 1	1	1
.....	1	2	1	1
.....	4 3	1	1	9 2	1	1
.....	7	1	1	11	1	1
1	1	6 7	1 1	1 4	1	1	2	1
1	1	13	2	1	5	1	1	2	1
.....
2	1	7 4	2 1	7 6	1
2	1	11	3	2	13	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.											
	ORDER 2—Continued.					ORDER 3.—DISEASES OF THE RESPIRATORY SYS-						
	Morbus Valvularum Cordis (Valvular Disease of Heart).	Pericarditis.	Phlebitis (Inflammation of Veins).	Syncope (Fainting).	Varices (Varicose Veins).	Apoplexia Pulmonalis (Con- gestion of Lungs).	Bronchitis.	Emphysema.	Empyema.	Hydrothorax (Dropsy of Chest.)	Laryngitis (Inflammation of Larynx).	Pleuritis (Pleurisy).
Algoma :												
Males.....	4					3	1				1	1
Females.....	3						1					
Total.....	7					3	2				1	1
Brant :												
Males.....	10					1	3					
Females.....	11					2	5					
Total.....	21					3	8					
Bruce :												
Males.....	7					6	6				1	
Females.....	12					1	4					
Total.....	19					7	10				1	
Carleton :												
Males.....	21	1				4	10	2			2	5
Females.....	31					7	10				2	3
Total.....	52	1				11	20	2			4	8
Dufferin :												
Males.....	2					2						1
Females.....	3					1	1					
Total.....	5					3	1					1
Elgin :												
Males.....	5					5	3	1				1
Females.....	7					4	4					
Total.....	12					9	7	1				1
Essex :												
Males.....	9					3	4					2
Females.....	15					4	3					
Total.....	24					7	7					2
Frontenac :												
Males.....	20					12	7				1	
Females.....	9					9	10					
Total.....	29					21	17				1	

CAUSES OF DEATHS, 1883—*Continued.*

—*Continued.*

TEM.— <i>Pneumonicæ.</i>			ORDER 4.—DISEASES OF THE DIGESTIVE SYSTEM.— <i>Enterici.</i>													
Pleura-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Other Diseases of the Respiratory Organs.	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis.	Colica (Colic).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Fistula.	Gastritis (Inflammation of Stomach).	Hæmatemesis (Blood Vomit).	Hæmorrhoids (Piles).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Intus-susceptio (Invagination of Gut).
.....	7	3	1	1
.....	4	1
.....	11	3	1	2
.....	18	1	1	1	9	3	1	3	1	1
.....	8	5	3	2
.....	26	1	1	1	14	6	3	3	1	1
.....	11	1	1	6	1	1	1	1
.....	10	1	5	1	1	1	1
.....	21	1	2	11	1	2	2	1	1	1
.....	28	1	15	3	2	3
.....	25	1	1	2	22	1	1
.....	53	1	2	2	37	3	3	4
.....	6	1	2	1
.....	3	3
.....	9	4	2	1
.....
.....	14	2	2	1
.....	16	2	1	1
.....	30	2	4	2	1
.....
.....	21	1	1	5	1	3
.....	14	4	2	1
.....	35	1	1	9	1	5	1
.....
.....	15	1	1	4	1	1	1
.....	11	8	3	2	1
.....	26	1	1	12	4	3	1	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—									
	ORDER 4—Continued.									
	Obstipatio (Constipation).	Esophagitis (Inflammation of Gullet).	Perforatio Intestini (Perforation of Intestine).	Peritonitis (Inflammation of Abdomen).	Splenitis (Inflammation of Spleen).	Stomatitis (Inflammation of Mouth).	Strictura Intestina (Stricture of Intestine).	Typhlitis.	Ulceratio Intestini (Ulceration of Intestines).	Ulcer of Stomach.
Algoma:										
Males									1	
Females										
Total									1	
Brant:										
Males								2		
Females				1					1	
Total				1				2	1	
Bruce:										
Males				1						
Females				2						
Total				3						
Carleton:										
Males	1			2						
Females				2						
Total	1			4						
Dufferin:										
Males				1						1
Females										
Total				1						1
Elgin:										
Males				1						3
Females										2
Total				1						5
Essex:										
Males	2									
Females	1			1						2
Total	3			1						2
Frontenac:										
Males										
Females	1			2						1
Total	1			2						1

CAUSES OF DEATHS, 1883.—*Continued.**Continued.*ORDER 5.—DISEASES OF URINARY SYSTEM.—*Nephritici.*ORDER 6.—DISEASES OF THE GENERATIVE ORGANS.—*Genetici.*

Calculus (Stone).	Cystitis (Inflammation of Bladder).	Diabetes.	Ischuria (Retention of Urine).	Lithiasis (Gravel).	Morbus Prostaticus (Diseased Prostate).	Nephria (Bright's Disease).	Nephritis (Inflammation of Kidneys).	Stricture of Urethra.	Hydrocele (Dropsy of Testicle).	Hydrops Ovarii (Ovarian Dropsy).	Metritis (Inflammation of Womb).	Morbus Uteri (Uterine Disease).	Polypus Uteri (Uterine Polypus).	Tumor Ovarii (Ovarian Tumor).	Tumor Uteri (Uterine Tumor).
.....	1	1	1
.....	1	1	1
.....
1	2	2	1	1	2	3
1	2	2	1	1	4	6	1
2	2	1	4
2	2	1	4	1
.....	3	2	1	2	5	1
.....	1	1
.....	3	2	1	1	2	6	1
.....
.....	1	2	2
.....	1	3	2
1	5	1	1	1
1	5	1	1	2	1
.....
1	2	1	3
.....	2
1	2	3	3
.....
.....	1	6	4	1	2	1
.....	1	6	4	1	2	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.										
	ORDER 7.—DISEASES OF THE LOCOMOTIVE SYSTEM.— <i>Myostici.</i>							ORDER 8.—DISEASES OF THE INTEGUMENTARY SYSTEM.— <i>Chrotici.</i>			
	Arthritis (Inflammation of Joints.	Atrophia Musculorum (Muscular Atrophy).	Caries.	Exostitis (Tumor of Bone).	Necrosis.	Ostitis (Inflammation of Bones).	Synovitis.	Abscessus (Abscess).	Emphigus.	Phlegmon.	Total Local Diseases.
Algoma :											
Males											35
Females											15
Total											50
Brant :											
Males								1			97
Females											63
Total								1			160
Bruce :											
Males								1		1	92
Females								2			59
Total								3		1	151
Carleton :											
Males			1			1		4			193
Females								1			169
Total			1			1		5			362
Dufferin :											
Males			1	1				1			28
Females											21
Total			1	1				1			49
Elgin :											
Males								3			75
Females											53
Total								3			128
Essex :											
Males											95
Females								1			77
Total								1			172
Frontenac :											
Males							1	1			111
Females								2			89
Total							1	3			200

CAUSES OF DEATHS, 1883—*Continued.*CLASS IV.—DEVELOPMENTAL DISEASES.—*Metamorphici.*

ORDER 1.—DEVELOPMENTAL DISEASES OF CHILDREN.— <i>Paidici.</i>									ORDER 2.—DEVELOPMENTAL DISEASES OF WOMEN.— <i>Gyniæci.</i>								
Anus Imperforatus (Imperforate Anus).	Atelectasis Pulmonum.	Cyanosis.	Dentitio (Teething).	Hæmorrhage Umbilicalis (Umbilical Hæmorrhage).	Natus Præter Naturam (Preternatural Birth).	Partus Emortuus (Still Birth).	Partus Intempestivus (Premature Birth).	Spina Bifida.	Abortus (Abortion, Miscarriage).	Climacteria (Turn of Life.	Eclampsia Patumi (Convulsions in Child-birth).	Febris Puerperalis (Puerperal Fever).	Hæmorrhagia Post Partum (Flooding).	Mania Puerperalis (Puerperal Mania).	Partus (Child-birth).	Phlegmasia Dolens (Milk Leg).	
.....	1	1	1	1	1	3	
.....	1	1	2	1	3	
1	1	4	1	1	3	
1	1	7	1	1	3	
1	1	1	1	6	1	5	
2	1	1	1	4	2	1	5	
3	2	2	1	10	3	1	5	
.....	7	33	1	12	9	2	13	
.....	5	57	3	15	14	2	1	13	
.....	12	70	4	27	23	2	1	13	
.....	1	1	3	1	3	3	
.....	1	1	3	1	3	3	
.....	1	1	5	1	2	6	
.....	1	2	5	2	2	6	
.....	2	5	6	3	2	9	1	
.....	1	3	3	5	3	2	9	1	
.....	1	5	8	11	3	2	9	1	
.....	5	2	1	7	
.....	4	6	1	3	7	
.....	9	8	2	3	7	

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS IV.— <i>Continued.</i>			CLASS V.—VIOLENCE TENDING							
	O. 3.—DEV. DIS. OLD PEOPLE.— <i>Geratici.</i>			ORDER 1.—ACCIDENT							
	Gangrena Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	Ambusta (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion of Spine).	Contusio (Contusion).	Explosio (Explosion).	Fractura (Fracture).	Gelatio (Freezing).	Ictus Fulminis (Lightning).
Algoma :											
Males			1	1							
Females			7	1							
Total			8	2							
Brant :											
Males		14	20							1	
Females		12	20								
Total		26	40							1	
Bruce :											
Males		23	33	4		1					
Females		25	42						1		
Total		48	75	4		1			1		
Carleton :											
Males		41	103			1				1	
Females		39	129	2							
Total		80	232	2		1				1	
Dufferin :											
Males		11	13	1						1	2
Females		7	17								
Total		18	30	1						1	2
Elgin :											
Males		11	18					1		2	
Females		22	33								
Total		33	51					1		2	
Essex :											
Males		26	39		1			1			
Females		26	53	1							
Total		52	92	1	1			1			
Frontenac :											
Males		35	43								
Females		39	60								
Total		74	103								

CAUSES OF DEATHS, 1883—*Continued.*TO SUDDEN DEATH.—*Thanatici.*

AND NEGLIGENCE.					ORDER 2. HOMICIDE	ORDER 3.—SUICIDE.— <i>Autophonici.</i>	ORDER 4. EXECUT'N.						
Suffocatio (Suffocation).	Submersio (Drowning).	Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.				Total Violent Deaths.	Cause not Specified.	Total Number of Deaths.	
						Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).				Suspendium (Hanging).
.....	6		2								9	1	83
.....	1										2	2	52
.....	7		2								11	3	135
.....	3		3	1							8	4	214
.....			1								1	4	168
.....	3		4	1							9	8	382
.....	4		7								16	5	255
.....	2		3	1							7	7	224
.....	6		10	1							23	12	479
.....	10		17	1							30	20	770
.....	2		4		1						9	31	709
.....	12		21	1	1						39	51	1479
.....			5								9	8	92
.....												5	82
.....			5								9	13	174
.....	5		3	6							17	6	171
.....	2			4							6	3	159
.....	7		3	10							23	9	330
.....	6	1	6	6	1	1					23	1	303
.....											1	7	284
.....	6	1	6	6	1	1					24	8	587
.....	2		15	4					1		22	41	360
1	1		1		1			1			5	34	314
1	3		16	4	1			1	1		27	75	674

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC										
	ORDER 1.—MIASMATIC										
	Anthrax (Carbuncle).	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Diarrhoea Chronica (Chronic Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Enterocolitis.	Febris Biliosa (Bilious Fever).
Grey :											
Males			1	1	2		1	7			1
Females		4		3	1			6			
Total		4	1	4	3		1	13			1
Haldimand :											
Males					1	1		2	1		
Females				2	2			4	1		
Total				2	3	1		6	2		
Halton :											
Males		2		2		1	1	3	2		
Females				3	2		1	4	2		
Total		2		5	2	1	2	7	4		
Hastings :											
Males		1	1	3	7			6			1
Females		3		1	5			10			
Total		4		4	12			16			1
Huron :											
Males	1	2		1	7		3	22	3		
Females		2	1	3	1		3	11			1
Total	1	4	1	4	8		6	33	3		1
Kent :											
Males		4		1	7		1	7	1		1
Females		5	1	4	8		2	1	2		3
Total		9	1	5	15		3	8	3		4
Lambton :											
Males		4		4			3	3	2		
Females		4		6	3		1	8	1		
Total		8		10	3		4	11	3		
Lanark :											
Males		1	1	2	1			10	1		
Females		2	1	1	2	1		10	3		
Total		3	2	3	3	1		20	4		

CAUSES OF DEATH, 1883.

DISEASES, *Zymotici*.DISEASES, *Miasmatici*.

Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever.)	Febris Typhoides (Typhoid Fever).	Febris Typhus (Typhus Fever).	Influenza.	Morbilli (Measles).	Parotitis (Mumps).	Pertussis (Whooping Cough.)	Pyæmia.	Scarlatina (Scarlet Fever).	Tonsillitis (Quinsy).	Varicella (S all-Pox).	Syphilis.	ORDER 2.—ENTHETIC OR INOCULATED DISEASES, <i>Enthetici</i> .
1	1	4	2	2	4	14
1	1	3	2	19
2	2	7	2	2	2	4	33
.....	2	1
5	1	1	3
5	2	1	4
.....	7	1	3
.....	2	3	2
.....	9	4	5
1	7	2	4	2	8
4	1	2	2	1	3	1	11	1
5	1	7	4	6	1	5	1	19	1
6	8	1	1	3	7
1	1	6	2	1	1	3
7	1	14	3	1	2	3	10
1	8	3	8	1
1	1	10	2	8	1	1
2	1	18	5	16	1	1	1
1	5	2
1	1	7	1	2	3	2
2	1	12	1	2	5	6	2
1	2	1
.....	4	1
1	6	1	1

TABLE F.—DEATHS BY COUNTIES.—

[illegible]

CAUSES OF DEATHS, 1883.—*Continued.*CLASS II.—CONSTITUTIONAL DISEASES.—*Cachectici.*ORDER 1.—DIATHETIC DISEASES.—*Diathetici.*ORDER 2.—TUBERCULAR DISEASE.—*Phthisici.*

Anæmia.	Anasarca (General Dropsy).	Arthritis (Articular Rheumatism).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer.	Leucocythæmia.	Mortificatio (Mortification).	Noma (Canker).	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Morbus Coxarius (Hip Disease).
19 8	5 5	5	2 3	1	2 1	2	1
27	10	5	5	1	3	2	1
6	4 2	2 1	1	1	1	1
6	6	3	1	1	1	1
2 4	1 1	1 1	2 3	2
6	2	2	5	1	2
18 18	7 6	2	2 2	1	6 1	2 1
36	13	2	4	1	7	3
25 15	4 8	3 2	10 13 1 2	1 2	2 1	1
40	12	5	23	1	2	3	3	1
27 22	4 1	1 1	4 4	1	2
49	5	2	8	1	4	1	2	1
21 11	3 3	1	1 3	1	3 1	1
32	6	1	4	1	4	2
11 14	4 5	1	3 2	1	3	2
25	9	1	5	1	3	2

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.—Continued.				CLASS III.—LOCAL							
	ORDER 2—Continued.			Total Constitutional Diseases.	ORDER 1.—DISEASES OF THE							
	Phthisis Pulmonalis (Consumption).	Scrofula.	Tabes Mesenterica.		Apoplexia (Apoplexy).	Atropia Musculorum Ingraviscens (Progressive Locomotor Ataxia).	Chorea (St. Vitus' Dance).	Convulsio (Convulsions).	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Hysteria.
Grey:												
Males.....	15			51	2			4	4			
Females.....	19			37	2			5	2	1		1
Total	34			88	4			9	6	1		1
Haldimand:												
Males.....	16			28				4				
Females.....	18			25	2			6				
Total	34			53	2			10				
Halton:												
Males.....	10			18	2			5	2			
Females.....	13			23	5			2	1	1		
Total	23			41	7			7	3	1		
Hastings:												
Males.....	38			74	9			3		1		
Females.....	65			95	7		1	1	3			
Total	103			169	16		1	4	3	1		
Huron:												
Males.....	33	2		81	7			7	1			
Females.....	43			87	9			6	1	1		
Total	76	2		168	16			13	2	1		
Kent:												
Males.....	26			64	5			10	1			
Females.....	32			67	4			5				
Total	58			131	9			15	1			
Lambton:												
Males.....	24			54	10			9	2	2		
Females.....	28			48	7			5	2	2		
Total	52			102	17			14	4	4		
Lanark:												
Males.....	19			38	7			1	1			
Females.....	27			54	2			2	2			
Total	46			92	9			3	3			

NERVOUS SYSTEM.—*Cephalici.*

DATE: _____

[illegible]

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.											
	ORDER 2—Continued.					ORDER 3.—DISEASES OF THE RESPIRATORY SYS-						
	Morbus Valvularum Cordis (Valvular Disease of Heart).	Pericarditis.	Phlebitis (Inflammation of Veins).	Syncope (Fainting).	Varices (Varicose Veins).	Apoplexia Pulmonalis (Con- gestion of Lungs).	Bronchitis.	Emphysema.	Empyema.	Hydrothorax (Dropsy of Chest).	Laryngitis (Inflammation of Larynx).	Pleuritis (Pleurisy).
Grey :												
Males.....	4					4	9					
Females.....	5					8	5				1	1
Total.....	9					12	14				1	1
Haldimand :												
Males.....	5					3	2					1
Females.....	14					1					1	2
Total.....	19					4	2				1	3
Halton :												
Males.....	9					1	2					
Females.....	3		1			1	2					
Total.....	12		1			2	4					
Hastings :												
Males.....	18					8	1					
Females.....	7					7	7					1
Total.....	25					15	8					1
Huron :												
Males.....	14					6	4			1	1	
Females.....	24					8	4				1	
Total.....	38					14	8			1	2	
Kent :												
Males.....	14					2	1					
Females.....	10					2	7					
Total.....	24					4	8					
Lambton :												
Males.....	12					3	1					
Females.....	8					1	4				1	
Tota.....	20					4	5				1	
Lanark :												
Males.....	4					1	3					1
Females.....	4											
Total.....	8					1	3					1

CAUSES OF DEATHS, 1883—*Continued.*—*Continued.*

TEM.— <i>Pneumonici.</i>		ORDER 4.—DISEASES OF THE DIGESTIVE SYSTEM.— <i>Enterici.</i>														
Pleuro-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Other Diseases of the Respiratory Organs.	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis.	Colica (Colic).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Fistula.	Gastritis (Inflammation of Stomach).	Hæmatemesis (Blood Vomit).	Hæmorrhoids (Piles).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Intus-susceptio (Invagination of Gut).
.....	13	1	5	2	1	3	1	3
.....	25	1	1	3	1
.....	38	1	6	3	1	6	1	4
.....	8	2	1
.....	1	1	1
.....	9	3	2
.....	6	1	1	2	1
.....	4	1	2	2	1
.....	10	1	1	3	2	2	1	1
.....	26	7	1
.....	17	1	10	4
.....	43	1	17	1	4
.....	22	1	14	2	2	2
.....	18	1	1	2	2	3	2	1	1
.....	40	1	2	16	4	5	4	1	1
.....	18	2	1	3	1	1
.....	12	1	5	1	2	1
.....	30	3	6	4	3	1	1
.....	24	2	2	2	3	2
.....	10	1	5	5	1
.....	34	1	2	7	7	3	3
.....	9	5	1
.....	12	3	2
.....	21	8	2	1

[illegible]

CAUSES OF DEATHS, 1883—*Continued.*

Continued.

[illegible]

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.										
	ORDER 7.—DISEASES OF THE LOCOMOTIVE SYSTEM.— <i>Myostici.</i>							ORDER 8.—DISEASES OF THE INTEGUMENTARY SYSTEM.— <i>Chrotici.</i>			
	Arthritis (Inflammation of Joints).	Atrophia Musculorum (Muscular Atrophy).	Caries.	Exostitis (Tumor of Bone).	Necrosis.	Ostitis (Inflammation of Bones).	Synovitis.	Abscessus (Abscess).	Pemphigus.	Phlegmon.	Total Local Diseases.
Grey:											
Males								3			77
Females		1						1			88
Total		1						4			165
Haldimand:											
Males											37
Females											36
Total											73
Halton:											
Males			1					1			42
Females					1						37
Total			1		1			1			79
Hastings:											
Males								3			98
Females								3			87
Total								6			185
Huron:											
Males								2			123
Females								5			113
Total								7			236
Kent:											
Males								2			78
Females											66
Total								2			144
Lambton:											
Males			1					1			93
Females								1			73
Total			1					2			166
Lanark:											
Males								3			44
Females											29
Total								3			73

CAUSES OF DEATHS, 1883—Continued.

CLASS IV.—DEVELOPMENTAL DISEASES.—*Metamorphici*.ORDER 1.—DEVELOPMENTAL DISEASES OF
CHILDREN.—*Paidici*.ORDER 2.—DEVELOPMENTAL DISEASES OF
WOMEN.—*Gyniæci*.

Anus Imperforatus (Imperforate Anus).	Atelectasis Pulmonum.	Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis (Umbilical Hæmorrhage).	Natus Præter Naturam (Premature Birth).	Partus Emortuus (Still Birth).	Partus Intempestivus (Premature Birth).	Spina Bifida.	Abortus (Abortio), Miscarriage).	Clinacteria (Turn of Life).	Eclampsia Parturi (Convulsions in Child-birth).	Febris Puerperalis (Puerperal Fever).	Hæmorrhagia Post Partum (Flooding).	Mania Puerperalis (Puerperal Mania).	Partus (Child-birth).	Phlegmasia Dolens (Milk Leg).
1			1	1			4			1	2	1			4	
1			1	1			7			1	2	1			4	
				2			2									
				2		1	1			1		1			1	
				4		1	3			1		1			1	
	1		1								1				1	
	1		2								1				1	
	1		1			5	6					2			8	
	1		1			5	7					2			8	
	1		3			2	1				2	1		1	4	
	1		3			4	2				2	1		1	4	
1			2			5	2				2					
1			2			6	6				2					
	1					2	2	1			4	6			4	
	2					4	6	1	1		4	6			4	
			1	1			1					2			3	
			1	1			1					2				

TABLE F.—DISEASES BY COUNTIES.—

COUNTIES.	CLASS IV.— <i>Continued.</i>			CLASS V.—VIOLENCE TENDING							
	O. 3.—DEV. DIS.			ORDER 1.—ACCIDENT							
	OLD PEOPLE.— <i>Geratici.</i>										
	Gangrena Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	Ambusta (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion of Spine).	Contusio (Contusion).	Explosio (Explosion).	Fractura (Fracture).	Gelatio (Freezing).	Ictus Fulminis (Lightning).
Grey :											
Males		29	34						1		
Females		37	50	1							
Total		66	84	1					1		
Haldimand :											
Males		6	10						1		
Females		8	15	2							
Total		14	25	2					1		
Halton :											
Males	1	10	13						1		
Females		9	12						1		
Total	1	19	25						2		
Hastings :											
Males		36	48								
Females		32	44								
Total		68	92								
Huron :											
Males		30	37	1		1			1		
Females	1	38	50								
Total	1	68	87	1		1			1		
Kent :											
Males		20	27	1							
Females		24	41	1							
Total		44	68	2							
Lambton :											
Males	1	15	22						3		
Females		11	33								
Total	1	26	55						3		
Lanark :											
Males		17	20								
Females		13	18								
Total		30	38								

CAUSES OF DEATHS, 1883—*Continued.*TO SUDDEN DEATH.—*Thanatici.*

AND NEGLIGENCE.					ORDER 2. HOMICIDE.	ORDER 3.—SUICIDE.— <i>Autophonici.</i>				ORDER 4. EXECUT'N.	Total Violent Deaths.	Cause not Specified.	Total number of Deaths.
Suffocatio (Suffocation).	Submersio (Drowning).	Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.				Suspendium (Hanging).			
						Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).				
	4	1	1	1					1		7	7	218
			2	1							5	14	234
	4	1	3	1					1		12	21	452
			2	1					2		6	1	90
											2	1	98
			2	1					2		8	2	188
	4		2	1					2	1	11	3	110
			2	2							5	1	97
	4		4	3					2	1	16	4	207
	6	2	8	2				1			19	3	288
			2						1		3	11	286
	6	2	10	2				1	1		22	14	574
	4		5	1			1	1			15	8	329
	1		1			1					3	7	298
	5		6	1		1	1	1			18	15	627
1	8		11	1							22	20	255
1			3					1			6	17	247
2	8		14	1				1			28	37	502
	2		9	1							15	6	218
2	2	1									5	7	208
2	4	1	9	1							20	13	426
	2		2	1							5		128
							1				1		127
	2		2	1			1				6		255

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC										
	ORDER 1.—MIASMATIC										
	Anthrax (Carbuncle).	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Diarrhoea Chronica (Chronic Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Enterocolitis.	Febris Biliosa (Bilious Fever).
Leeds and Grenville :											
Males	1	4		5	2			36	1		
Females		2		4	1	1		32	1		
Total	1	6		9	3	1		68	2		
Lennox and Addington :											
Males				4	2			5	1		
Females				2			1	3			
Total				6	2		1	8	1		
Lincoln :											
Males					1			2	2		1
Females		4		2	1			7	1		
Total		4		2	2			9	3		1
Middlesex :											
Males		9	1	3	22	1	3	3	3		
Females		5	2	5	14	3	3	5			1
Total		14	3	8	36	4	6	8	3		1
Muskoka and Parry Sound :											
Males		6	1	2	1			3			
Females		1		2				4			1
Total		7	1	4	1			7			1
Norfolk :											
Males		2	1	2	2	1		4			
Females		6	2		6			3	2		
Total		8	3	2	8	1		7	2		
Northumberland and Durham:											
Males		1	3	9	8		3	3	5	1	1
Females		1		7	2	1	1	4	1		2
Total		2	3	16	10	1	4	7	6	1	3
Ontario :											
Males		1		3	9		2	12	4		1
Females		2		3	3		1	9			
Total		3		6	12		3	21	4		1

CAUSES OF DEATHS, 1883.

DISEASES, *Zymctici*.

DISEASES, *Miasmatici*.

Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).	Febris Typhus (Typhus Fever).	Influenza.	Morbilli (Measles).	Parotitis (Mumps).	Pertussis (Whooping Cough).	Pyæmia.	Scarlatina (Scarlet Fever).	Tonsillitis (Quinsy).	Varicella (Small-Pox).	Syphilis.	ORDER 2.—ENTHETIC OR INOCULATED DISEASES, <i>Enthetici</i> .
				4			1	2	1	1	8				
				4		2					2	1			
				8		2	1	2	1	1	10	1			
1				1		1	1				2				
				3		2	3				1				
1				4		3	4				3				
1				4					1	3	1				
3				6			2			2	2				
4				10			2		1	5	3				
2			1	14				3	2	5	2				
2	1		2	10		2	2		4	3	2				
4	1		3	24		2	2	3	6	8	4				
3		1		3		2	4		3		2				
4				4			2		5		6				
7		1		7		2	6		8		8				
	2			2					3		2				
		1		7			1		2		5				
	2	1		9			1		5		7				
3				7	2	2	3		2	2	2				
3			2	3			1			1	2				
6			2	10	2	2	4		2	3	4				
3				14		2	5				10				
3			2	9			5		3	2	14				
6			2	23		2	10		3	2	24				

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.— <i>Continued.</i>									
	ORDER 3.—DIETIC DISEASES.— <i>Dietici.</i>							ORDER 4.—PARASITIC DISEASES.— <i>Parasitici.</i>		
	Alcoholism.	Bronchocele.	Delirium Alcoholicum (Delirium Tremens).	Ebriositas (Drunkenness).	Ergotismus.	Purpura.	Rachitis (Rickets).	Apthæ (Thrush).	Tænia Solium (Tape-Worm).	Vermes (Worms).
										Total Zymotic Diseases.
Leeds and Grenville :										
Males										1 67
Females										1 51
Total										2 118
Lennox and Addington :										
Males				1						19
Females										15
Total				1						34
Lincoln :										
Males										16
Females	1			1						32
Total	1			1						48
Middlesex :										
Males				1						1 76
Females					2		3			1 72
Total				1	2		3			2 148
Muskoka and Parry Sound :										
Males										1 32
Females										29
Total										1 61
Norfolk :										
Males										21
Females										35
Total										56
Northumberland & Durham :										
Males	1			1			1			1 61
Females							1			32
Total	1			1			2			1 93
Ontario :										
Males			1	1						68
Females							1			57
Total			1	1			1			125

CAUSES OF DEATHS, 1883—*Continued.*CLASS II.—CONSTITUTIONAL DISEASES.—*Cachectici.*

ORDER 1.—DIATHETIC DISEASES.— <i>Diathetici.</i>											ORDER 2.—TUBERCULAR DISEASE.— <i>Phthisici.</i>		
Anæmia.	Anasarca (General Dropsy).	Arthritis (Articular Rheumatism).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Leucocythæmia.	Mortification (Mortification).	Noma (Canker).	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Morbus Coxarius (Hip Disease).
29 19	4 6	1	2	6 2	1	2	2			1 1	4	2	
48	10	1	2	8	1	4				2	4	2	
5 9	7 5		1	7 4						2 3	1 3	1	
14	12		1	11						2	4	1	
17 8	3 8		2	7 3						2 2	2	1	
25	11		2	10						4	2	1	
28 25	6 10		2	14 17	1 1	1	1			3 3	5 6	1 1	
53	16		2	31	2	1				6	11	2	
24 7	4 5			3 3						1 2	1	1	
31	9			6						3	1	1	
14 11	6 5		1	3 2						3 2			1
25	11		1	5						5			1
19 12	8 2		3 1	8 11			1		1	8 3	3 1	2	
31	10		4	19			1		1	11	4	2	
13 18	4 6		2	3 7			1			4 6	3 3	1 2	1
31	10		2	10			1			10	6	3	

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.—Continued.				CLASS III.—LOCAL							
	ORDER 2.—Continued.			Total Constitutional Diseases.	ORDER 1.—DISEASES OF THE							
	Phthisis Pulmonalis (Consumption).	Scrofula.	Tabes Mesenterica.		Apoplexia (Apoplexy).	Atropia Musculorum Ingraviscens (Progressive Locomotor Ataxia).	Chorea (St. Vitus' Dance).	Convulsio (Convulsions).	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Hysteria.
Leeds and Grenville :												
Males.....	38			87	3			3	3			
Females.....	40			73	5			3	3	1		
Total.....	78			160	8			6	6	1		
Lennox and Addington :												
Males.....	17	1		40	4			5				
Females.....	24			47				4				
Total.....	41	1		87	4			9				
Lincoln :												
Males.....	28			62	7			2	3	1		
Females.....	26		1	48	2			6		1		
Total.....	54		1	110	9			8	3	2		
Middlesex :												
Males.....	41	1	2	104	18			15	1	9		
Females.....	56	1		121	10			12	4	4	2	
Total.....	97	2	2	225	28			27	5	13	2	
Muskoka & Parry Sound :												
Males.....	7		1	40	1			9		1		
Females.....	9			28	1			5	2	1		
Total.....	16		1	68	2			14	2	2		
Norfolk :												
Males.....	14			40	5			6		2		
Females.....	18			40	3			3	2			
Total.....	32			80	8			9	2	2		
Northumberland and Durham :												
Males.....	54			104	10			8	4	2	2	
Females.....	63		1	96	8			5	2	2		
Total.....	117		1	200	18			13	6	4	2	
Ontario :												
Males.....	32			63	6			5	1	2		
Females.....	28	1		72	6			8	4	1		
Total.....	60	1		135	12			13	5	3		

CAUSES OF DEATHS, 1883.—*Continued.*

DISEASES.—*Monorganici.*

NERVOUS SYSTEM.—*Cephalici.*

ORDER 2.—DISEASES OF THE CIRCULATORY SYSTEM.—*Gardiaci.*

[illegible]

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.										
	ORDER 2—Continued.					ORDER 3.—DISEASES OF THE RESPIRATORY SYS-					
	Morbus Valvularum Cordis (Valvular Disease of Heart).	Pericarditis.	Phlebitis (Inflammation of Veins).	Syncope (Fainting).	Varices (Varicose Veins).	Apoplexia Pulmonalis (Con- gestion of Lungs).	Bronchitis.	Emphysema.	Empyema.	Hydrothorax (Dropsy of Chest).	Pleuritis (Pleurisy).
Leeds and Grenville :											
Males.....	10					11	4				2
Females.....	15					7	3				1
Total.....	25					18	7				3
Lennox and Addington :											
Males.....	3					3					
Females.....	7					5	1				
Total.....	10					8	1				
Lincoln.....											
Males.....	11					2	9				1
Females.....	13			1		4	4				
Total.....	24			1		6	13				1
Middlesex :											
Males.....	35					7	9				1
Females.....	24					9	9				1
Total.....	59					16	18				1
Muskoka & Parry Sound:											
Males.....	1					6	5				3
Females.....	5					3	5				
Total.....	6					9	10				3
Norfolk:											
Males.....	9					2	3				2
Females.....	11					10	3				
Total.....	20					12	6				2
Northumberland and Durham :											
Males.....	15					8	6		1		
Females.....	12					6	8				
Total.....	27					14	14		1		
Ontario :											
Males.....	5					7	9				2
Females.....	11					8	10				1
Total.....	16					15	19				3

CAUSES OF DEATHS, 1883—Continued

—Continued.

TEM.— <i>Pneumonicæ.</i>		ORDER 4.—DISEASES OF THE DIGESTIVE SYSTEM.— <i>Enterici.</i>														
Pleura-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Other Diseases of the Respiratory Organs.	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis.	Colica (Colic).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Fistula.	Gastritis (Inflammation of Stomach).	Hæmatænesis (Blood Vomit).	Hæmorrhoids (Piles).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Intus-susceptio (Invagination of Gut).
.....	19	3	5	3	1
.....	12	1	8	1	1
.....	31	4	13	4	1	1	2
.....	5	2	3
.....	8	1	1	1
.....	13	1	2	4	1	1
.....	20	1	1	3	5
.....	11	1	1	1	5	1
.....	31	1	1	2	4	5	5	1
.....	45	1	1	17	4	5	1	1
.....	28	2	16	3	2	2	1
.....	73	1	3	33	7	7	3	2
.....	7	1	2	2
.....	2	2
.....	9	1	4	2
.....
.....	7	1	6	2
.....	7	2	2	1	1
.....	14	1	8	2	1	3
.....
.....	25	1	6	1	4	3
.....	25	11	1	2	1	2
.....	50	1	17	2	6	4	2
.....
.....	20	6	3	3	1
.....	21	1	5	1	3
.....	41	1	11	3	4	4

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—									
	ORDER 4.—Continued.									
	Obstipatio (Constipation.)	Cæphagitis (Inflammation of Gullet.)	Perforatio Intestini (Perforation of Intestine).	Peritonitis (Inflammation of Abdomen).	Splenitis (Inflammation of Spleen).	Stomatitis (Inflammation of Mouth).	Stricture Intestini (Stricture of Intestine).	Typhlitis.	Ulceratio Intestini (Ulceration of Intestines).	Ulcer of Stomach.
Leeds and Grenville:										
Males				2						
Females				2						
Total				4						
Lennox and Addington:										
Males				1						1
Females				1						1
Total				1						1
Lincoln:										
Males				1	2					1
Females				1		1	1			
Total				1	2	1	1			1
Middlesex:										
Males				6	1		1			2
Females				3			2			2
Total				9	1		3			4
Muskoka and Parry Sound:										
Males				2						
Females	1									
Total	1			2						
Norfolk:										
Males				1						
Females				2						1
Total				3						1
Northumberland and Durham:										
Males	1			1						
Females	1			4			1			
Total	2			5			1			
Ontario:										
Males				5						
Females				2	1					
Total				7	1					

CAUSES OF DEATHS, 1883—*Continued.*

Continued.

ORDER 5.—DISEASES OF URINARY SYSTEM.—*Nephritici.*

ORDER 6.—DISEASES OF THE GENERATIVE ORGANS.—*Genetici.*

Calculus (Stone).	Cystitis (Inflammation of Bladder).	Diabetes.	Ischuria (Retention of Urine).	Lithiasis (Gravel).	Morbus Prostaticus (Diseased Prostate).	Nephria (Bright's Disease).	Nephritis (Inflammation of Kidneys).	Stricture of Urethra.	Hydrocele (Dropsy of Testicle).	Hydrops Ovarii (Ovarian Dropsy).	Metritis (Inflammation of Womb).	Morbus Uteri (Uterine Disease).	Polypus Uteri (Uterine Polypus).	Tumor Ovarii (Ovarian Tumor).	Tumor Uteri (Uterine Tumor).
	1	1		3		2	5								
	1	1		3		2	2				1				
		1	2			1					1				
		1	2			1									
	1	1		1		2	1								
	1	2		1		2	1				2	3			
	4	2	1	1		1	5								
	4	3	1	1		4	9							1	
			1			2	1								
			1			2	1								
	1					1									1
	1					1									1
	1	4		3		1	1								2
	1	4		3		1	5							2	
	3	3		1		2	3								
	3	3		1		4	4				1			2	1
											1			2	1

TABLE F.—DEATHS BY COUNTIES.—

[illegible]

CAUSES OF DEATHS, 1883—*Continued.*

CLASS IV.—DEVELOPMENTAL DISEASES.—*Metamorphici.*

ORDER 1.—DEVELOPMENTAL DISEASES OF CHILDREN.— <i>Paidici.</i>								ORDER 2.—DEVELOPMENTAL DISEASES OF WOMEN.— <i>Gyniæci.</i>								
Anus Imperforatus (Imperforate Anus).	Atelectasis Pulmonum.	Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis (Umbilical Hæmorrhage).	Natus Præter Naturam (Premature Birth).	Partus Emortuus (Still-birth).	Partus Intempestivus (Premature Birth).	Spina Bifida.	Abortus (Abortion, Miscarriage).	Climacteria (Turn of Life).	Eclampsia Parturi (Convulsions in Child-birth).	Febris Puerperalis (Puerperal Fever).	Hæmorrhagia Post Partum Flooding).	Mania Puerperalis (Puerperal Mania).	Partus (Child-birth).	Phlegmasia Dolens (Milk Leg).
							2	1				1	1			5
							2	1				1	1			5
						2										6
		1					2									6
		1														
			1		1	7	2	1								2
		1			1	9		7				1				2
				1												
1	1					9	11									
	1					6	10	1		1		6				6
1	2			1		15	21	1		1		6				6
1						2	3									
1							2									3
2						2	5									3
						2	1									
							1					3	1			3
						2	2					3	1			3
1		1	3			1	3		2		1	2		2	7	
1		1	4			1	1		2		1	2		2	7	
	</															

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS IV.— <i>Continued.</i>			CLASS V.—VIOLENCE TENDING							
	O. 3.—DEV. DIS.			ORDER 1.—ACCIDENT							
	OLD PEOPLE.— <i>Geriatrici.</i>										
	Gangrana Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	Ambusta (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion of Spine).	Contusio (Contusion).	Explosio (Explosion).	Fractura (Fracture).	Gelatio (Freezing).	Ictus Fulminis (Lightning).
Leeds and Grenville :											
Males		32	34								1
Females		36	44								
Total		68	78								1
Lennox and Addington :	1	14	17			1					
Males		22	29	2							
Females											
Total	1	36	46	2		1					
Lincoln :											
Males		8	17								
Females		16	28								
Total		24	45								
Middlesex :											
Males	3	40	65								
Females	1	46	79						2	1	
Total	4	86	144						2	1	
Muskoka and Parry Sound :											
Males		4	10	1		1	2				
Females		4	10	2							
Total		8	20	3		1	2				
Norfolk :											
Males	1	6	10	1				1			
Females	2	9	19	1							
Total	3	15	29	2				1			
Northumberland and Durham :											
Males	2	38	47	1	1						
Females		39	57	2							
Total	2	77	104	3	1						
Ontario :											
Males		20	25								
Females		19	32	1							
Total		39	57	1							

CAUSES OF DEATHS, 1883—*Continued.*

TO SUDDEN DEATH.— <i>Thanatici.</i>													
AND NEGLIGENCE.					ORDER 2. HOMICIDE.	ORDER 3.—SUICIDE.— <i>Autophonici.</i>				ORDER 4. EXECUT'N.			
Suffocatio (Suffocation).	Submersio (Drowning).	Venenatio (Poison).	Vulnera Wounds.	Killed by Cars.	Murder and Manslaughter.	Suicide.							
						Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).	Suspendium (Hanging).	Total Violent Deaths.	Cause not Specified.	Total Number of Deaths.
.....	3	9	4	17	6	302
.....	1	1	11	268
.....	3	10	4	18	17	570
.....
.....	4	1	6	2	122
1	2	3	9	139
1	4	3	9	11	261
.....
.....	1	3	1	1	6	11	206
.....	1	1	1	3	11	195
.....	1	1	3	1	1	2	9	22	401
.....
.....	6	1	4	9	1	1	22	15	504
1	1	4	1	1	11	27	472
1	7	1	8	9	1	2	1	33	42	976
.....
.....	8	5	17	3	153
.....	1	1	4	3	104
.....	9	1	5	21	6	257
.....
1	2	1	6	1	1	14	1	143
.....	1	2	2	154
1	2	2	6	1	1	16	3	297
.....
1	1	1	6	3	2	17	11	371
.....	1	1	1	5	11	320
1	2	1	7	3	2	1	22	22	691
.....
.....	9	2	4	2	17	10	292
.....	1	1	1	1	5	10	284
.....	10	3	5	3	22	20	576

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC										
	ORDER 1.—MIASMATIC										
	Anthrax (Carbuncle).	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhœa Acuta (Acute Diarrhœa).	Diarrhœa Chronica (Chronic Diarrhœa).	Dysenteria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Enterocolitis.	Febris Biliosa (Bilious Fever).
Oxford :											
Males		2		7	7		2	19	2		
Females		3	1	5			2	15	6		
Total		5	1	12	7		4	34	8		
Peel :											
Males				2	3			9			
Females		2		2	1		3	8			
Total		2		4	4		3	17			
Perth :											
Males		3	2	3	3			6	1		
Females		4		4	3		1	5	2		
Total		7	2	7	6		1	11	3		
Peterborough :											
Males		2	1	3	7		3	6	1		
Females		1		4	5		2	9	1		
Total		3	1	7	12		5	15	2		
Prescott and Russell :											
Males		1		6	7		2	8			
Females		1		2	4			18			
Total		2		8	11		2	26			
Prince Edward :											
Males				2				3	1		
Females		1		3			3		1		
Total		1		5			3	3	2		
Renfrew :											
Males		3		4	3		3	15			
Females		4	1	5	7		1	7			
Total		7	1	9	10		4	22			
Simcoe :											
Males		4	2	4	4	2	2	10	6		
Females		2	1	2	3			10	1		1
Total		6	3	6	7	2	2	20	7		1

CAUSES OF DEATHS, 1883.

DISEASES, *Zymotici*.DISEASES, *Miasmatici*.

Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).	Febris (Typhus Fever).	Influenza.	Morbilli (Measles).	Parotitis (Mumps).	Pertussis (Whooping Cough).	Pyæmia.	Scarlatina (Scarlet Fever).	Tonsillitis (Quinsy).	Variola (Small-Pox).	ORDER 2.—ENTHETIC OR INOCULATED DISEASES, <i>Enthetici</i> .
														Syphilis.
.....	9	1	1	1
.....	4	1	3	6
.....	13	2	1	3	7
.....
.....	1	4	1
3	1	2	1	1	2
3	2	6	1	1	1	2
.....
.....	3	1	1	1	6
1	1	1	1	1	4
1	1	3	1	2	2	1	10
.....
5	6	7	1	9
3	1	11	1	1	5	1
8	1	6	18	1	1	1	14	1
.....
.....	6	1	1	4
.....	4	1	1	1	4	1
.....	10	2	2	1	8	1
.....
.....	1	1	1	1	1	2	1
.....	2	4	2	1	4
.....	2	5	1	1	3	2	6	1
.....
.....	5	2	2	1	1
.....	1	2	2
.....	6	4	2	2	1	1
.....
10	1	2	6	1	2	13	1
5	1	1	5	1	6	1	14	1
15	2	3	11	1	7	3	27	2

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—Continued.									
	ORDER 3.—DIETIC DISEASES.— <i>Dietici</i> .						ORDER 4.—PARASITIC DISEASES.— <i>Paracitici</i> .			
	Alcoholism.	Bronchocele.	Delirium Alcoholicum (Delirium Tremens).	Ebriositas (Drunkennes).	Ergotismus.	Purpura.	Rachitis (Rickets).	Apthæ (Thrush).	Tænia Solum (Tape Worm).	Total Zymotic Diseases.
Oxford :										
Males									1	52
Females										46
Total									1	98
Peel :										
Males										20
Females										26
Total										46
Perth :										
Males										30
Females										28
Total										58
Peterborough :										
Males	1			1						53
Females										45
Total	1			1						98
Prescott and Russell :										
Males							1			37
Females									1	38
Total							1		1	75
Prince Edward :										
Males	1						1			16
Females									1	22
Total	1						1		1	38
Renfrew :										
Males									1	40
Females										30
Total									1	70
Simcoe :										
Males			1							71
Females									1	57
Total			1						1	128

CAUSES OF DEATHS, 1883.—*Continued.*CLASS II.—CONSTITUTIONAL DISEASES.—*Cachectici.*

ORDER 1.—DIATHETIC DISEASES.— <i>Diathetici.</i>										ORDER 2.—TUBERCULAR DISEASE.— <i>Phthisici.</i>			
Anæmia.	Anasarca (General Dropsy).	Arthritis (Articular Rheumatism).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Leucocythæmia.	Mortificacio (Mortification.)	Noma (Canker).	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Morbus Coxarius (Hip Disease).
14	3			6									
17	8		1	5						3		2	
31	11		1	11						3		4	
10	2		1										
7	3			2						1		3	
17	5		1	2						1		3	
18	9		2	2		1				2		3	
12	3		1	2		1				3			1
30	12		3	4		2				5		3	1
19	3			3						2		1	
10	9			3						3		1	1
29	12			6						5		2	1
43			2	1		1				1			
38	2			1						2			
81	2		2	2		1				3			
5	1			1						1			
7	3			1			1			1			
12	4			2			1			2			
12	1			2						2		1	1
24	3			3								1	
36	4			5						2		2	1
18	9		2	4			2			7		3	
18	4			8						2		1	
36	13		2	12			2			9		4	

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.—Continued.				CLASS III.—LOCAL							
	ORDER 2—Continued.			Total Constitutional Diseases.	ORDER 1.—DISEASES OF THE							
	Phthisis Pulmonalis (Consumption).	Scrofula.	Tabes Mesenterica.		Apoplexia (Apoplexy).	Atropia Musculorum Ingraviscens (Progressive Locomotor Ataxia).	Chorea (St. Vitus' Dance).	Convulsio (Convulsions).	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Hysteria.
Oxford :												
Males.....	30	1	3	59	6			9				
Females.....	43			79	6			7		1		1
Total	73	1	3	138	12			16		1		1
Peel :												
Males.....	17			30	5			1	1			
Females.....	19			35	4			1				
Total	36			65	9			2	1			
Perth :												
Males.....	21			58	4			9	4	1		
Females.....	29			52				3	5			
Total	50			110	4			12	9	1		
Prescott and Russell :												
Males.....	22			50	1	2		4	1			
Females.....	24			51	1			7	1	1		
Total	46			101	2	2		11	2	1		
Peterborough :												
Males.....	17		1	66	1			4	1			
Females.....	28			71				2				
Total	45		1	137	1			6	1			
Prince Edward :												
Males.....	13			21	2			3	2			
Females.....	22	1		36	2			1		1		
Total	35	1		57	4			4	2	1		
Renfrew :												
Males.....	19			38	4			2	2			
Females.....	18			49	3			3		1		
Total	37			87	7			5	2	1		
Simcoe :												
Males.....	26			71	5			9	1	1		
Females.....	32			65	2			4	1	5		
Total	58			136	7			13	2	6		

CAUSES OF DEATHS, 1883—*Continued.*

DISEASES.—*Monorganici.*

ORDER 2.—DISEASES OF THE CIRCULATORY SYSTEM.--*Cardiac*.

[illegible]

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.											
	ORDER 2—Continued.					ORDER 3.—DISEASES OF THE RESPIRATORY SYS-						
	Morbus Valvularum Cordis (Valvular Disease of Heart).	Pericarditis.	Phlebitis (Inflammation of Veins).	Syncope (Fainting).	Varices (Varicose Veins).	Apoplexia Pulmonalis (Con- gestion of Lungs).	Bronchitis.	Emphysema.	Empyema.	Hydrothorax (Dropsy of Chest).	Laryngitis (Inflammation of Larynx).	Pleuritis (Pleurisy).
Oxford :												
Males.....	16			1		8	6				1	1
Females	19	1				6	6					
Total	35	1		1		14	12				1	1
Peel :												
Males.....	7					5	3					1
Females	8					1	1				1	1
Total	15					6	4				1	2
Perth :												
Males.....	8					1	8					
Females	8					5	6					
Total	16					6	14					
Prescott and Russell :												
Males.....	10					5	4					
Females	9					3	4					
Total	19					8	8					
Peterborough :												
Males.....	4					2	2					2
Females	5					5	2					1
Total	9					7	4					3
Prince Edward :												
Males.....	2					5	3					1
Females	4	1				3	2					
Total	6	1				8	5					1
Renfrew :												
Males.....	8					3	5	1				2
Females	7					2	5					
Total	15					5	10	1				2
Simcoe :												
Males.....	12					9	13				1	
Females	9					7	9					1
Total	21					16	22				1	1

CAUSES OF DEATHS, 1883—*Continued.*

—*Continued.*

TEM.— <i>Pneumonici.</i>		ORDER 4.—DISEASES OF THE DIGESTIVE SYSTEM.— <i>Enterici.</i>														
Pleuro-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Other Diseases of the Respiratory Organs.	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis.	Colica (Colic).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Fistula.	Gastritis (Inflammation of Stomach).	Hæmatemesis (Blood Vomit).	Hæmorrhoids (Piles).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Intus-susceptio (Invagination of Gut).
.....	21	1	1	3	1	1	1	1
.....	14	5	3	2
.....	35	1	1	8	4	3	1	1
.....	5	7
.....	15	1	3
.....	20	8	3
.....	16	2	10	1	1	1
.....	14	2	3	1
.....	30	4	13	2	1	1
.....	15	1	5	1	2	1
.....	14	1	3	1	1
.....	29	1	1	8	2	3	1
.....	7	2
.....	12	1	1	1
.....	19	3	1	1	1
.....	9	4
.....	6	1	5	3	1
.....	15	1	9	3	1
.....	6	1	2	2
.....	8	1	3	1	2
.....	14	2	5	3	3
.....	24	1	9	1	2	1
.....	23	3	4
.....	47	1	12	5	2	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—									
	ORDER 4—Continued.									
	Obstipatio (Constipation).	Esophagitis (Inflammation of Gullet).	Perforatio Intestini (Perforation of Intestine).	Peritonitis (Inflammation of Abdomen).	Splenitis (Inflammation of Spleen).	Stomatitis (Inflammation of Mouth).	Strictura Intestini (Stricture of Intestine).	Typhlitis.	Ulceratio Intestini (Ulceration of Intestines).	Ulcer of Stomach.
Oxford :										
Males	1			5						
Females										
Total	1			5						
Peel :										
Males										1
Females	1									
Total	1									1
Perth :										
Males	1			3					1	1
Females				4						
Total	1			7					1	1
Peterborough :										
Males	2				1					1
Females										
Total	2				1					1
Prescott and Russell :										
Males				1						
Females										
Total				1						
Prince Edward :										
Males										
Females										
Total										
Renfrew :										
Males	1									
Females	1			1						
Total	2			1						
Simcoe :										
Males				1						
Females				1						
Total				2						

CAUSES OF DEATHS, 1883—Continued.

Continued.

ORDER 5.—DISEASES OF URINARY SYSTEM.—*Nephritici.*

ORDER 6.—DISEASES OF THE GENERATIVE ORGANS.—*Genetici.*

Calculus (Stone).	Cystitis (Inflammation of Bladder).	Diabetes.	Ischuria (Retention of Urine).	Lithiasis (Gravel).	Morbus Prostaticus (Diseased Prostate).	Nephria (Bright's Disease).	Nephritis (Inflammation of Kidneys).	Stricture of Urethra.	Hydrocele (Dropsy of Testicle).	Hydrops Ovarii (Ovarian Dropsy).	Metritis (Inflammation of Womb).	Morbus Uteri (Uterine Disease).	Polypus Uteri (Uterine Polypus).	Tumor Ovarii (Ovarian Tumor).	Tumor Uteri (Uterine Tumor).
	1	1				5	3								
		1				1									
	1	2				6	3								
	1					1									
		1				2									
	1	1				3									
	2	1				1	3								
		1					2			1	1			1	
	2	2				1	5			1	1			1	
							3								
		1												1	
		1					3							1	
											2				
											2				
	1	2		1			2								
							1								
	1	2		1			3								
	1			1							1				1
	1				1						1				1
		1	1	2		3									
	1						1				2				1
	1		1	2		3	1				2				1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.									
	ORDER 7.—DISEASES OF THE LOCOMOTIVE SYSTEM.— <i>Myostici.</i>							ORDER 8.—DISEASES OF THE INTEGUMENTARY SYSTEM.— <i>Chrotici.</i>		
	Arthritis (Inflammation of Joints).	Atrophia Musculorum (Muscular Atrophy).	Caries.	Exostitis (Tumor of Bone).	Necrosis.	Ostitis (Inflammation of Bones).	Synovitis.	Abscessus (Abscess).	Emphigus.	Phlegmon.
										Total Local Diseases.
Oxford :										
Males			1					1		114
Females								1		88
Total			1					2		202
Peel :										
Males										47
Females								1		47
Total								1		94
Perth :										
Males									1	92
Females					1					67
Total					1				1	159
Peterborough :										
Males										67
Females								2		60
Total								2		127
Prescott and Russell :										
Males										38
Females										39
Total										77
Prince Edward :										
Males								1		47
Females			1					2		39
Total			1					3		86
Renfrew :										
Males										48
Females								1		49
Total								1		97
Simcoe :										
Males								2		107
Females			1					4		98
Total			1					6		205

By the end of the 19th century, the population of the United States had increased from about 23 million in 1800 to over 60 million in 1890. This rapid growth was due to a combination of factors, including immigration from Europe and the United States, and a high birth rate. The population was concentrated in the Northeast and the Midwest, with the South having a lower population density. The population was also becoming more urban, with a large percentage of the population living in cities and towns. This led to a number of social and economic problems, including overcrowding, pollution, and a lack of resources. The population growth was also a major factor in the development of the United States as a world power.

Anus Imperforatus (Imperforate Anus).	Atelectasis Pulmonum.	Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis (Umbilical Hæmorrhage).	Natus Præter Naturam (Pretatural Birth).	Partus Emortuus (Still Birth).	Partus Intempestivus (Premature Birth).	Spina Bifida.
.....	1	1	1	11	1
.....	1	1	1	14	2
.....	1	5
.....	1	2
.....	7
.....
.....	2	1
.....	1
.....	3	1
.....
.....	2	1	3
.....	2	1	2
.....	5
2	2	6
1	1	3	1
3	1	5	7
.....
.....	1	1	1
.....	1	1	1
.....	1	1
.....	1	2
2	2	6
1	1	1	1	3
2	1	1	3	9

Abortus (Abortion, Miscarriage).	Climacteria (Turn of Life).	Eclampsia Parturi (Convulsions in Child-birth).	Febris Puerperalis (Puerperal Fever).	Hæmorrhagia Post Partum (Flooding).	Mania Puerperalis (Puerperal Mania).	Partus (Child-birth).	Phlegmasia Dolens (Milk Leg).
		3	2			4	
		3	2			4	
				1			1
				1			1
		2	4	1		6	
		2	4	1		6	
		2	1			4	
		2	1			4	
			3			6	
			3			6	
						5	
						5	
2		1	3	1		5	
2		1	3	1		5	
1			6			13	
1			6			13	

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS IV.— <i>Continued.</i>			CLASS V.—VIOLENCE TENDING							
	O. 3.—DEV. DIS. OLD PEOPLE.— <i>Geratici.</i>			ORDER 1.—ACCIDENT							
	Gangrena Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	Ambusta (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion of Spine).	Contusio (Contusion).	Explosio (Explosion).	Fractura (Fracture).	Gelatio (Freezing).	Ictus Fulminis (Lightning).
Oxford :											
Males	1	31	47	3						1	
Females	1	20	34								
Total	2	51	81	3						1	
Peel :											
Males		14	20								
Females		13	17								
Total		27	37								
Perth :											
Males		22	30		1						
Females		22	40	2					1		
Total		44	70	2	1				1		
Peterborough :											
Males		22	28			1					
Females		15	27								
Total		37	55			1					
Prescott and Russell :											
Males		18	34								
Females		16	34	4							
Total		34	68	4							
Prince Edward :											
Males		20	24							2	
Females	2	15	21							1	
Total	2	35	45							3	
Renfrew :											
Males		15	19								
Females		11	22								
Total		26	41								
Simcoe :											
Males		28	38	2					2		
Females		24	50								
Total		52	88	2					2		

CAUSES OF DEATHS, 1883—*Continued.*TO SUDDEN DEATH. —*Thanatici.*

AND NEGLIGENCE.					ORDER 2. HOMICIDE	ORDER 3.—SUICIDE.— <i>Autophonici.</i>				ORDER 4. EXECUT'N.	Total Violent Deaths.	Cause not Specified.	Total Number of Deaths.	
Suffocatio (Suffocation).	Submersio (Drowning).	Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.				Suspendium (Hanging).				
						Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).					
.....	3	1	5	2	2	17	9	298	
.....	2	2	14	263	
.....	3	1	7	2	2	19	23	561	
1	1	4	1	7	5	129	
.....	9	134
1	1	4	1	7	14	263
.....	4	10	2	17	6	233
.....	3	17	207
.....	4	10	2	20	23	440
.....	4	2	4	11	5	214
.....	1	1	11	195
.....	4	2	4	1	12	16	409
.....	1	4	2	7	10	192
.....	1	1	2	8	9	199
.....	2	1	4	4	15	19	391
.....
.....	2	4	8	5	121
.....	1	2	9	129
.....	2	5	10	14	250
.....
.....	5	3	2	1	11	5	161
.....	1	1	9	160
.....	5	4	2	1	12	14	321
.....
1	9	3	17	16	320
1	2	1	4	16	290
2	2	10	3	21	32	610

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC										
	ORDER 1.—MIASMATIC										
	Anthrax (Carbuncle).	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Diarrhoea Chronica (Chronic Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Enterocolitis.	Febris Biliosa (Bilious Fever).
Stormont, Dundas and Glengarry:											
Males	1	2	1	4	1	8	4
Females		1	2	2	1	6	2
Total	1	3	3	6	2	14	6
Victoria:											
Males		2	1	1	6	1		1	3
Females	4	2		5	1
Total		2	1	5	8	1		6	4
Waterloo:											
Males		4	1	4	13	2	10	1
Females		6	3	5	7	2	4	1
Total		10	4	9	20	4	14	2
Welland:											
Males		4	1	2		4	2
Females		1	1	1		3	1
Total		5	2	3		7	3
Wellington:											
Males		3	3	2	1	14	4
Females		1	1	2	9	1	8	1
Total		4	1	5	11	2	22	5
Wentworth:											
Males		20	10	26	1	4	17	2
Females		15	8	12	1	9
Total		35	18	38	1	5	26	2
York:											
Males		32	2	18	39	2	12	45	13
Females		31	3	7	41	2	9	40	10
Total		63	5	25	80	4	21	85	23
Total Males	4	166	22	140	261	10	59	368	82	2	6
“ Females		146	18	127	210	9	44	341	45	11
Grand Total	4	312	40	267	471	19	103	709	127	2	17

CAUSES OF DEATH, 1883.

DISEASES, *Zymotici*.

DISEASES, *Miasmatici*.

Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).	Febris Typhus (Typhus Fever).	Influenza.	Morbilli (Measles).	Parotitis (Mumps).	Pertussis (Whooping Cough).	Pyæmia.	Scarlatina (Scarlet Fever).	Tonsillitis (Quinsy).	Variola (Small-Pox).	Syphilis.	ORDER 2.—ENTHETIC OR INOCULATED DISEASES, <i>Enthetici</i> .
1			1	2	1	1			1	2	4				
2						1			2	1	4				
3			1	2	1	2			3	3	8				
3				3			6		1	1	2				
5	1			1			4		3	2	3				
8		1		4			10		4	3	5				
1				1			10		3	1	3				
			1	5			3		1		3				
1			1	6			13		4	1	6				
1				4							5				
2			1	3	1		1		1	1	8				
3			1	7	1		1		1	1	13				
1		1	1	9					3		8				
2				9					4	3	7				
3		1	1	18					7	3	15				
2		1		5		2	6		3	4	10				
4		2	1	14			2		1	1	7				2
6		3	1	19		2	8		4	5	17				2
13			1	48	1		21		9	4	28	1			3
4			3	41			13	1	12	12	19				2
17			4	89	1		34	1	21	16	47	1			5
69	4	7	10	249	5	32	89	11	56	45	205	3	3		5
64	6	11	18	220	1	27	88	4	67	58	200	6	1		6
133	10	18	28	469	6	59	177	15	123	103	405	9	4		11

TABLE F.—DEATHS BY COUNTIES.

COUNTIES.	CLASS I.—Continued.									
	ORDER 3.—DIETIC DISEASES.— <i>Dietici</i> .							ORDER 4.—PARASITIC DISEASES.— <i>Paracitici</i> .		
	Alcoholism.	Bronchocele.	Delirium Alcoholicum (Delirium Tremens).	Ebriositas (Drunkenness).	Ergotismus.	Purpura.	Rachitis (Rickets).	Apthæ (Thrush).	Tenia Solium (Tape-worm).	Total Zymotic Diseases.
Stormont, Dundas and Glengarry :										
Males	1		1	1						37
Females										24
Total	1		1	1						61
Victoria :										
Males										31
Females										31
Total										62
Waterloo :										
Males										54
Females			1							42
Total			1							96
Welland :										
Males										23
Females										25
Total										48
Wellington :										
Males				1					1	52
Females				1						49
Total				2					1	101
Wentworth :										
Males	1		1							115
Females			1							80
Total	1		2							195
York :										
Males	1		4	3				6		306
Females	3		1	2				3		259
Total	4		5	5				9		565
Total Males	9	1	9	20			2	15	1	1979
" Females	4		3	4			4	9	7	1758
Grand Total	13	1	12	24			6	24	16	3737

CAUSES OF DEATHS, 1883—*Continued.*CLASS II.—CONSTITUTIONAL DISEASES.—*Cachectici.*ORDER 1.—DIATHETIC DISEASES.—*Diathetici.*ORDER 2.—TUBERCULAR
DISEASE.—*Phthisici.*

Anæmia.	Anasarca (General Dropsy).	Arthritis (Articular Rheumatism).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Leucocythæmia.	Mortificatio (Mortification).	Noma (Canker).	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Morbus Coxarius (Hip Disease).
27	1			11						1		3	2
13	3		1	7						1	1	1	
40	4		1	18						2	1	4	2
12	5		3	2		1				2		2	
12	3			7					1	2	4	2	
24	8		3	9		1			1	4	4	4	
10	8			4								1	1
10	6			6	1					4	1	1	
20	14			10	1					4	1	2	1
6	2			4			1				1		
8	5			5								1	
14	7			9			1				1	1	
32	8		2	3						2			
35	6		1	6						2	2	1	
67	14		3	9						4	2	1	
33	6		3	14	1	4				7	3	5	1
34	6		3	16						3	3	5	
67	12		6	30	1	4				10	6	10	1
112	10		4	23		1			1	6	10	18	1
99	14		2	15	1				1	10	5	11	1
211	24		6	38	1	1			2	16	15	29	2
882	172		44	193	1	17	6		2	79	104	46	6
718	202	1	26	210	5	6	6		2	73	83	36	6
1600	374	1	70	403	6	23	12		4	152	187	82	12

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.—Continued.				CLASS III.—LOCAL							
	ORDER 2—Continued.			Total Constitutional Diseases.	ORDER 1.—DISEASES OF THE							
	Phthisis Pulmonalis (Consumption).	Scrofula.	Tabes Mesenterica.		Apoplexia (Apoplexy).	Atrophia Musculorum Ingravitans (Progressive Locomotor Ataxia).	Chorea (St. Vitus' Dance).	Convulsio (Convulsions).	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Hysteria.
Stormont, Dundas and Glengarry :												
Males.....	40			85	2			4	3	1		
Females.....	39			66	2			3				
Total	79			151	4			7	3	1		
Victoria :												
Males.....	15			42	3			6		1		
Females.....	29			60	2			6	2	3		
Total	44			102	5			12	2	4		
Waterloo :												
Males.....	22	1	1	48	8		1	20	2			
Females.....	28	2	1	60	8			11	1			
Total	50	3	2	108	16		1	31	3			
Welland :												
Males.....	11	1		26	1			10	1			
Females.....	20	1		40	1			9				
Total	31	2		66	2			19	1			
Wellington :												
Males.....	39			86	10	1		5	1	1		
Females.....	47			100	3	1		7	1	3		
Total	86			186	13	2		12	2	4		
Wentworth :												
Males.....	74			151	9			17	4	4	3	
Females.....	61		3	137	15			13	4	1	3	
Total	138		3	288	24			30	8	5	6	
York :												
Males.....	120	1	1	308	28	1		63	4	6		
Females.....	162	2	4	327	22	1	1	46	10	5		
Total	282	3	5	635	50	2	1	109	14	11		
Total Males.....	1121	31	11	2715	230	7	2	309	71	43	6	
" Females.....	1379	31	12	2796	171	2	3	239	67	37	5	2
Grand Total	2500	62	23	5511	401	9	5	548	138	80	11	2

CAUSES OF DEATHS, 1883—Continued.

DISEASES.—*Monorganici.*

NERVOUS SYSTEM.—*Cephalici.*

ORDER 2.—DISEASES OF THE CIRCULATORY SYSTEM.—*Cardiaci.*

Insania (Insanity).	Insolatio (Sunstroke).	Meningitis.	Myelitis (Inflammation of Spinal Cord).	Necrencephalus (Softening of Brain).	Paralysis (Palsy).	Paraplegia (Palsy of Lower Extremities).	Tetanus (Lockjaw).	Neuralgia.	Aneurisma (Aneurism).	Angina Pectoris (Breast Pang).	Atrophia Cordis (Atrophy of Heart).	Carditis (Inflammation of Heart).	Degeneratio Cordis (Fatty Degeneration of Heart).	Endocarditis (Inflammation of Membrane Lining Heart).	Epistaxis (Nosebleed).	Hydrops Pericardii (Dropsey of Heart).	Hypertrophia Cordis (Enlargement of Heart).
		6	2		5											1	
		3			4												
		9	2		9											1	
		5		3	5												
		3	1		4												
		8	1	3	9												
1		4	2		6											2	
		6	1		1												
1		10	3		7											2	
1		3			6											1	
		4			5												
1		7			11											1	
		7			10												
		8	2		12						1						
		15	2		22						1						
2		27		1	10								2			3	
2		17	1		8					1						2	
4		44	1	1	18					1			2			5	
2	2	44	5	6	25	2			3					1			
2	1	27	1		19					1			1				
4	3	71	6	6	44	2			3	1			1	1			
17	6	227	35	31	232	6	6	1	3	1	5	2	5	4	2	18	4
11	2	177	35	18	177	3	2	4		5	4	3	2	3		26	4
28	8	404	70	49	409	9	8	5	3	6	9	5	7	7	2	44	8

TABLE F.—DEATHS BY COUNTIES.

CLASS III.												
COUNTIES.	ORDER 2—Continued.					ORDER 3.—DISEASES OF THE RESPIRATORY SYSTEM.						
	Morbus Valvularum Cordis (Valvular Disease of Heart).	Pericarditis.	Phlebitis (Inflammation of Veins).	Syncope (Fainting).	Varices (Varicose Veins).	Apoplexia Pulmonalis (Con- gestion of Lungs).	Bronchitis.	Emphysema.	Empyema.	Hydrothorax (Dropsey of Chest).	Laryngitis (Inflammation of Larynx).	Pleuritis (Pleurisy).
Stormont, Dundas and Glengarry :												
Males.....	5			1		6	6					1
Females.....	11					4	2	1				1
Total.....	16			1		10	8	1				2
Victoria :												
Males.....	7					3	5	1				2
Females.....	6					5	6					2
Total.....	13					8	11	1				2
Waterloo :												
Males.....	10					3	5					
Females.....	18					2	6					1
Total.....	28					5	11					1
Welland :												
Males.....	6					4	7					
Females.....	11					6	6					1
Total.....	17					10	13					1
Wellington :												
Males.....	17					10	8					1
Females.....	17					13	7					1
Total.....	34					23	15					2
Wentworth :												
Males.....	39					13	17					3
Females.....	31					10	37	1				
Total.....	70					23	54	1				3
York :												
Males.....	45	4	1			41	52					2
Females.....	51		1	3		28	42	3				3
Total.....	96	4	2	3		69	94	3				5
Total Males.....	443	5	1	2		228	246	5	1			19
Total Females.....	478	2	2	4		208	251	5				16
Grand Total.....	921	7	3	6		436	497	10	1			35

CAUSES OF DEATHS, 1883—*Continued.*

Continued.

THM.— <i>Pneumonic.</i>				ORDER 4.—DISEASES OF THE DIGESTIVE SYSTEM.— <i>Enterici.</i>												
Pleuro-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Other Diseases of the Respiratory Organs.	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis.	Colica (Colic).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Fistula.	Gastritis (Inflammation of Stomach).	Hæmatemesis (Blood Vomit).	Hæmorrhoids (Piles).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Intus-susceptio (Invagination of Gut).
	7						1	5		1		1	3		1	
	6					1		4		2			3			
	13					1	1	9		3		1	6		1	
	12						1	3		1						
	13						1	4		2						
	25						2	7		3						
	20							8		3			2			
	11							7		1			5			
	31							15		4			7			
	12		1					6		1			4		1	
	16				1			4		1			1			
	28		1		1			10		2			5		1	
	34						1	8	1	4						2
	30							8		2			3	2	1	
	64						1	16	1	6			3	2	3	
	50							11		2			9	2	1	
	37						1	10		4			2			1
	87						1	21		6			11	2	1	1
	105		1	1	4		3	22		12	1		10	3	2	2
	75		1	1	6	1	1	22		10			4	2	4	1
	180		2	2	10	1	4	44		22	1		14	5	6	3
	737		4	2	9	3	31	235	1	70	2	3	76	25	23	3
	598		5	3	12	3	16	207		56	1		63	10	23	5
	1335		9	5	21	6	47	442	1	126	3	3	139	35	46	8

TABLE F.—DEATHS BY COUNTIES.

COUNTIES.	CLASS III.									
	ORDER 4—Continued.									
	Obstipatio (Constipation).	Esophagitis (Inflammation of Gullet).	Perforatio Intestini (Perforation of Intestine).	Peritonitis (Inflammation of Abdomen).	Splenitis (Inflammation of Spleen).	Stomatitis (Inflammation of Mouth).	Stricture Intestina (Stricture of Intestine).	Typhlitis.	Ulceratio Intestini (Ulceration of Intestines).	Ulcer of Stomach.
Stormont, Dundas and Glengarry:										
Males	1									
Females				2		1				
Total	1			2		1				
Victoria:										
Males							1			
Females				1						
Total				1			1			
Waterloo:										
Males				1		1				
Females				2						
Total				3		1				
Welland:										
Males	1			2			1			
Females				2						
Total	1			4			1			
Wellington:										
Males	1						1			
Females	1			2	1		1			
Total	2			2	1		2			
Wentworth:										
Males	1	1		3		2				1
Females	1			5	1					2
Total	2	1		8	1	2				3
York:										
Males	3			14	1	1				3
Females	1			23					1	
Total	4			37	1	1			1	3
Total Males	18	1		60	5	5	4	2	3	17
" Females	12		1	73	3	3	5		4	16
Grand Total	30	1	1	133	8	8	9	2	7	33

CAUSES OF DEATHS, 1883—Continued.

Continued.

ORDER 5.—DISEASES OF URINARY SYSTEM.— <i>Nephritici.</i>									ORDER 6.—DISEASES OF THE GENERATIVE ORGANS.— <i>Genetici.</i>						
Calculus (Stone).	Cystitis (Inflammation of Bladder).	Diabetes.	Ischuria (Retention of Urine).	Lithiasis (Gravel).	Morbus Prostaticus (Diseased Prostrate).	Nephria (Bright's Disease).	Nephritis (Inflammation of Kidneys).	Stricture of Urethra.	Hydrocele (Dropsy of Testicle).	Hydrops Ovarii (Ovarian Dropsy).	Metritis (Inflammation of Womb).	Morbus Uteri (Uterine Disease).	Polypus Uteri (Uterine Polypus).	Tumor Ovarii (Ovarian Tumor).	Tumor Uteri (Uterine Tumor).
	2	1		2		1	2							1	
	2	1		2		1	2							1	
	1	2				2	3								
	1	2				5									
	1	2				1	5				1	1			
	1	2				1	5				1	1			
	1		1		1	2	4								
		1				1	1							1	
	1	1	1		1	3	5							1	
	1			1		1	1								
		2				2						2		1	1
	1	2		1		3	1					2		1	1
	2	3	1		1	7			1						
	1					3	4				1	1		2	
	3	3	1		1	10	4		1		1	1		2	
2	6	1	1	1	1	11	13	1			1	2		2	9
		2				13	12								
2	6	3	1	1	1	24	25	1			1	2		2	9
8	52	40	10	21	4	74	76	2	2						
2	2	20	1	1		44	45			3	21	14		19	14
10	54	60	11	22	4	118	121	2	2	3	21	14		19	14

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.									
	ORDER 7.—DISEASES OF THE LOCOMOTIVE SYSTEM.— <i>Myostici.</i>						ORDER 8.—DISEASES OF THE INTEGUMENTARY SYSTEM.— <i>Chrotici.</i>			
	Arthritis (Inflammation of Joints).	Atrophia Musculorum (Muscular Atrophy).	Caries.	Exostitis (Tumor of Bone).	Necrosis.	Ostitis (Inflammation of Bones).	Synovitis.	Abscessus (Abscess).	Emphigus.	Phlegmon.
										Total Local Diseases.
Leeds and Grenville :										
Males								2		72
Females								1		53
Total								3		126
Lennox and Addington :										
Males								1		63
Females										66
Total								1		129
Lincoln :										
Males								3		108
Females										86
Total								3		194
Middlesex :										
Males										78
Females							1			73
Total							1			151
Muskoka and Parry Sound :										
Males								5		135
Females								1		136
Total								6		271
Norfolk :										
Males	1		1			1		3		260
Females					1					223
Total	1		1		1	1		3		483
Northumberland & Durham :										
Males			1		1	1		11		581
Females			1				1	9		475
Total			2		1	1	1	20		1056
Ontario :										
Males	2		7	1	1	2	1	60		3968
Females			5		3		2	45		3344
Total	2		12	1	4	2	3	105		7312

CAUSES OF DEATHS, 1883—*Continued.*CLASS IV.—DEVELOPMENTAL DISEASES.—*Metamorphici.*

ORDER 1.—DEVELOPMENTAL DISEASES OF CHILDREN.— <i>Paidici.</i>									ORDER 2.—DEVELOPMENTAL DISEASES OF WOMEN.— <i>Gyniæci.</i>							
Anus Imperforatus (Imperforate Anus).	Atelectasis Pulmonum.	Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis (Umbilical Hæmorrhage).	Natus Preter Naturam (Preternatural Birth).	Partus Emortuus (Still Birth).	Partus Intempestivus (Premature Birth).	Spina Bifida.	Abortus (Abortion, Miscarriage).	Climacteria (Turn of Life).	Eclampsia Parturi (Convulsions in Child-birth).	Febris Puerperalis (Puerperal Fever).	Hæmorrhagia Post Partum (Flooding).	Mania Puerperalis (Puerperal Mania).	Partus (Child-birth).	Phlegmasia Dolens (Milk Leg).
			1			2	3									
			1			1	1				2	1				2
			2			3	4				2	1				2
				2		2	1					3				4
				2		3						3				4
			3			2	6	1								
						1	6	1			3	2				5
			3			3	12	2			3	2				5
							2									
							2		1		1	2	1		4	
							4		1		1	2	1		4	
			3	2		8	2									
						7	3			1	1	5			8	
			3	2		15	5			1	1	5			8	
	1			2		34	18	1								
	2	1	1			30	10				2	8				
	3	1	3			64	28	1			2	8		2	4	1
1	3	1	13			43	43	2								
	3	1	5	1		37	22	1		2	5	29	5		9	
1	6	2	18	1		80	65	3		2	5	29	5		9	
4	19	3	78	8	4	196	152	10								
8	17	6	72	10	3	137	116	6	6	6	44	104	14	3	193	4
12	36	9	150	18	7	333	268	16	6	6	44	104	14	3	193	4

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS IV.— <i>Continued.</i>			CLASS V.—VIOLENCE TENDING							
	O. 3.—DEV. DIS. OLD PEOPLE.— <i>Geriatrici.</i>			ORDER 1.—ACCIDENT							
	Gangrena Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	Ambustia (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion of Spine).	Contusio (Contusion).	Explosio (Explosion).	Fractura (Fracture).	Gelatio (Freezing).	Letus Fulminis (Lightning).
Stormont, Dundas and Glengarry :											
Males	1	39	46	3							
Females		34	42						1		
Total	1	73	88	3					1		
Victoria :											
Males		17	19	4					1		1
Females		11	21								
Total		28	40	4					1		1
Waterloo :											
Males		16	25	1					2		
Females		28	49						1		
Total		44	74	1					3		
Welland :											
Males		10	12	1			1			1	
Females		11	22								
Total		21	34	1			1			1	
Wellington :											
Males	1	28	44	2			1			1	
Females		34	59								
Total	1	62	103	2			1			1	
Wentworth :											
Males	1	29	86				2		2	1	
Females		36	97	1							
Total	1	65	183	1			2		2	1	
York :											
Males	1	59	166	2			2		3	2	1
Females	1	54	175	7							
Total	2	113	341	9			2		3	2	1
Total Males	16	854	1344	29	3	6	8	3	17	15	4
“ Females	6	877	1632	30					7	2	
Grand Total	22	1731	2976	59	3	6	8	3	24	17	4

CAUSES OF DEATHS, 1883—*Continued.*

TO SUDDEN DEATH.— <i>Thanatici.</i>													
AND NEGLIGENCE.					ORDER 2. HOMICIDE.	ORDER 3.—SUICIDE.— <i>Autophonici.</i>				ORDER 4. EXECUT'N.			
Suffocatio (Suffocation).	Submersio (Drowning).	Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.							
						Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).	Suspendium (Hanging).	Total Violent Deaths.	Cause not specified.	Total Number of Deaths.
	3		7	1		1					15	16	271
			1								2	19	206
	3		8	1		1					17	35	477
1	2		6								15	7	177
		1									1	7	186
1	2	1	6								16	14	363
1	2		4	1							11	4	250
		1									2	4	243
1	2	1	4	1							13	8	493
2	3	1	3	4							16	1	156
			1								1	1	162
2	3	1	4	4							17	2	318
2	3		15	1							25	12	354
									1		1	15	360
2	3		15	1					1		26	27	714
2	7		7	4					2		27	16	655
1	1		3		1			1			8	13	558
3	8		10	4	1			1	2		35	29	1213
1	23	1	17	7				2	2		63	21	1445
	1		4					1			13	32	1281
1	24	1	21	7				3	2		76	53	2726
14	162	14	238	73	5	3	5	4	13	1	617	330	10953
8	20	9	42	9	5	3	2	6	3		146	420	10096
22	182	23	280	82	10	6	7	10	16	1	763	750	21049

TABLE G.—DEATHS BY CITIES.—

CITIES.	CLASS I.—ZYMOTIC										
	ORDER 1.—MIASMATIC										
	Anthrax (Carbuncle).	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Diarrhoea Chronica (Chronic Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Enterocolitis.	Febris Biliosa (Bilious Fever).
Toronto :											
Males	21	1	15	31	2	11	31	11			
Females	20	2	5	35	2	7	27	10			
Total	41	3	20	66	4	18	58	21			
Hamilton :											
Males	15		7	22	1	3	12	2			
Females	11		8	11		1	6				
Total	26		15	33	1	4	18	2			
Ottawa :											
Males	26		3	38		3	17	4			
Females	23	1	5	43		2	13				1
Total	49	1	8	81		5	30	4			1
London :											
Males	6		1	5			1				
Females	3		3	6	3		1				
Total	9		4	11	3		2				
Kingston :											
Males	1							1			
Females	3			2							
Total	4			2				1			
Guelph :											
Males	1		1	1			2	1			
Females		1	1	3			2				
Total	1	1	2	4			4	1			
St. Catharines :											
Males				1				2			1
Females	4		2	1							
Total	4		2	2				2			1
Brantford :											
Males	1		4			1	7	1			
Females							11				
Total	1		4			1	18	1			

CAUSES OF DEATHS, 1883.

DISEASES, *Zymotici*.

DISEASES, *Miasmatici*.

Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).	Febris Typhus (Typhus Fever).	Influenza.	Morbilli (Measles).	Parotitis (Mumps).	Pertussis (Whooping Cough).	Pyæmia.	Scarlatina (Scarlet Fever).	Tonsillitis (Quinsy).	Variola (Small-Pox).	Syphilis.	ORDER 2.—ENTHETIC OR INOCULATED DISEASES, <i>Enthetici</i> .
11				37	1		8		9	4	17	1		3	
3			1	37			9	1	9	11	11			3	
14			1	74	1		17	1	18	15	28	1		5	
2		1		4			5		1	1	10				
3		2	1	7			1				6			2	
5		3	1	11			6		1	1	16			2	
		3	1	12		3			2		17				
		1		11		1			3		13				
		4	1	23		4			5		30				
1				6						1	1				
1			1	5			1		2	1					
2			1	11			1		2	2	1				
				4			5		1	4		1			
				1		1	5		2	1				1	
				5		1	10		3	5		1		1	
			1						2		1				
									2	2	1				
			1						4	2	2				
				3						2					
			1							1					
				4						3					
1				2					1						
1				1			1								
				3			1								

TABLE G.—DEATHS BY CITIES.—

[illegible]

CAUSES OF DEATHS, 1883—*Continued.*

CLASS II.—CONSTITUTIONAL DISEASES.—*Cachectici.*

ORDER 1.—DIATHETIC DISEASES.— <i>Diathetici.</i>											ORDER 2.—TUBERCULAR DISEASE.— <i>Phthisici.</i>		
Anæmia.	Anasarca (General Dropsy).	Arthritis (Articular Rheumatism).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Leucocythæmia.	Mortificacio (Mortification).	Noma (Canker).	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Morbus Coxarius (Hip Disease).
85	7	3	15	1	1	5	7	16
85	10	1	9	1	6	4	11	1
170	17	4	24	1	1	1	11	11	27	1
25	3	3	9	1	4	4	2	3	1
27	3	2	6	2	2	4
52	6	5	15	1	4	6	4	7	1
89	10	8	1	3	41
58	9	2	11	2	28	1
147	19	2	19	1	5	69	1
8	1	5	2	5
10	3	7	2	4
18	4	12	4	9
17	1	7	1	1	1	1
12	1	2	2	1
29	2	2	9	1	1	2	1
10
9	2	1
19	2	1
6	1	1	4	2	1	1
3	2	1	1
9	3	1	5	3	1	1
6	1	1	1	1
2	4	4	1
8	5	5	1	1	1

TABLE G.—DEATHS BY CITIES.—

CITIES.	CLASS II.—Continued.				CLASS III.—LOCAL							
	ORDER 2—Continued.			Total Constitutional Diseases.	ORDER 1.—DISEASES OF THE							
	Phthisis Pulmonalis (Consumption).	Scrofula.	Tabes Mesenterica.		Apoplexia (Apoplexy).	Atrophia Musculorum Ingraviscens (Progressive Locomotor Ataxia).	Chorea (St. Vitus' Dance).	Convulsio (Convulsions).	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Hysteria.
Toronto:												
Males	85	1	1	227	23			50	2	5		
Females	132	2	4	266	19	1	1	34	7	3		
Total	217	3	5	493	42	1	1	84	9	8		
Hamilton:												
Males	53			108	6			12	2	3	2	
Females	44		2	92	11			10	3	1	3	
Total	97		2	200	17			22	5	4	5	
Ottawa:												
Males	57	20		229	8			9	15	1		
Females	57	20		188	5		1	4	6			
Total	114	40		417	13		1	13	21	1		
London:												
Males	14		2	37	5			8	1	1		
Females	13	1		40	2			7	3			
Total	27	1	2	77	7			15	4	1		
Kingston:												
Males	26	1		56	1	1		3		1		
Females	27			45	4			5				
Total	53	1		101	5	1		8		1		
Guelph:												
Males	10			20	2					1		
Females	12			24	1			2		1		
Total	22			44	3			2		2		
St. Catharines:												
Males	16			32	2				3	1		
Females	11			18	2			2		1		
Total	27			50	4			2	3	2		
Brantford:												
Males	9			19	8			5				
Females	11			22	2			1				
Total	20			41	10			6				

CAUSES OF DEATHS, 1883—*Continued.*

DISEASES.—*Monorganici.*

ORDER 2.—DISEASES OF THE CIRCULATORY SYSTEM.—*Cardiaci*.

[illegible]

TABLE G.—DEATHS BY CITIES.—

CITIES.	CLASS III.											
	ORDER 2.—Continued.					ORDER 3.—DISEASES OF THE RESPIRATORY SYS-						
	Morbus Valvularum Cordis (Valvular Disease of Heart).	Pericarditis.	Phlebitis (Inflammation of Veins).	Syncope (Fainting).	Varices (Varicose Veins).	Apoplexia Pulmonalis (Con- gestion of Lungs).	Bronchitis.	Emphysema.	Empyema.	Hydrothorax (Dropsy of Chest.)	Laryngitis (Inflammation of Larynx).	Pleuritis (Pleurisy).
Toronto:												
Males.....	28	3	1			27	42				2	3
Females.....	37		1	2		15	39		2		3	1
Total.....	65	3	2	2		42	81		2		5	4
Hamilton:												
Males.....	30					7	9				3	1
Females.....	21					5	29		1			
Total.....	51					12	38		1		3	1
Ottawa:												
Males.....	16	1				4	7	2			1	5
Females.....	25					6	9				1	2
Total.....	41	1				10	16	2			2	7
London:												
Males.....	7					5	2					
Females.....	2					2	2					
Total.....	9					7	4					
Kingston:												
Males.....	14					8	6				1	
Females.....	2					6	9					
Total.....	16					14	15				1	
Guelph:												
Males.....	4					2	1				1	
Females.....	5					4						
Total.....	9					6	1				1	
St. Catharines:												
Males.....	6					1	5					
Females.....	4			1		2	3					
Total.....	10			1		3	8					
Brantford:												
Males.....	4											
Females.....	3					1	1					
Total.....	7					1	1					

CAUSES OF DEATHS, 1883—*Continued.*

—*Continued.*

TEM.— <i>Pneumonici.</i>			ORDER 4.—DISEASES OF THE DIGESTIVE SYSTEM.— <i>Enterici.</i>													
Pleura-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Other Diseases of the Respiratory Organs.	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis.	Colica (Colic).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Fistula.	Gastritis (Inflammation of Stomach).	Hæmatemesis (Blood Vomit).	Hæmorrhoids (Piles).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Intus-susceptio (Invagination of Gut).
.....	85	1	4	12	6	1	9	2	1	1
.....	59	1	1	6	1	10	9	2	2	3	2
.....	144	2	1	10	1	22	15	1	11	4	4	3
.....	26	5	6	2
.....	23	8	3	2	1
.....	49	13	3	8	2	1
.....	18	1	11	2	1	3
.....	19	1	2	19	1
.....	37	2	2	30	2	1	4
.....	13	3	5
.....	3	1	1	1
.....	16	4	1	6
.....	7	1	1	4	1
.....	6	4	3	2	1
.....	13	1	1	8	3	2	1	1
.....	4	1	2	1
.....	2	1	1
.....	6	1	2	2	1
.....	9	1	1	2	1
.....	3	2
.....	12	1	1	2	1	2
.....	7	4	1	1	3	1
.....	5	1
.....	12	4	1	2	3	1

[illegible]

CAUSES OF DEATHS, 1883—*Continued.*CLASS IV.—DEVELOPMENTAL DISEASES.—*Metamorphici.*

ORDER 1.—DEVELOPMENTAL DISEASES OF CHILDREN.— <i>Paidici.</i>									ORDER 2.—DEVELOPMENTAL DISEASES OF WOMEN.— <i>Gyniaci.</i>								
Anus Imperforatus (Imperforate Anus).	Atelectasis Pulmonum.	Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis (Umbilical Hæmorrhage).	Natus Præter Naturam (Preternatural Birth).	Partus Emortuus (Still Birth).	Partus Intempestivus (Premature Birth).	Spina Bifida.	Abortus (Abortion, Miscarriage).	Climacteria (Turn of Life).	Eclampsia Parturi (Convulsions in Child-birth).	Febris Puerperalis (Puerperal Fever).	Hæmorrhagia Post Partum (Flooding).	Mania Puerperalis (Puerperal Mania).	Partus (Child-birth).	Phlegmasia Dolens (Milk Leg).	
1	3	1	11			38	38	2									
.....	3	1	5	32	17	1	4	22	4	3	
1	6	2	16	70	55	3	4	22	4	3	
.....	1	30	15	
.....	2	1	1	30	10	1	5	1	3	1	
.....	3	1	1	60	25	1	5	1	3	1	
.....	7	33	1	12	8	
.....	4	37	3	15	13	1	10	
.....	11	70	4	27	21	1	10	
.....	7	8	
.....	2	9	1	
.....	9	17	1	
.....	
.....	5	1	
.....	4	4	1	2	
.....	9	5	1	2	
.....	
.....	1	6	1	
.....	5	2	1	2	
.....	1	11	3	1	2	
.....	
.....	1	4	6	1	
.....	1	6	6	1	
.....	
.....	1	2	1	
.....	2	1	
.....	1	4	1	1	

TABLE G.—DEATHS BY CITIES.—

CITIES.	CLASS IV.— <i>Continued.</i>			CLASS V.—VIOLENCE TENDING							
	O. 3.—DEV. DIS. OLD PEOPLE.— <i>Geratici.</i>			ORDER 1.—ACCIDENT							
	Gangrena Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	Ambusta (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion of Spine).	Contusio (Contusion).	Explosio (Explosion).	Fractura (Fracture).	Gelatio (Freezing).	Ictus Fulminis (Lightning).
Toronto :											
Males	1	29	124	2		2			2	2	
Females		30	122	3							
Total	1	59	246	5		2			2	2	
Hamilton :											
Males		13	59			1			1	1	
Females		16	71	1							
Total		29	130	1		1			1	1	
Ottawa :											
Males		22	83			1				1	
Females		27	110	2							
Total		49	193	2		1				1	
London :											
Males		7	22								
Females		9	21								
Total		16	43								
Kingston :											
Males		16	22								
Females		16	27								
Total		32	49								
Guelph :											
Males		6	14								
Females		5	15								
Total		11	29								
St. Catharines :											
Males			4								
Females		5	15								
Total		5	19								
Brantford :											
Males		4	7							1	
Females		4	8								
Total		8	15							1	

CAUSES OF DEATHS, 1883—*Continued.*

TO SUDDEN DEATH.— <i>Thanatici.</i>													
AND NEGLIGENCE.					ORDER 2. HOMICIDE.	SUICIDE.— <i>Autophonici.</i>				ORDER 4. EXECUT'N.			
Suffocatio (Suffocation).	Submersio (Drowning).	Venenatio (Poison).	Vulnera Wounds.	Killed by Cars.	Murder and Manslaughter.	Suicide.					Total Violent Deaths.	Cause not Specified.	Total Number of Deaths.
						Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).	Suspendium (Hanging).			
1	18	1	12	7	...			2	1	...	50	7	1065
...	1	...	1	1	6	13	975
1	19	1	13	7	...			3	1	...	56	20	2040.
1	6	...	5	1	...				1	...	17	6	437
1					2	5	385
2	6	...	5	1	...				1	...	19	11	822
...	6	...	14	1	23	15	635
...	1	...	4	7	23	576
...	7	...	18	1	30	38	1211
...			1	4	...				1	...	6	...	149
1			2	3	3	131
1			3	4	...				1	...	9	3	280
...	1		9	2	...				1	...	13	39	210
1			1	...	1	1	4	25	174
1	1	...	10	2	1	1	1	...	17	64	384
...			2	1	3	1	75
...						2	75
...			2	1	3	3	150
...							
...					...				1	...	1	4	92
...							74
...					...				1	...	1	4	166
...							
...	2		1		4	1	92
...						1	67
...	2		1		4	2	159

TABLE G.—DEATHS BY CITIES.—

CITIES.	CLASS I.—ZYMOTIC										
	ORDER 1.—MIASMATIC										
	Anthrax (Carbuncle).	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Diarrhoea Chronica (Chronic Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Enterocolitis.	Febris Biliosa (Bilious Fever).
Belleville :											
Males		1		1	3						
Females		2			2						
Total		3		1	5						
St. Thomas :											
Males		4		2	1		1				
Females		1		2	3						
Total		5		4	4		1				
Total Males		76	1	34	102	3	19	70	22		1
“ Females		67	4	26	106	5	10	60	10		1
Grand Total		143	5	60	208	8	29	130	32		2

CAUSES OF DEATHS, 1883.

DISEASES, *Zymotici*.

DISEASES, *Miasmatici*.

Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).	Febris (Typhus Fever).	Influenza.	Morbilli (Measles).	Parotitis (Mumps).	Pertussis (Whooping Cough).	Pyæmia.	Scarlatina (Scarlet Fever).	Tonsillitis (Quincy).	Variola (Small-Pox).	ORDER 2.—ENTHETIC OR INOCULATED DISEASES, <i>Enthetici</i> .	
														Syphilis.	
.....	1	2	2	6
.....	1	2	1	1	7
.....	1	2	3	1	13
.....	1	3
.....	1	1
.....	1	4
14	4	2	73	1	3	18	18	12	52	2	3
8	1	3	4	64	2	17	1	19	17	38	5
22	1	7	6	137	1	5	35	1	37	29	90	2	8

TABLE G.—DEATHS BY CITIES.—

CITIES.	CLASS I.—Continued.									
	ORDER 3.—DIETIC DISEASES.— <i>Dictiei.</i>							ORDER 4.—PARASITIC DISEASES.— <i>Paracitiei.</i>		
	Alcoholism.	Bronchocœle.	Delirium Alcoholicum (Delirium Tremens).	Ebriositas (Drunkenness).	Ergotismus.	Purpura.	Rachitis (Rickets).	Apthæ (Thrush).	Tænia Solium (Tape Worm).	Total Zymotic Diseases.
Belleville :										
Males								1		17
Females									1	14
Total								1	1	31
St. Thomas :										
Males										11
Females										8
Total										19
Total Males	3	1	5	4				9	1	553
“ Females	4		2	1	2			3		480
Grand Total	7	1	7	5	2			12	1	1033

CAUSES OF DEATHS, 1883.—*Continued.*

CLASS II.—CONSTITUTIONAL DISEASES.—*Cachectici.*

ORDER 1.—DIATHETIC DISEASES.—*Diathetici.*

ORDER 2.—TUBERCULAR
DISEASE.—*Phthisici.*

Anæmia.	Anasarca (General Dropsy).	Arthritis (Articular Rheumatism).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Leucoeythæmia.	Mortificacio (Mortification).	Noma (Canker).	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Morbus Coxarius (Hip Disease).
33				1	1	1				1	1		
6				2		1				1	1		
3													
3										1	1		
6										1	1		
252	24		7	50	1	8		1		18	58	22	1
212	32		7	43	1					15	41	16	2
464	56		14	93	2	8		1		33	99	38	3

TABLE G.—DEATHS BY CITIES.—

CITIES.	CLASS II.—Continued.				CLASS III.—LOCAL							
	ORDER 2—Continued.			Total Constitutional Diseases.	ORDER 1.—DISEASES OF THE							
	Phthisis Pulmonalis (Consumption).	Scrofula.	Tabes Mesenterica.		Apoplexia (Apoplexy).	Atropia Musculorum Ingravitans (Progressive Locomotor Ataxia).	Chorea (St. Vitus' Dance).	Convulsio (Convulsions).	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Hysteria.
Belleville :												
Males.....	13			19	2			2		1		
Females.....	27			32					1			
Total	40			51	2			2	1	1		
St. Thomas :												
Males.....	2			5	2			2				
Females.....	8			13	3			1				
Total	10			18	5			3				
Total Males.....	285	22	3	752	59	1		91	23	14	2
" Females.....	342	23	6	740	49	1	2	66	20	6	3
Grand Total.....	627	45	9	1492	108	2	2	157	43	20	5

CAUSES OF DEATHS, 1883—*Continued.*DISEASES.—*Monorganici.*

NERVOUS SYSTEM.— <i>Cephalici.</i>										ORDER 2.—DISEASES OF THE CIRCULATORY SYSTEM.— <i>Cardiac.</i>									
Insania (Insanity).	Insolatio (Sunstroke).	Meningitis.	Myelitis (Inflammation of Spinal Cord).	Necrencephalus (Softening of Brain).	Paralysis (Palsy).	Paraplegia (Palsy of Lower Extremities).	Tetanus (Lockjaw).	Neuralgia.	Aneurisma (Aneurism).	Angina Pectoris (Breast Pang).	Atrophia Cordis (Atrophy of Heart).	Carditis (Inflammation of Heart).	Degeneratio Cordis (Fatty Degeneration of Heart).	Endocarditis (Inflammation of Membrane lining Heart).	Epistaxis (Nosebleed).	Hydrops Pericardii (Dropsey of Heart).	Hypertrophia Cordis (Enlargement of Heart).		
.....	4	1	3		
.....	4	1	5		
.....	1		
.....	1		
2 3	1 1	97 57	7 2	6 4	35 33	2	1	1 2	3 1 1	3 2	1	4 4		
5	2	154	9	10	68	2	1	3	3	1	1	5	1	3		

TABLE G.—DEATHS BY CITIES.—

CITIES.	CLASS III.											
	ORDER 2—Continued.					ORDER 3.—DISEASES OF THE RESPIRATORY SYSTEM.						
	Morbus Valvularum Cordis (Valvular Disease of Heart).	Pericarditis.	Phlebitis (Inflammation of Veins).	Syncope (Fainting).	Varices (Varicose Veins).	Apoplexia Pulmonalis (Con- gestion of Lungs).	Bronchitis.	Emphysema.	Empyema.	Hydrothorax (Dropsy of Chest).	Laryngitis (Inflammation of Larynx).	Pleuritis (Pleurisy).
Belleville:												
Males.....	9					5						
Females.....	2					5	2					
Total.....	11					10	2					
St. Thomas:												
Males.....						1	1					
Females.....	2					2	3					
Total.....	2					3	4					
Total Males.....	118	4	1			60	73	2			8	9
" Females.....	103		1	3		48	97		3		4	3
Grand Total.....	221	4	2	3		108	170	2	3		12	12

CAUSES OF DEATHS, 1883—Continued.

—Continued.

PNEUMONICI.			ORDER 4.—DISEASES OF THE DIGESTIVE SYSTEM.— <i>Enterici.</i>													
Pleuro-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Other Diseases of the Respiratory Organs.	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis.	Colica (Colic).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Fistula.	Gastritis (Inflammation of Stomach).	Hæmatemesis (Blood Vomit).	Hæmorrhoids (Piles).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Intus-susceptio (Invagination of Gut).
.....	3	4	1
.....	1	2	1
.....	4	6	1	1
.....
.....	4
.....	5
.....	9
.....
.....	176	2	1	4	1	3	47	12	1	22	8	5	2
.....	126	1	1	6	2	2	44	17	12	2	6	1
.....	302	3	2	10	3	5	91	29	1	34	10	11	3

TABLE G.—DEATHS BY CITIES.—

CITIES.	CLASS III.—									
	ORDER 4—Continued.									
	Obstipatio (Constipation).	Esophagitis (Inflammation of Gullet).	Perforatio Intestini (Perforation of Intestine).	Peritonitis (Inflammation of Abdomen).	Splenitis (Inflammation of Spleen).	Stomatitis (Inflammation of Mouth).	Stricture Intestini (Stricture of Intestine).	Typhlitis.	Ulceratio Intestini (Ulceration of Intestines).	Ulcer of Stomach.
Belleville :										
Males										
Females										
Total										
St. Thomas :										
Males										3
Females										1
Total										4
Total Males	4	1		17	2	1				4
Females	3			30	1		2		2	3
Grand Total	7	1		47	3	1	2		2	7

CAUSES OF DEATHS, 1883—Continued.

Continued.

ORDER 5.—DISEASES OF URINARY SYSTEM.— <i>Nephritici.</i>										ORDER 6.—DISEASES OF THE GENERATIVE ORGANS.— <i>Genetici.</i>									
Calculus (Stone).	Cystitis (Inflammation of Bladder).	Diabetes.	Ischuria (Retention of Urine).	Lithiasis (Gravel).	Morbus Prostaticus (Diseased Prostate).	Nephria (Bright's Disease).	Nephritis (Inflammation of Kidneys).	Stricture of Urethra.		Hydrocele (Dropsey of Testicle).	Hydrops Ovarii (Ovarian Dropsy).	Metritis (Inflammation of Womb).	Morbus Uteri (Uterine Disease).	Polypus Uteri (Uterine Polypus).	Tumor Ovarii (Ovarian Tumor.)	Tumor Uteri (Uterine Tumor).			
.....	1
.....	1
.....	1
.....
.....
.....
1	11	5	2	2	22	17	1	2
.....	1	1	1	17	17	4	6	4	9
1	12	6	2	1	2	39	34	1	2	4	6	4	9

TABLE G.—DEATHS BY CITIES.—

CITIES.	CLASS III.—Continued.										
	ORDER 7.—DISEASES OF THE LOCOMOTIVE SYSTEM.— <i>Myostici.</i>							ORDER 8.—DISEASES OF THE INTEGUMENTARY SYSTEM.— <i>Chrotici.</i>			
	Arthritis (Inflammation of Joints).	Atrophia Musculorum (Muscular Atrophy).	Caries.	Exostitis (Tumor of Bone).	Necrosis.	Ostitis (Inflammation of Bones).	Synovitis.	Abscessus (Abscess).	Pemphigus.	Phlegmon.	Total Local Diseases.
Belleville :											
Males								2			37
Females											17
Total								2			54
St. Thomas :											
Males								2			16
Females											18
Total								2			34
Total Males	1		2		1	1	1	18	2	1	1031
" Females			1		1		1	11	1		855
Grand Total	1		3		2	1	2	29	3	1	1886

CAUSES OF DEATHS, 1883—*Continued.*

CLASS IV.—DEVELOPMENTAL DISEASES.—*Metamorphici.*

ORDER 1.—DEVELOPMENTAL DISEASES OF CHILDREN.— <i>Paidici.</i>								ORDER 2.—DEVELOPMENTAL DISEASES OF WOMEN.— <i>Gyniæci.</i>								
Anus Imperforatus Imperforate Anus).	Atelectasis Pulmonum.	Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis Umbilical Hæmorrhage).	Natus Præter Naturam (Preternatural Birth).	Partus Emortuus (Still-birth).	Partus Intempestivus (Premature Birth).	Spina Bifida.	Abortus (Abortion, Miscariage).	Climæcteria (Turn of Life).	Eclampsia Parturi (Convulsions in Child-birth).	Febris Puerperalis (Puerperal Fever).	Hæmorrhagia Post Partum (Flooding).	Mania Puerperalis (Puerperal Mania).	Partus (Child-birth).	Phlegmasia Dolens (Milk Leg).
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....													

TABLE G.—DEATHS BY CITIES.—

CITIES.	CLASS IV.— <i>Continued.</i>			CLASS V.—VIOLENCE TENDING							
	O. 3.—DEV. DIS. OLD PEOPLE.— <i>Geratici.</i>			ORDER 1.—ACCIDENT							
	Gangrena Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	Ambusta (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion of Spine).	Contusio (Contusion).	Explosio (Explosion).	Fractura (Fracture).	Gelatio (Freezing).	Ictus Fulminis (Lightning).
Belleville:											
Males		5	12								
Females		7	8								
Total		12	20								
St. Thomas:											
Males		1	4								
Females		5	9								
Total		6	13								
Total Males.....	1	103	351	2		4			3	5	
“ Females.....		124	406	6							
Grand Total.....	1	227	757	8		4			3	5	

CAUSES OF DEATHS, 1883—*Continued.*

TO SUDDEN DEATH.— <i>Thanatici.</i>											Total Violent Deaths.	Cause not Specified.	Total Number of Deaths.
AND NEGLIGENCE.					ORDER 2. HOMICIDE	ORDER 3.—SUICIDE.— <i>Autophonici.</i>				ORDER 4. EXECUT'N.			
Suffocatio (Suffocation).	Submersio (Drowning).	Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Suicide.				Suspendium (Hanging).			
						Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).				
.....	3	3	1	7	92
.....	1	72
.....	3	3	1	7	1	164
.....
.....	2	1	4	7	43
.....	48
.....	2	1	4	7	91
.....
2	38	1	48	21	2	4	130	73	2890
3	2	8	1	2	1	23	73	2577
5	40	1	56	21	1	4	5	153	146	5467

H. S. CREWE,
Inspector.

TABLE H.—DEATHS

COUNTIES.	Agents.		Artists.		Brickmakers.		Blacksmiths.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay								
Brant	2	110					2	86
Bruce							1	62
Carleton	4	192					1	85
Dufferin	1	39					1	26
Elgin							2	87
Essex	1	63			1	40		
Frontenac							3	121
Grey	2	76	1	48			2	76
Haldimand			1	23	1	76		
Halton	2	71			1	30		
Hastings								
Huron								
Kent							2	110
Lambton							1	41
Lanark							1	88
Leeds and Grenville							1	70
Lennox and Addington								
Lincoln	1	40	1	47				
Middlesex	4	190			3	134	5	325
Muskoka and Parry Sound							1	22
Norfolk	1	40	2	44	1	69	1	83
Northumberland and Durham	2	81					3	152
Ontario							5	304
Oxford							2	171
Peel							1	72
Perth	2	121						
Peterborough			1	33			3	137
Prescott and Russell							1	25
Prince Edward	1	49					1	44
Renfrew	1	51					1	41
Simcoe							4	138
Stormont, Dundas and Glengarry					1	47		
Victoria	1	52					1	21
Waterloo	4	126					3	213
Welland							2	152
Wellington	2	87					3	156
Wentworth	3	157	1	32			3	168
York	14	764			5	232	10	609
Totals	48	2309	7	227	13	628	67	3685
Average Age		48.1		32.4		48.3		55.0

BY OCCUPATIONS, 1883.

Brewers and Distillers.		Bricklayers.		Barbers.		Butchers.		Book-keepers and Clerks.		Bankers.		Bakers and Confectioners.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
		2	105			2	94	2	83				
						3	106	1	76				
						2	66						
						4	206	6	224	1	72		
								1	26				
										1	26		
1	60			1	27	1	33	3	92				
				2	96	1	83	1	25			1	64
								2	83				
				1	37								
		1	65					2	69			3	103
								1	27				
						1	74	2	62	1	43		
								2	71				
						1	24	1	24	1	22		
1	24			1	52	1	47	4	100				
								12	431	1	34	1	81
								1	21				
1	23					3	151	2	69	1	79		
1	46	2	120			2	128	3	99				
								2	52				
						1	67	4	134	1	28		
								1	25				
						1	22	1	45				
								2	54	1	52		
										1	40	1	63
								2	77				
								1	37				
		1	81					1	46				
										1	42		
1	59					2	104	2	65				
1	56			2	103	1	42	14	499	1	62		
		1	45	4	140	6	309	24	927	1	36	5	234
6	268	7	416	11	455	27	1384	104	3639	13	612	11	545
.....	44.6	59.4	41.3	51.2	35.0	47.0	49.5

TABLE H.—DEATHS BY

COUNTIES.	Carpenters.		Cabinet-makers.		Coopers.		Cooks.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay	3	130					1	36
Brant	5	292	1	42				
Bruce	6	277	1	67				
Carleton	7	374	3	193				
Dufferin	1	23						
Elgin	3	177			1	87		
Essex	6	319						
Frontenac	5	269	3	186				
Grey	2	145			1	52		
Haldimand			1	67	1	23		
Halton	1	25						
Hastings	4	305						
Huron	5	249	1	26	1	48		
Kent	5	231	1	90				
Lambton	1	48						
Lanark	7	386	1	76				
Leeds and Grenville	4	225						
Lennox and Addington	6	324						
Lincoln	5	181	1	22	1	54		
Middlesex	8	481		81				
Muskoka and Parry Sound	1	69						
Norfolk	2	80	1	46	1	64		
Northumberland and Durham	4	160	2	111	2	148		
Ontario	5	253						
Oxford	6	389						
Peel	1	50			2	132		
Perth	3	188			1	71		
Peterborough	6	289	2	71				
Prescott and Russell								
Prince Edward	3	247			1	46		
Renfrew	1	85			2	80		
Simcoe	4	179						
Stormont, Dundas and Glengarry	4	269	1	43				
Victoria	3	209						
Waterloo	4	180			1	25		
Welland	2	90						
Wellington	5	207	2	108	1	84		
Wentworth	16	831	3	195	1	75		
York	21	1179	5	259	2	84	1	54
Totals	175	9415	30	1683	19	1073	2	90
Average Age		53.8		56.1		56.5		45.0

OCCUPATIONS, 1883—*Continued.*

Chemists and Druggists.		Clergymen.		Contractors and Builders.		Carriage and Wagon Makers.		Dentists.		Engineers.		Editors.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
		1	32	1	50					1	58		
		1	77			2	122						
		1	58	2	57	1	76			3	69		
		2	117	1	41					2	125		
		1	64			1	39						
1	26									2	92		
		4	188			1	68			3	169		
1	74	2	143										
2	99												
		2	118							1	73		
1	80	2	87			2	156			2	71		
		1	83					1	24	1	44		
1	33												
										3	91		
1	37	1	60										
		1	60			2	118						
				2	153	1	56						
1	54	2	111	2	90	2	90						
		1	64										
		2	83										
		2	61	1	59	2	132	1	23				
		2	105	1	47					1	21		
1	26			1	31	1	59	1	23	1	67		
						1	57						
		1	70										
		1	69										
										1	65		
								1	50				
1	68	1	62										
		2	101							1	29		
						1	45						
		1	35	1	54	1	21						
		3	220	3	195	2	99			2	81		
		5	284	8	481	4	233			8	432	2	89
10	497	42	2352	23	1258	24	1371	4	120	32	1487	2	89
.....	49.7	56.0	54.5	57.1	30.0	46.4	44.5

TABLE H.—DEATHS BY

COUNTIES.	Farmers.		Farmers' Wives.		Gardeners.		Gentlemen.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma	9	479	12	599			1	26
Brant	48	3180	36	2205	2	129	7	482
Bruce	87	5398	70	4201	1	84		
Carleton	57	3581	25	1545			4	274
Dufferin	33	1694	28	1335			2	125
Elgin	48	3022	41	2574	2	95	2	113
Essex	69	4124	52	2964	1	79	1	31
Frontenac	53	3008	37	2239	2	148	1	78
Grey	74	4534	72	4688			4	219
Haldimand	35	2211	41	2345			4	267
Halton	26	1929	28	1711			5	313
Hastings	73	4457	68	4151	1	57	7	466
Huron	107	6362	91	5663			15	980
Kent	70	4363	40	2474			8	557
Lambton	64	3593	50	2661			5	361
Lanark	35	2167	24	1408			2	155
Leeds and Grenville	93	5776	62	3970	1	35	8	606
Lennox and Addington	40	2689	34	1984			1	73
Lincoln	38	2234	27	1593			4	271
Middlesex	138	8490	127	8060	1	64	4	230
Muskoka and Parry Sound	35	1819	18	986			1	78
Norfolk	40	2496	46	1978	1	73	6	409
Northumberland and Durham	101	6404	82	4945			11	756
Ontario	63	3563	52	3193			14	995
Oxford	85	5332	77	4477			8	522
Peel	37	2327	37	2163	1	80	3	209
Perth	76	4834	48	2844			6	417
Peterborough	44	2976	36	1913			6	392
Prescott and Russell	50	3146	43	2431	1	34	3	246
Prince Edward	41	2931	26	1604			3	221
Renfrew	43	2592	32	1852			1	74
Simcoe	75	4504	68	3842	1	52	4	302
Stormont, Dundas and Glengarry	104	7006	81	5225			2	171
Victoria	56	3523	45	2558			4	315
Waterloo	36	2412	61	3992	1	74	6	446
Welland	41	2651	34	2086	3	196	2	135
Wellington	89	5488	99	5783			7	486
Wentworth	66	4119	46	2881	4	240	5	303
York	96	6402	66	3975	7	444	18	1156
Totals	2375	147816	1962	117098	30	1884	195	13260
Average Age		62.2		59.7		62.8		68.0

OCCUPATIONS, 1883—*Continued.*

Hunters and Fishermen.		Housewives.		Labourers.		Lumbermen.		Lawyers.		Milliners and Dressmakers.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
		3	104	11	323						
		46	2605	16	741					4	201
		20	1116	13	632					2	59
		73	4152	86	4256	3	156	1	79		
		9	337	3	156						
2	71	37	1967	11	516						
4	189	54	2889	27	1995						
		69	3891	28	1696	1	47			1	28
1	21	38	1975	10	598			1	73	1	75
		5	331	2	127						
		22	1191	17	981					2	53
		51	2821	27	1592						
		38	2102	21	1094					2	116
		14	910	16	920						
		39	1859	17	905						
		29	1568	7	332					1	81
		49	2695	22	1199			1	22		
		19	998	12	598			1	50		
		58	3270	22	1136					2	84
1	65	98	5271	32	1557			1	40		
		4	150	5	241	2	61			1	45
		23	1351	7	373			1	39		
1	48	53	2642	30	1858						
		44	2517	27	1452						
		40	2350	16	1110			1	75	2	121
		30	1716	12	543						
		21	1247	19	927			1	53	1	30
		38	1778	20	992	1	42				
		13	603	13	785	1	28				
		26	1362	10	659						
		12	665	9	240	1	60				
		38	1857	23	1037	2	112			1	46
		19	973	24	1400					1	23
		12	591	15	959	3	128				
		63	3272	17	1046						
		31	1720	15	734						
		47	2494	30	1759	1	53	1	37	2	60
		154	8453	73	3782			1	26		
1	105	250	13112	154	7338			6	288	5	196
10	499	1689	90905	919	47889	15	687	16	782	28	1218
	50.0		53.8		52.1		45.8		49.0		43.5

TABLE H.—DEATHS

COUNTIES.	Masons.		Machinists.		Moulders.		Millers.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay					2	66	3	165
Brant								
Bruce								
Carleton	2	135	1	42			1	59
Dufferin	1	80					1	27
Elgin			2	79	1	49	1	76
Essex	1	71			1	46	2	76
Frontenac	3	178	2	61				
Grey								
Haldimand								
Halton	2	111						
Hastings	1	63						
Huron	2	135					1	65
Kent								
Lambton	1	63					2	133
Lanark			1	38				
Leeds and Grenville	2	102			1	21	1	35
Lennox and Addington	1	81					1	35
Lincoln							1	43
Middlesex	1	43	3	142	1	31	1	43
Muskoka and Parry Sound	1	47						
Norfolk					1	52	1	68
Northumberland and Durham	1	29					3	128
Ontario	4	274	1	30	2	44	1	33
Oxford	3	184					3	157
Peel								
Perth	2	97					1	69
Peterborough	2	100					1	29
Prescott and Russell								
Prince Edward								
Renfrew							1	27
Simcoe			1	21				
Stormont, Dundas and Glengarry	2	132						
Victoria								
Waterloo	2	97	1	27				
Welland	2	141						
Wellington	4	227	1	22	1	31	3	148
Wentworth	2	146	7	268	5	191	3	213
York	3	156	5	203	7	272	2	93
Totals	45	2692	25	933	22	803	34	1722
Average Age		60.0		37.3		36.5		50.6

BY OCCUPATIONS, 1883—*Continued.*

Millwrights.		Miners.		Musicians.		Manufacturers.		Merchants.		Other Occupations.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
						2	123	1	45		
								2	207		
						1	58	5	301		
						1	49				
1	82					1	66	4	227	1	36
		2	104			1	63	2	54		
								1	30		
								1	73		
		1	21			2	110	4	252		
				2	57			6	340		
						1	33	1	64		
										2	74
								2	116	2	80
						1	42	1	22		
								1	30		
						4	192	2	109		
2	150			1	55			10	582	2	70
						2	141	1	54		
								6	351		
						1	65	3	136		
								2	121	1	49
								5	239	1	46
1	58							2	102	1	40
								1	44		
								2	63		
1	71							2	90		
						1	75	3	166	1	38
						2	87	5	215	2	75
						1	34	5	209	2	77
						2	100			1	31
						2	152	1	56	2	125
1	58					3	190	1	50		
						2	84	2	145		
						1	71	16	1039		
1	45					1	27	27	1585	7	336
7	464	3	125	3	112	32	1762	127	7017	25	1077
.....	66.3	41.6	37.3	55.0	55.2	43.0

TABLE H.—DEATHS BY

COUNTIES.	Other Mechanics.		Painters.		Pedlars.		Physicians.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay								
Brant	2	78	1	45			2	94
Bruce							2	57
Carleton							1	27
Dufferin								
Elgin	2	94	2	55				
Essex	2	82	1	30				
Frontenac	4	155	1	35				
Grey	1	54						
Haldimand								
Halton					1	84	1	33
Hastings	4	259			1	50	1	27
Huron	1	59					1	70
Kent	1	60	1	73			3	164
Lambton			2	93			1	35
Lanark							2	100
Leeds and Grenville	3	159					1	73
Lennox and Addington								
Lincoln	10	431	2	75			2	151
Middlesex	6	288	5	239	1	37	7	325
Muskoka and Parry Sound	1	44						
Norfolk							2	111
Northumberland and Durham	2	109	3	139	1	72	3	101
Ontario	5	202	3	136			1	76
Oxford	3	149						
Peel			1	35			1	60
Perth	2	67					2	115
Peterborough	1	48						
Prescott and Russell	1	27						
Prince Edward							2	109
Renfrew			1	59	1	52	1	85
Simcoe			1	82			2	120
Stormont, Dundas and Glengarry	2	101	1	25				
Victoria								
Waterloo	3	111	1	22				
Welland								
Wellington			1	22			1	25
Wentworth	10	485	4	206	1	76		
York	15	762	4	211	1	22	4	199
Totals	81	3824	35	1582	7	393	43	2157
Average Age		47.2		45.2		56.1		50.1

OCCUPATIONS, 1883—*Continued.*

Plasterers.		Printers.		Provincial Land Surveyors.		Public Officials.		Railway Employees.		Students.		Stonecutte .	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
						2	137	3	139			1	28
						1	44					3	96
4	137	5	133			6	304	1	21				
1	68					3	191	5	193				
						3	183	3	143				
		1	26	1	25	2	186	1	21			1	81
		1	28			1	84	1	21				
1	49							1	23				
								1	62	1	28		
						3	146	2	70				
		1	24			3	164						
2	138	1	23			1	70						
		1	36			1	65	2	58	1	26		
								2	84	1	22		
		1	30			2	105	3	136				
								1	40				
1	30	1	23			4	276					4	204
						2	112	4	215				
						1	89			1	24		
		1	40	1	21	1	44	5	174			1	29
		2	60			2	118					1	44
1	55												
		2	50					3	107				
						1	60						
				1	78	2	56	1	22	1	21		
						2	149	1	1	1	25		
						2	135						
1	58					1	74	1	36				
						2	115						
1	75					3	200	3	152			1	24
1	28					1	66						
						6	354	5	153				
		6	276			11	623	10	363	4	96	4	187
												4	168
13	638	23	749	3	124	69	4150	58	2233	10	242	20	861
.....	49.0	32.5	41.3	60.1	38.5	24.2	43.0

TABLE H.—DEATHS BY

COUNTIES.	Shoemakers.		Sailors.		Saddlers and Harness- makers.		Seamstresses.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay			1	32				
Brant	4	284						
Bruce	3	137						
Carleton	2	111	1	52	1	24	1	83
Dufferin							1	47
Elgin	1	50			2	78	2	111
Essex	3	118	1	21	1	28	1	34
Frontenac	4	231	3	168			3	129
Grey.....	3	111	3	114	1	52		
Haldimand								
Halton	2	118					1	69
Hastings.....	5	293	1	63	2	62		
Huron	1	80	2	63	1	70		
Kent			4	140	1	32		
Lambton	2	132						
Lanark	4	237			1	48		
Leeds and Grenville	2	105						
Lennox and Addington	3	104					2	68
Lincoln	1	81	2	108				
Middlesex	6	359						
Muskoka and Parry Sound								
Norfolk			1	26				
Northumberland and Durham	1	73					1	46
Ontario	1	56	1	62				
Oxford	4	250						
Peel	2	128						
Perth	2	150					1	59
Peterborough	2	153						
Prescott and Russell.....	1	63			1	28		
Prince Edward.....	2	113	2	77	1	30	2	55
Renfrew								
Simcoe	5	290						
Stormont, Dundas and Glengarry	2	132			1	53	2	94
Victoria	2	124					2	50
Waterloo	3	200			1	28		
Welland			2	94			1	75
Wellington	4	245			2	92	1	34
Wentworth	5	283	3	157	3	79	3	72
York	20	1086	1	52	1	68	8	3 7
Totals	102	5897	28	1229	20	772	32	1353
Average Age.....		57.8		43.9		38.6		42.2

© 2010 Pearson Education, Inc. or its affiliate(s). All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage or retrieval system, without prior written permission from Pearson Education, Inc. or its affiliate(s).

TABLE H.—DEATHS BY

COUNTIES.	Telegraph Operators.		Tailors.		Tanners and Curriers.		Undertakers.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay								
Brant			2	48				
Bruce								
Carleton			1	58				
Dufferin	1	22	1	70				
Elgin			2	104				
Essex			1	59				
Frontenac			2	146				
Grey	1	21	1	63			1	59
Haldimand			1	93	1	30		
Halton			1	61	1	43		
Hastings					1	49		
Huron			1	60				
Kent			1	51				
Lambton			1	35				
Lanark			3	177				
Leeds and Grenville			11	608				
Lennox and Addington								
Lincoln								
Middlesex								
Muskoka and Parry Sound								
Norfolk								
Northumberland and Durham	1	32			2	60		
Ontario			3	195				
Oxford								
Peel			1	76				
Perth								
Peterborough								
Prescott and Russell								
Prince Edward								
Renfrew	1	21						
Simcoe			3	219				
Stormont, Dundas and Glengarry			1	47				
Victoria			1	51				
Waterloo			4	206	1	65		
Welland			1	77				
Wellington	1	31	3	227				
Wentworth			2	110	2	116		
York	1	40	6	365	1	70	1	27
Totals	6	167	54	3206	9	433	2	86
Average Age		27.8		59.3		48.1		48.0

OCCUPATIONS, 1883—*Concluded.*

Volunteers, Soldiers and Pensioners.		Watchmakers and Jewellers.		Weavers.		Total Number of Deaths.	Total Ages.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.		Aggregate.	Average.
						49	2079	42.4
1	57					213	12420	58.3
1	80			2	129	223	12822	57.5
2	146			1	77	327	17961	54.9
2	148					88	4295	48.8
						181	10171	56.2
6	448			1	86	257	13980	54.4
8	528			1	52	272	15446	56.8
2	128					236	13919	59.3
2	148					103	5946	57.7
				1	65	122	7322	60.0
				2	117	280	16349	58.3
				1	80	316	18366	58.1
						176	10572	60.0
1	78			1	69	204	10726	52.5
				1	21	133	7449	56.0
1	75			2	120	272	16017	58.9
						127	7328	57.7
2	126					209	11476	55.0
7	493	1	39	1	78	526	30189	57.3
						75	3849	71.3
						152	8164	53.7
1	85	2	75	1	28	349	19860	57.0
				1	60	260	14557	56.0
				2	153	275	16455	60.0
1	77					139	8072	58.0
				2	107	206	12137	58.9
1	60	1	64			177	9602	54.3
2	186					133	7730	58.1
						126	7838	62.2
		1	23			122	6686	56.4
3	205			3	228	263	14457	55.0
1	44					272	16823	61.8
				3	198	158	9299	58.7
		2	44	3	195	223	13482	60.4
1	74					155	9178	59.2
1	23	1	37	1	65	340	19076	56.1
5	259	1	29	2	50	535	28532	53.3
5	352	1	72			939	49585	52.8
56	3820	10	383	32	1978	9213	520215	56.4
	68.2		38.3		61.8			

H. S. CREWE,
Inspector.

TABLE I.—DEATHS BY OCCUPATIONS.—

OCCUPATIONS.	CLASS I.—ZYMOTIC						
	ORDER 1.—Miasmatic						
	Cholera Morbus.	Diarrhoea Acuta (Acute Diarrhoea).	Diarrhoea Chronica (Chronic Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Biliosa (Bilious Fever).
Agents			1			1	
Artists						1	
Brickmakers							
Blacksmiths			1				
Brewers							
Bricklayers							
Barbers							
Butchers			1				
Book-keepers				1	1		
Bankers				1			
Bakers and Confectioners							
Carpenters		1	1	1			
Cabinet-makers							
Coopers							
Cooks							
Chemists and Druggists							
Clergymen		2					
Contractors and Builders				1			
Carriage and Waggon-makers						1	
Dentists							
Engineers							
Editors							
Farmers	12	10		3	5	20	
Gentlemen		2	1			2	
Gardeners							
Hunters and Fishermen							
Labourers		3				11	1
Lumbermen							1
Lawyers							
Milliners and Dressmakers					1		
Masons						1	
Machinists				1		1	
Moulders							
Millers			1	1			
Millwrights							
Musicians							1
Manufacturers						1	2
Merchants					1		
Mechanics (kind not specified)							
Miners						1	
Other Occupations							
Printers							
Painters							
Pedlars							
Plasterers							
Physicians				1			
Public Officials						1	
Provincial Land Surveyors							
Railroad Employees	1						

•CAUSES OF DEATHS, 1883.

DISEASES.—*Zymotici.*

DISEASES.—*Miasmatici.*

Febris Cerebro-spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).	Febris Typhus (Typhus Fever).	Influenza.	Morbilli (Measles).	Pyæmia.	Scarlatina (Scarlet Fever). ^Δ	Variola (Small Pox).	ORDER 2.—ESTHETIC DISEASES.	ORDER 3.—DIETIC DISEASES.	
											Syphilis.	Alcoholism.	Scorbutis (Scurvy).
				3				1				2	
				1								1	
				1								1	
												1	
				2								4	
				2								1	
				6								1	
				1								1	
				1									
				3								1	
				1									
				2									
1			3	32	2	3	4	13				8	
				1	1	1						1	
1	1			17	1			3		3		4	
				1								1	
				1				1					
				2									
				2									
				3								1	
	1			2									
				6				1				1	
				2				2				1	
			1										
				2								1	
				1				1					
				4								1	
		2		4				2				1	
				1									
1								1					

TABLE I.—DEATHS BY OCCUPATIONS.—

OCCUPATIONS.	CLASS II.—CONSTITUTIONAL DISEASES.— <i>Cachectici</i> .									
	ORDER 1.—DIATHETIC DISEASES.— <i>Diathetici</i> .						ORDER 2.—TUBERCULAR DISEASES.— <i>Phthisici</i> .			
	Anæmia.	Anasarca (General Dropsy).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Gout.	Rheumatismus (Rheumatism.)	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis.)	Peritonitis Tuberculosis (Tubercular Peritonitis).	Phthisis Pulmonalis (Consumption.)
Agents	1		2	2	1					7
Artists		1								2
Brickmakers										1
Blacksmiths	1	3	2	2		1				10
Brewers						1				
Bricklayers				1						
Barbers										3
Butchers				2						2
Book-keepers		1		3		1				49
Bankers										2
Bakers and Confectioners						1	1			2
Carpenters	1	2	2	8		2		1	1	45
Cabinet-makers				2						9
Coopers	1	2								4
Cooks										
Chemists and Druggists						1				5
Clergymen				3						12
Contractors and Builders				1						4
Carriage and Waggon-makers										4
Dentists										
Engineers				1						8
Editors										
Farmers	44	85	22	79		24	1			381
Gentlemen		3	1	8	1	4				15
Gardeners	1	1		1		1				2
Hunters and Fishermen				1						1
Labourers	9	25	6	20		6		3		169
Lumbermen				1						2
Lawyers										4
Milliners and Dressmakers				1		1				7
Masons		1	1	2						6
Machinists						1				5
Moulders						1				7
Millers		1		1		1				8
Millwrights				1						2
Musicians										2
Manufacturers		1		2						8
Merchants	1	1	1	6		3		1		19
Mechanics (kind not specified.)	5	1	1	3		6				18
Miners										
Other Occupations										1
Printers										14
Painters				2						12
Pedlars						1				1
Plasterers		1				1				3
Physicians		2								8
Public Officials	3	1		1		1	1			8
Provincial Land Surveyors										1
Railroad Employees				1						12

CAUSES OF DEATHS, 1883—Continued.

CLASS III.—LOCAL DISEASES.—*Monorganici.*

ORDER 1.—DISEASES OF THE NERVOUS SYSTEM.— <i>Cephalici.</i>												ORDER 2.—DISEASES OF THE CIRCULATORY SYSTEM.— <i>Cardiac.</i>					
Apoplexia (Apoplexy).	Atropia.	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Insania (Insanity).	Insolatio (Sunstroke).	Meningitis.	Myelitis.	Neurencephalus (Softening of Brain).	Paralysis (Palsy).	Paraplegia (Palsy of Lower Extremities).	Tetanus (Lockjaw).	Angina Pectoris (Breast Pang).	Atropia Cordis (Atrophy of Heart).	Degeneratio Cordis (Fatty Degeneration of Heart).	Hydrops Pericardii.	Morbus Valvularum Cordis (Heart Disease).
.....	1	1	1	1	5
1	1	2
3	1	1	4	3
1	1	1
1	1	2
1	1	2	2
3	1	2	2	1	2	8
3	1
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....		

TABLE I.—DEATHS BY OCCUPATIONS.—

OCCUPATIONS.	CLASS III.—							
	ORDER 3.— DISEASES OF THE RESPIRATORY SYSTEM.— <i>Pneumnici.</i>						ORDER 4.—	
	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Hydrothorax (Dropsy of Chest).	Laryngitis (Inflammation of Larynx).	Pleuritis (Pleurisy).	Pneumonia (Inflammation of Lungs).	Ascites (Abdominal Dropsy).	Cirrhosis of Liver.
Agents	4					4		
Artists						1		
Brickmakers						2		
Blacksmiths	2				1	5		1
Brewers						1		
Bricklayers								
Barbers		1				2		
Butchers		1				3		
Book-keepers	1					6		1
Bankers	1					2		
Bakers and Confectioners								
Carpenters	2	2	1		1	12		
Cabinet-makers	1				1	4		
Coopers		2						
Cooks	1							
Chemists and Druggists								
Clergymen								
Contractors and Builders					1	2		1
Carriage and Waggon-makers		1				4		
Dentists								
Engineers		2	1			3		
Editors								
Farmers	37	30	1	2	6	131	2	1
Gentlemen	4	11				12		
Gardeners	1	1				5		
Hunters and Fishermen								
Labourers	21	16			5	78		1
Lumbermen						1		
Lawyers								
Milliners and Dressmakers	1	3				2		
Masons	2	1				5		
Machinists	2					3		
Moulders						5		
Millers		1			1	3		
Millwrights								
Musicians								
Manufacturers	1	2				2		
Merchants	2			1		6		
Mechanics (kind not specified)	2	2				9		
Miners								
Other Occupations							1	
Printers								
Painters	1			1		3		
Pedlars								
Plasterers	1					1		
Physicians	1				1	2		
Public Officials	1				1	4		
Provincial Land Surveyors								
Railroad Employees		1				5		

CAUSES OF DEATH, 1883—*Continued.*

Continued.

DISEASES OF THE DIGESTIVE SYSTEM.—*Enterici.*[illegible]

TABLE I.—DEATHS BY OCCUPATIONS.—

OCCUPATIONS.	CLASS III.—Continued.									CLASS IV. DEV. DIS. — <i>Geratici</i> . <i>Metamorphici</i>	CLASS V.—				
	ORDER 5.—DISEASES OF THE URINARY SYSTEM.— <i>Nephritici</i> .										O. 8.	ORDER 1.—			
	Calculus (Stone).	Cystitis (Inflammation of Bladder).	Diabetes.	Ischuria (Retention of Urine).	Lithiasis (Gravel).	Morbus Prostaticus (Diseased Prostrate).	Nephria (Bright's Disease).	Nephritis (Inflammation of Kidneys).	Abscessus (Abscess).			Senectus (Old Age).	Ambusta (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion).
Agents										3					
Artists															
Brickmakers							1	1		1					
Blacksmiths			1				2		1	8					
Brewers															
Bricklayers										1					
Barbers							1								
Butchers			1					1	1	2					
Book-keepers							1	2							
Bankers							1			1					
Bakers and Confectioners										2					
Carpenters	2			1	1		1	7		17					
Cabinet-makers					1					3					
Coopers															
Cooks		1								1					
Chemists and Druggists		1								6					
Clergymen		1					1								
Contractors and Builders	1	1								3					
Carriage and Waggon-makers										3	1				
Dentists															
Engineers										1	1				
Editors															
Farmers	3	23	15	4	12	2	16	28	15	570	2	1	1	2	
Gentlemen		2	1		1	1	8	2	4	58					
Gardeners		1								5					
Hunters and Fishermen					1		1								
Labourers	6	6			2		6	11	2	138	3				
Lumbermen							1								
Lawyers															
Milliners and Dressmakers										1					
Masons							1			5					
Machinists							1								
Moulders							1								
Millers			2								1				
Millwrights										1					
Musicians															
Manufacturers			1				1								
Merchants		1	2				2	2	1	13					
Mechanics (kind not specified)			2				1	1		3					
Miners															
Other Occupations															
Printers															
Painters							2			2					
Pedlars															
Plasterers	1										1				
Physicians			1				1	1		2					
Public Officials		1					4	1	1	4					
Provincial Land Surveyors															
Railroad Employees								1	1						

CAUSES OF DEATHS, 1883—Continued.

VIOLENCE TENDING TO SUDDEN DEATH.— <i>Thanatici.</i>																	
ACCIDENT AND NEGLIGENCE.										ORD. 3— HOMI- CIDE.	ORDER 4.—SUICIDE.			ORD. 5— EXECU- TION.			
Explosion.	Fracture.	Gelatio (Freezing).	Ictus Fulminis (Lightning).	Morsus Serpentis (Snake-bite.	Suffocatio (Suffocation).	Submersio (Drowning).	Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).	Suspendium (Hanging).	Other Causes of Death.	Total.
								1	2							1	48
																2	7
								3								1	13
																3	67
																1	6
																	7
																1	11
																	27
								1									104
								4	2		1						13
																	11
								5			1	1				10	175
								1								1	30
																1	19
																	2
																3	42
																1	23
									1								24
																2	4
																	32
																	2
																41	2375
																3	195
								1									30
																1	10
																	10
																24	919
																4	15
																	16
																	28
																1	45
																	25
																1	22
																1	34
																	7
																	3
																	32
																4	127
																1	81
																	3
																12	25
																2	23
																	35
																	7
																1	13
																8	43
																4	69
																	3
																	58
						1	1	2	20					1			58

TABLE I.—DEATHS BY OCCUPATIONS.—

OCCUPATIONS.	CLASS I.—ZYMOTIC						
	ORDER 1.—MIASMATIC						
	Cholera Morbus.	Diarrhea Acuta (Acute Diarrhea).	Diarrhea Chronica (Chronic Diarrhea).	Dysentaria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Febris Biliosa (Bilious Fever).
Students							
Stonecutters							
Shoemakers	1	1					
Sailors							1
Saddlers and Harness-makers							
Seamstresses		1					
Servants							
Soldiers and Pensioners		2					
Tinsmiths							
Teamsters							
Tavern-keepers				1			
Teachers (Male)							
Teachers (Female)							
Telegraph Operators							
Tailors		2					
Tanners and Curriers		1					
Tobacconists and Cigar-makers							
Undertakers							
Weavers							
Watchmakers and Jewelers							
	14	25	6	11	8	43	3

CAUSES OF DEATHS, 1883—*Continued.*

DISEASES.—*Zymotici*.

DISEASES.— <i>Miasmatici.</i>											ORDER 2.—ENTHETIC DISEASES.	ORDER 3.—DIETIC DISEASES.	
Febris Cerebro-spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).	Febris Typhus (Typhus Fever).	Influenza.	Morbili (Measles).	Pyæmia.	Scarlatina (Scarlet Fever).	Variola (Small Pox).		Syphilis.	Alcoholism.
.	.	.	.	1
.	.	.	.	7
.	.	.	.	4	1	.
.	.	.	.	1	1	.	.
.	.	.	.	1	.	.	1	.	.	.	1	.	.
.	.	.	.	5	.	.	.	1
.	.	.	.	1	1	.	.	1	.
.	.	.	.	2
.	.	.	.	1	1	.
.	.	.	.	1	1	.
.	.	.	.	2
.	.	.	.	1
.	.	.	.	1
.	.	.	.	4	2	.
.	1
3	2	2	4	132	3	4	5	26	3	3	2	36

TABLE I.—DEATHS BY OCCUPATIONS.—

OCCUPATIONS.	CLASS II.—CONSTITUTIONAL DISEASES.— <i>Cachectici</i> .									
	ORDER 1.—DIATHETIC DISEASES.— <i>Diathetici</i> .						ORDER 2.—TUBERCULAR DISEASE.— <i>Phthisici</i> .			
	Anamia.	Anasarca (General Dropsy).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Podagra (Gout).	Rheumatismus (Rheumatism).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Peritonitis Tuberculosis (Tubercular Peritonitis).	Phthisis Pulmonalis (Consumption).
Students			1							2
Stonecutters			1							13
Shoemakers		2	1	3						21
Sailors		1								4
Saddlers and Harness-makers				1						11
Seamstresses	1	1		3						13
Servants		2								20
Soldiers and Pensioners		1	2	3						7
Tinsmiths		1								2
Teamsters	1	1		1						6
Tavern-keepers		4		2		2				13
Teachers (Male)	1			3						12
Teachers (Female)								1		12
Telegraph Operators										3
Tailors	1	3	1	2		2				7
Tanners and Curriers										2
Tobacconists and Cigar-makers	1		1							3
Undertakers										
Weavers		2	1	3						6
Watchmakers and Jewelers										2
Total	72	150	45	176	2	60	3	6	1	1044

CAUSES OF DEATHS, 1883—*Continued.*CLASS III.—LOCAL DISEASES.—*Monorganici.*

ORDER 1.—DISEASES OF THE NERVOUS SYSTEM.— <i>Cephalici.</i>													ORDER 2.—DISEASES OF THE CIRCULATORY SYSTEM.— <i>Cardiac.</i>				
Apoplexia (Apoplexy).	Atropia.	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Insania (Insanity).	Insolatio (Sunstroke).	Meningitis.	Myelitis.	Necrencephalus (Softening of Brain).	Paralysis (Palsy).	Paraplegia (Palsy of Lower Extremities).	Tetanus (Lockjaw).	Angina Pectoris (Breast Pang).	Atropia Cordis (Atrophy of Heart).	Hydrops Pericardii.	Degeneratio Cordis (Fatty Degeneration of Heart).	Morbus Valvularum Cordis (Heart Disease).
6		1	2		1		1			5						1	13
2					1		1			1							3
					1					1							2
4			2		1		2	1		1							6
1										1				1			3
2		1		1		1				1							2
8			2				4	1	3	4							1
1							1	1									5
1																	1
4										1							2
										1							1
1								1									
	1									2							1
216	4	12	28	6	14	2	73	29	23	219	4	3	1	1	4	5	382

TABLE I.—DEATHS BY OCCUPATIONS.—

OCCUPATIONS.	CLASS III.—							
	ORDER 3.—DISEASES OF THE RESPIRATORY SYSTEM.— <i>Pneumonici.</i>						ORDER 4.—	
	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Hydrothorax (Dropsey of Chest).	Laryngitis (Inflammation of Larynx).	Pleuritis (Pleurisy).	Pneumonia (Inflammation of Lungs).	Ascites (Abdominal Dropsey).	Cirrhosis of Liver.
Students						4		
Stonecutters						1		
Shoemakers	2	1				5		
Sailors	1				1	1		
Saddlers and Harness-makers	1							
Seamstresses	1					2		
Servants	2				2	6	2	
Soldiers and Pensioners	2					4		
Tinsmiths		1				1		
Teamsters	3	1				1		
Tavern-keepers	2	1				3		1
Teachers (Male)				1	1	1		
Teachers (Female)		1						
Telegraph Operators						1		
Tailors		1				4		
Tanners and Curriers						1		
Tobacconists and Cigar-makers								
Undertakers								
Weavers								
Watchmakers and Jewelers	1	1				1		
Total	103	84	3	5	22	369	5	6

CAUSES OF DEATHS, 1883—*Continued.**Continued.*DISEASES OF THE DIGESTIVE SYSTEM.—*Enterici.*

Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).	Hæmorrhoids (Piles).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Ileus.	Intus-susceptio (Invagination of Gut).	Obstipatio (Constipation).	Perforatio Intestini (Perforation of Intestine).	Peritonitis (Inflammation of Abdomen).	Stricture Intestini (Stricture of Intestine).	Ulceration Intestini (Ulceration of Intestines).	Ulcus Stomachi (Ulcer of Stomach).
2	2			1							1			
				4										1
				1										
		1												
		2												
	4													
	1									1	1			
	1													
				3							1			
	1		1	1										
	1	1				1								
			1											
	1										1			
	2	1		1										
23	107	52	3	72	20	12	2	1	1	2	25	1	2	6

TABLE I.—DEATHS BY OCCUPATIONS.—

OCCUPATIONS.	CLASS III.—Continued.										O. 8	CLASS IV. DEV. DIS. <i>Metamorphici</i>	CLASS V.—			
	ORDER 5.—DISEASES OF THE URINARY SYSTEM.— <i>Nephritici</i> .												ORDER 1.—			
	Calculus (Stone).	Cystitis (Inflammation of Bladder).	Diabetes.	Ischuria (Retention of Urine).	Lithiasis (Gravel).	Morbus Prostaticus (Diseased Prostrate).	Nephria (Bright's Disease).	Nephritis (Inflammation of Kidneys).	Abscessus (Abscess).	Senectus (Old Age).			O 3. DEV. DIS. OLD PEOPLE. — <i>Geratici</i> .	Ambusta (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion).
Students							1									
Stonecutters																
Shoemakers		1						4	1		11					
Sailors							1	2			2					
Saddlers and Harness-makers.			1						1		1					
Seamstresses			1								1					
Servants							1		1		5					
Soldiers and Pensioners.					1			1			15					
Tinsmiths																
Teamsters											2					
Tavern-keepers								1			3					
Teachers (Male)				1				2	1		9					
Teachers (Female)		1														
Telegraph Operators																
Tailors			1	1			2	1			5					
Tanners and Curriers	1															
Tobacconists and Cigar-makers.																
Undertakers																
Weavers		1							1		11					
Watchmakers and Jewelers.																
Totals	6	42	34	7	19	3	58	69	31		923	7	1	1	2	

CAUSES OF DEATHS, 1883—*Concluded.*

VIOLENCE TENDING TO SUDDEN DEATH. —*Thanatici.*

ACCIDENT AND NEGLIGENCE.										ORD. 3— HOMI- CID.	ORDER 4.—SUICIDE.				ORD. 5— EXECU- TION.	Other Causes of Death.	Total.	
Explosion.	Fracture.	Gelatio (Freezing).	Ictus Fulminis (Lightning).	Morsus Serpentinis (Snake-bite).	Suffocatio (Suffocation).	Submersio (Drowning).	Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Murder and Manslaughter.	Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).	Suspendium (Hanging).			
.....	1	1	10
.....	1	20	20
.....	1	1	102	102
.....	28	28
.....	20	20
.....	32	32
.....	70	70
.....	56	56
.....	13	13
.....	2	2
.....	33	33
.....	77	77
.....	41	41
.....	21	21
.....	6	6
.....	54	54
.....	9	9
.....	6	6
.....	2	2
.....	32	32
.....	10	10
6	7	10	5	8	76	10	157	52	1	6	3	2	10	2	157	5562	

H. S. CREWE,
Inspector.

